PERGAMON

Polyhedron 20 (2001) 3361–3385

POLYHEDRON

www.elsevier.com/locate/poly

Author Index to Volume 20

Abdul Jalil, M., Fujinami, S., Honjo, T. and Nishikawa, H., A new tripod PPN bridging ligand and its copper, silver and palladium complexes: syntheses, characterizations and X-ray structures, 1071

Abdul Jalil, M., Yamada, T., Fujinami, S., Honjo, T. and Nishikawa, H., An imidazole-based P–N bridging ligand and its binuclear copper(I), silver(I) and palladium(I) complexes: synthesis, characterizations and X-ray structures, 627

Abdul Malik, K.M., see Johns, C.A., 721

Abdul Malik, K.M., see Mondal, N., 135

Abram, U., see Carballo, R., 2371

Achey, R.M., Kuhns, P.L., Moulton, W.G., Reyes, A.P. and Dalal, N.S., ^{13}C-labeling and NMR study of Mn_{12}, 1745

Achey, R., see Maccagnano, S., 1441

Adachi, K., see Kabir, M.K., 1417

Adachi, K., Sugiyama, Y., Kumagai, H., Inoue, K., Kitagawa, S. and Kawata, S., Crystal structures and magnetic properties of novel coordination polymers with rectangular lattice constructed from pyrazine derivative, 1411

Adams, H., see Valencia, L., 3091

Ágoston, C.G., see Sanna, D., 3079

Aguado, R., see Arnáiz, F.J., 3295

Aguado, R., see Arnáiz, F.J., 2781

Aiken, S., see Plater, M.J., 3219

Airoldi, C. and Arakaki, L.N.H., Immobilization of ethylenesulfide on silica surface through sol–gel process and some thermodynamic data of divalent cation interactions, 929

Aizawa, N., see Ishii, T., 1297

Akbar Ali, M., Mirza, A.H., Nazimuddin, M., Rahman, H. and Butcher, R.J., Mono- and bis-chelated nickel(II) complexes of the di-2-pyridylketone Schiff base of *S*-methyldithiocarbazate and the X-ray crystal structure of the bis[*S*-methyl-β-*N*-(di-2-pyridyl)-methylenedithiocarbazato]nickel(II) complex, 2431

Akita, T. and Koga, N., Magnetic properties after irradiation of poly(*m*-phenyleneethynylene) having diazo and nitronylnitroxide groups and its model compounds, 1475

Akutsu, H., see Ojima, T., 1335

Albaric, L., Hovnanian, N., Julbe, A. and Volle, G., Oxovanadium(V)-1-methoxy-2-propanoxide: synthesis and spectroscopic studies — a molecular precursor for a vanadium–magnesium oxide catalyst, 2261

Albert, J., Bosque, R., Granell, J. and Tavera, R., A high-yield method of synthesis of the acetato bridged *endo*-cyclopalladated dimer of benzyl-benzylidene-amine, 3225

Alemany, P., see Ruiz, E., 1323

Aliaga, N., Folting, K., Hendrickson, D.N. and Christou, G., Preparation and magnetic properties of low symmetry $[Mn_4O_3]$ complexes with $S = 9/2$, 1273

Ali, A.M., see Tarafder, M.T.H., 2363

Ali, M.A., Mirza, A.H. and Butcher, R.J., Synthesis and characterization of copper(II) complexes of the methylpyruvate Schiff base of S-methyldithiocarbazate (Hmpsme) and the X-crystal structures of Hmpsme and [Cu(mpsme)Cl], 1037

Ali, M.A., Mirza, A.H., Monsur, A., Hossain, S. and Nazimuddin, M., Synthesis, characterization, antifungal properties and X-ray crystal structures of five- and six-coordinate copper(II) complexes of the 6-methyl-2-formylpyridine^{4}N-dimethylthiosemicarbazone, 1045

Alkam, H.H., see Hadjikostas, C.C., 395

Allain, M., see Jouad, E.M., 67

Al-Salem, N.A., see Goher, M.A.S., 2971

Alvarez-Larena, A., see Pons, J., 1029

Alvarez-Larena, A., see Pons, J., 2531

Alvarez, S., see Ruiz, E., 1323

Alvarez-Toledano, C., Gutiérrez-Pérez, R., Toscano, R.A., Moya-Cabrera, M., Haquet, T., Ortega, M.C. and Cabrera, A., X-ray and spectroscopic characterisation of novel mono- and trinuclear Fe(0) complexes derived from 1-dimethylhydrazono-4-phenylbuten-3-ones, 215

Alzuet, G., see Gutierrez, L., 703

Amabilino, D.B., see Catala, L., 1563

Amabilino, D.B., see Minguet, M., 1633

Amaral, S., Jensen, W.E., Landee, C.P., Turnbull, M.M. and Matthew Woodward, F., Quantum linear magnetic chains: structure and magnetic behavior of (2-methylpyrazine)copper(II) nitrate, 1317

Amirnasr, M., Schenk, K.J., Gorji, A. and Vafazadeh, R., Synthesis and spectroscopic characterization of $[Co^{III}(salophen)(amine)_2]ClO_4$ (amine = morpholine, pyrrolidine, and piperidine) complexes. The crystal structures of $[Co^{III}(salophen)(morpholine)_2]ClO_4$ and $[Co^{III}(salophen)(pyrrolidine)_2]ClO_4$, 695

Anacona, J.R., see Marquez, V.E., 1885

Anahata, M., see Munakata, M., 2321

Anahata, M., see Munakata, M., 2037

Anderson, G.K., see Arendse, M.J., 2495

Andrade, G.F.S., see Pessôa, M.M.B., 3133

André, J.-J., see Wautelet, P., 1571

Andruh, M., see Tudor, V., 3033

Angaridis, P., Cotton, F.A., Dikarev, E.V. and Petrukhina, M.A., Mixed halide/phosphine complexes of the dirhenium core. Part 7. Reactions of $[Re_2I_8]^{2-}$ with monodentate phosphines, 755

Angelov, S., see Rabu, P., 1677

Ankers, D.L. and Fanning, J.C., The production of NO from the reaction of Fe(III) Schiff base complexes and nitrite ions in acetonitrile, 623

Anson, C.E., see Schmitt, W., 1687

Antic-Jovanovic, A., see Sasic, S., 839

Antipin, M.Y., see Voloshin, Y.Z., 2721

Anwander, R., see Evans, W.J., 2483

Anzai, H., see Mito, M., 1505

Aoki, T., see Kaneko, T., 1291

Apperley, D.C., Bricklebank, N., Hursthouse, M.B., Light, M.E. and Coles, S.J., Vibrational, ^{31}P NMR and crystallographic studies of diiodine adducts of some bidentate tertiary phosphine sulfides, 1907

PII: S0277-5387(01)00984-6

Arakaki, L.N.H., see Airoldi, C., 929
Araujo, M.L., see Armas, M., 799
Ardisson, J.D., see Vaz, M.G.F., 1431
Arendse, M.J., Anderson, G.K. and Rath, N.P., Oxidative degradation of the ascorbate anion in the presence of platinum and palladium. Formation and structures of platinum and palladium oxalate complexes, 2495
Aris, D.R., see Willey, G.R., 423
Árkosi, Z., see Szabó-Plánka, T., 995
Armas, M., Mederos, A., Gili, P., Domínguez, S., Hernández-Molina, R., Lorenzo, P., Baran, E.J., Araujo, M.L. and Brito, F., Speciation in the oxovanadium(IV)/glutathione system, 799
Armspach, D., Matt, D. and Kyritsakas, N., Anchoring a helical handle across a cavity: the first 2,2′-bipyridyl-capped α-cyclodextrin capable of encapsulating transition metals, 663
Armspach, D., see Constable, E.C., 483
Armstrong, W.H., see Siemer, C.J., 2637
Arnáiz, F.J., Aguado, R., Pedrosa, M.R., Mahía, J. and Maestro, M.A., Outer-sphere addition compounds of $MoO_2Br_2(H_2O)_2$ with ethers. Molecular structure of $MoO_2Br_2(H_2O)_2{\cdot}L$ (L = 2,5,8-trioxanonane; 2,5,8,11,14-pentaoxapentadecane), 2781
Arnáiz, F.J., Miranda, M.J., Aguado, R., Mahía, J. and Maestro, M.A., Synthesis and molecular structure of the *all-trans*- and the *trans–cis*-$[UO_2Br_2(OAsPh_3)_2]$ isomers, 3295
Arnold, D.P., see Jiang, J., 557
Aromí, G., see Hendrickson, D.N., 1479
Aromí, G., see Mettes, F.L., 1459
Asada, H., see Nakamura, T., 191
Asselberghs, I., see Mata, J.A., 2083
Aubin, S.M.J., see Hendrickson, D.N., 1479
Aubin, S.M.J., Sun, Z., Eppley, H.J., Rumberger, E.M., Guzei, I.A., Folting, K., Gantzel, P.K., Rheingold, A.L., Christou, G. and Hendrickson, D.N., Single-molecule magnets: Jahn–Teller isomerism and the origin of two magnetization relaxation processes in Mn_{12} complexes, 1139
Audergon, L., Emmenegger, F., Piccand, M., Piekarski, H. and Mokrzan, J., Comparison of pyridine and 4-methyl-pyridine as ligands to cobalt(II) chloride in the gas phase and in solution, 387
Awaga, K., see Fujita, W., 1517
Aydin, N. and Schlaepfer, C.-W., New luminescent Ru(II) complexes containing a dangling amine group, $Ru(bpy)_2(dien)^{2+}$ and $Ru(bpy)_2(entn)^{2+}$, 37
Azuma, N., see Mukai, K., 1537

Babb, A.M., see Lu, J.Y., 2445
Baca, S.G., Simonov, Y.A., Gerbeleu, N.V., Gdaniec, M., Bourosh, P.N. and Timco, G.A., Synthesis and X-ray diffraction study of Zn(II) complexes with *o*-phthalic acid and aromatic amines, 831
Bachmann, C., see Oberhauser, W., 727
Bádenas, F., see García-Raso, Á., 2877
Bádenas, F., see García-Raso, Á., 2609
Badillo-Delgado, A., see García-Montalvo, V., 203
Bag, B., Mondal, N., Mitra, S., Gramlich, V., Ribas, J. and El Fallah, M.S., Synthesis, crystal structure and magnetic properties of a new oxalato-bridged binuclear copper(II) complex with a tridentate Schiff base ligand, 2113
Bag, B., see Mondal, N., 579
Bakbak, S., Bhatia, V.K., Incarvito, C.D., Rheingold, A.L. and Rabinovich, D., Synthesis and characterization of two new bulky tris(mercaptoimidazolyl)borate ligands and their zinc and cadmium complexes, 3343
Baker, P.K. and Brown, C.T., Oxidation of *fac*-$[M(CO)_3(NCMe)_3]$ (M = Mo or W) with I_2Cl_6. Reactions of the seven-coordinate complex $[WCl(ClICl)(CO)_3(NCMe)_2]$, 2559
Balakrishna, M.S. and Mague, J.T., Disulfide and diselenides of bis(phosphines) derived from *N*,*N*′-substituted ethylenediamines. The crystal and molecular structure of $Ph_2P(S)N(Ph)CH_2{-}CH_2N(Ph)P(S)Ph_2$, 2421
Balanda, M., see Falk, K., 1521
Ballester, G., Coronado, E., Galán-Mascarós, J.R., Giménez-Saiz, C., Nuez, A. and Romero, F.M., A new approach for the synthesis of magnetic materials based on nitroxide free radicals and inorganic coordination polymers, 1659
Ballou, R., see Sutter, J.-P., 1593
Banditelli, G., see Laura Bandini, A., 2869
Bandyopadhyay, P., see Ghosh, T., 477
Banerjee, R., see Ghosh, T., 477
Baraka, R.M., see Ismaiel, A.A.A., 455
Barakat, S., see Murmann, R.K., 431
Baran, E.J., see Armas, M., 799
Barbarin, C.R., see Marquez, V.E., 1885
Barclay, T., Eglin, J.L. and Smith, L.T., The synthesis, crystal structure, and spectroscopic characterization of a tetrakis(μ-*N*,*N*′-diarylformamidinato)chlorodirhenium(III,III) cationic complex, 767
Barja, B.C., Herszage, J. and dos Santos Afonso, M., Iron(III)–phosphonate complexes, 1821
Barnes, C.L., see Brownback, M.A., 2505
Barnes, C.L., see Murmann, R.K., 431
Barral, M.C., de la Fuente, I., Jiménez-Aparicio, R., Priego, J.L., Torres, M.R. and Urbanos, F.A., Synthesis of diruthenium(II,III) amidate compounds. Crystal structure of $[Ru_2(\mu\text{-}HNOCC_4H_3S)_4(thf)_2]SbF_6{\cdot}0.5$cyclohexane, 2537
Barrière, F., Pickett, C.J. and Talarmin, J., Extended Hückel calculations on functional and structural models of the FeMo-cofactor of nitrogenase, 27
Bartolomé, J., see Evangelisti, M., 1447
Basallote, M.G., Durán, J., Fernández-Trujillo, M.J. and Máñez, M.A., Stability and kinetics of decomposition of binuclear Cu(II) complexes with a symmetrical hexaaza macrocycle: the effect of SCN^- as ancillary ligand, 75
Basallote, M.G., Durán, J., Fernández-Trujillo, M.J., Máñez, M.A., Quirós, M. and Salas, J.M., Equilibrium studies on the protonation and Cu(II) complexation by an hexaaza macrocycle containing *p*-xylyl spacers. The crystal structure of the hexaprotonated ligand and the kinetics of decomposition of the Cu(II) complexes, 297
Baseski, H.M., see Nataro, C., 1023
Basson, S.S., see Visser, H.G., 185
Bastida, R., see Valencia, L., 3091
Batista, A.A., Santiago, M.O., Donnici, C.L., Moreira, I.S., Healy, P.C., Berners-Price, S.J. and Queiroz, S.L., Electrochemical and spectroscopic studies on $RuCl_2(PPh_3)_2(N)_2$ and $RuCl_2(PPh_3)_2(N{-}N)$ complexes (N = pyridine derivatives and N–N = phenanthroline or bipyridine derivatives). X-ray structure of $RuCl_2(PPh_3)_2$(phen), 2123
Batsanov, A.S., Bryce, M.R., Dhindsa, A.S., Howard, J.A.K. and Underhill, A.E., Synthesis, crystal structure and electrochemistry of a new bimetallic nickel dithiolene complex $(NBu_4^+)_2\{C_2S_4\text{-}[NiS_2C_2S_2(CO)]_2\}^{2-}$. A precursor for molecular conductors, 537
Batsanov, A.S., Goeta, A.E., Howard, J.A.K., Maffeo, D., Puschmann, H. and Gareth Williams, J.A., Nickel(II) complexes of the isomeric tetraazamacrocyclic ligands 1,11- and 1,8-bis(2-pyridylmethyl)-cyclam and of a structurally constrained N^4,N^8-methylene bridged analogue, 981
Batten, S.R., see van der Werff, P.M., 1129
Bavoux, C., see Daniele, S., 1065
Baxter, D.V., Caulton, K.G., Chiang, W.-C., Chisholm, M.H., DiStasi, V.F., Dutremez, S.G. and Folting, K., Synthesis, structural characterization, thermolysis and volatility study of the Schiff base complex $Cu[CH_3C(O)CHC(NCH_2CH_2OCH_3)CH_3]_2$, 2589
Becker, B., Dołęga, A., Konitz, A. and Wojnowski, W., Zinc tri-*tert*-butoxysilanethiolates. Syntheses, properties and crystal and molecular structures of $[Zn\{\mu\text{-}SSi(OBu^t)_3\}(acac)]_2$ and $[\{(Bu^tO)_3SiS\}(H_2O)_2Zn\{\mu\text{-}SSi(OBu^t)_3\}Zn(acac)\{SSi(OBu^t)_3\}]$, 949

Becker, B., Zalewska, A., Konitz, A. and Wojnowski, W., Contributions to the chemistry of silicon–sulfur compounds. Part 75. Cobalt(II) tri-*tert*-butoxysilanethiolates. Synthesis, properties, crystal and molecular structures of $[Co\{SSi(O^tBu)_3\}_2(L)]$ and $[Co\{SSi(O^tBu)_3\}_2(L)_2]$ type complexes with monodentate nitrogen ligands, 2567

Beheshti, A., Clegg, W. and Hosaini Sadr, M., Synthesis and crystal structure of a copper(I) complex containing tetrathiomolybdate and dihydrobis(3,5-dimethylpyrazolyl)borate ligands: $[Et_4N]_2[(Bp')CuMoS_4Cu_2(\mu\text{-}Bp')_2Cu_2MoS_4Cu(Bp')]$ ($Bp' = H_2B(3,5\text{-}Me_2Pz)_2$) and crystal structure of $[(Bp')_2Cu]$, 179

Bellouard, F., Clemente-León, M., Coronado, E., Galán-Mascarós, J.R., Giménez-Saiz, C., Gómez-García, C.J. and Woike, T., Bimetallic cyanide-bridged complexes based on the photochromic nitroprusside anion and paramagnetic metal complexes, 1615

Bell, Z.R., Motson, G.R., Jeffery, J.C., McCleverty, J.A. and Ward, M.D., Syntheses and structures of lanthanide(III) complexes with some bis(pyrazolyl)borate and tris(pyrazolyl)borate podand ligands, 2045

Bell, Z.R., see Frey, G.D., 3231

Belot, J.A., see Silvernail, C.M., 3113

Belousov, Y.A. and Brin, E.F., Investigation of the kinetics of the chain-radical process in the system iron carbonyl–Lewis base, 2765

Belsky, V.K., see Voloshin, Y.Z., 2721

Bencini, A., see Schweizer, J., 1771

Benetollo, F., Bombieri, G., Samaria, K.M., Vallarino, L.M. and Williams, J.W., Isomerism in calcium and strontium complexes of six-nitrogen-donor macrocyclic ligands with peripheral methyl substituents, and crystal structure of $[Sr(CF_3SO_3)_2(C_{24}H_{30}N_6)]$, 3143

Benetollo, F., see Marzotto, A., 171

Beran, M., see Necas, M., 741

Berente, Z., see García-Seijo, M.I., 855

Bermejo, E., see Castiñeiras, A., 449

Bermejo, E., see Ketcham, K.A., 3265

Bermejo, M.R., see Maneiro, M., 711

Bernal, I., see Chun, H., 2597

Bernalte-García, A., García-Barros, F.J., Higes-Rolando, F.J. and Luna-Giles, F., The coordination chemistry of thiazoline/thiazolidine derivatives. II: synthesis and characterization of $[CoCl_2(PyTT)]$ and $[ZnCl_2(PyTT)]$ [PyTT = 2-(2-pyridyl)imino-*N*-(2-thiazolin-2-yl)thiazolidine], 3315

Berners-Price, S.J., see Batista, A.A., 2123

Bernès, S., see Redón, R., 3119

Beroggi, C., see Contreras, R., 3127

Berrios, P., see Bodini, M.E., 1005

Bertolasi, V., see Pitteri, B., 869

Bhalla, R., see Schmitt, W., 1687

Bharadwaj, P.K., see Ghosh, T., 477

Bhatia, V.K., see Bakbak, S., 3343

Bhattacharjee, A., Miyazaki, Y., Nakano, M., Yoo, J., Christou, G., Hendrickson, D.N. and Sorai, M., Heat capacity calorimetry of two Mn_4 large-spin clusters: $[Mn_4(hmp)_6R_2](ClO_4)_2$ [Hhmp = 2-hydroxymethylpyridine, R = OAc^- or Cl^-], 1607

Bhattacharya, P.K., see Dutta, S., 2027

Bhattacharya, P.K., see Dutta, S., 1815

Bhattacharya, S., see Das, A.K., 327

Bhattacharyya, P., Ly, T.Q., Slawin, A.M.Z. and Derek Woollins, J., P- versus P,O- coordination in complexes of *N*-(diphenylphosphino)arylamide ligands $ArC(O)NHPPh_2$ (Ar = 3-pyridyl, phenyl). X-ray crystal structures of $[RhCl_2(\eta^5\text{-}C_5Me_5)L^2]$ and $[NiCl(EtOH)L^2_2]\cdot Cl[NiCl_2L^2_2]$ ($L^2 = C_6H_5CONHPPh_2$), 1803

Bhattacharyya, P., Slawin, A.M.Z. and Woollins, J.D., Bridge cleavage of transition metal dimers by chelating S,N ligands. X-ray crystal structure of $[Pd\{SPPh_2N{=}C(NH_2)NH\text{-}S,N\}(\eta^3\text{-}C_3H_5)]$, 1831

Bickley, J.F., see Davies, H.O., 2397

Bieber, A., see Wautelet, P., 1571

Billing, D.G., see Raubenheimer, H.G., 1089

Birdsall, D.J., Slawin, A.M.Z. and Woollins, J.D., The preparation and coordination chemistry of $R_2P(S)NHP(S)R'_2$ (R and R′ = ^{i}Pr, Ph, Et, OEt or OPh), 125

Biver, T., Secco, F., Tinè, M.R. and Venturini, M., Equilibria and kinetics of complex formation between copper(II) and the polyamine Me_2octaen, 1953

Blaurock, S., see Kühl, O., 2171

Blaurock, S., see Kühl, O., 111

Blaurock, S., see Sterzik, A., 3007

Bleuzen, A., see Goujon, A., 1347

Bleuzen, A., see Goujon, A., 1339

Bodini, M.E., del Valle, M.A., Tapia, R., Leighton, F. and Berrios, P., Zinc catechin complexes in aprotic medium. Redox chemistry and interaction with superoxide radical anion, 1005

Bogdán, C., Péczely, G. and Gaizer, F., Protonation constants of ethane and propane frame-substituted oligophosphonic and oligophosphonocarboxylic acids, 1809

Bogdanović, G.A., Medaković, V.B., Vojinović, L.S., Češljević, V.I., Leovac, V.M., Spasojević-de Biré, A. and Zarić, S.D., Transition metal complexes with thiosemicarbazide-based ligands. Part XLI. Two crystal structures of cobalt(III) complexes with salicylaldehyde *S*-methylisothiosemicarbazone and theoretical study on orientations of coordinated pyridines, 2231

Bogusz, K., see Kurzak, B., 2627

Bokacheva, L., Kent, A.D. and Walters, M.A., Micro-Hall magnetometry studies of thermally assisted and pure quantum tunneling in single molecule magnet Mn_{12}-acetate, 1717

Bolaño, S., see Fernández-García, F., 2675

Boldog, I., Rusanov, E.B., Chernega, A.N., Sieler, J. and Domasevitch, K.V., One- and two-dimensional coordination polymers of 3,3′,5,5′-tetramethyl-4,4′-bipyrazolyl, a new perspective crystal engineering module, 887

Bollinger, J.C., see Sañudo, E.C., 1269

Bolos, C.A., see Hadjikostas, C.C., 395

Bombieri, G., see Benetollo, F., 3143

Bombieri, G., see Pimentel, P.M., 2651

Bontchev, P.R., Ivanova, B.B., Bontchev, R.P. and Mehandjiev, D.R., Complexes of Cu(II) with 1-(4-amino-6,7-dimethoxy-2-quinazolinyl)-4-(2-furanylcarbonyl)-piperazine (prazosin): synthesis, properties, crystal structure, 231

Bontchev, R.P., see Bontchev, P.R., 231

Borrás, J., see Gutierrez, L., 703

Bosque, R., see Albert, J., 3225

Bosque, R., see López, C., 987

Bosson, M., Levason, W., Patel, T., Popham, M.C. and Webster, M., Lanthanide nitrate complexes of diphenylmethylphosphine oxide: synthesis and spectroscopic studies. Crystal structures of $[La(Ph_2MePO)_3(NO_3)_3]$, $[La(Ph_2MePO)_4(NO_3)_3\cdot x Me_2CO$ and $[Yb(Ph_2MePO)_4(NO_3)_2]PF_6$, 2055

Böttcher, H.-C., Graf, M., Merzweiler, K., Rösel, T., Schmidt, H. and Wagner, C., Studies on the reactivity of the clusters $[Ru_3(CO)_8(\mu\text{-}H)_2(\mu\text{-}PR_2)_2]$ (R = Bu′, Cy) towards phosphine ligands, 2011

Bouet, G.M., see Jouad, E.M., 67

Bourhill, G., see Plater, M.J., 3219

Bourosh, P.N , see Baca, S.G., 831

Bovio, B., see Laura Bandini, A., 2869

Boys, D., see Contreras, R., 3127

Brandow, C.G., see Grant, G.J., 3333

Bravo, J., see Fernández-García, F., 2675

Brechbiel, M.W., see Park, G., 3155

Brechin, E.K., see Hendrickson, D.N., 1479

Bregier-Jarzebowska, R., see Gasowska, A., 2305

Brewer, S.A., see Coombs, T.D., 2935

Bricklebank, N., see Apperley, D.C., 1907

Bridgeman, A.J. and Cavigliasso, G., Density-functional investigation of bonding in tetrahedral MO_4 anions, 2269
Bridgeman, A.J. and Cavigliasso, G., Molecular and electronic structures of six-coordinate W complexes and polyanions containing tri-oxo groups, 3101
Bridgeman, A.J. and Ireland, L.R., Multiple bonding in Groups 13 and 14 homonuclear ethyne analogues, 2841
Bridgewater, B.M., see Kimblin, C., 1891
Brin, E.F., see Belousov, Y.A., 2765
Brisdon, B.J., see Coombs, T.D., 2935
Brito, F., see Armas, M., 799
Broker, G., see Park, G., 3155
Bronowska, W., see Wojciechowska, A., 2063
Brooks, J.J., see Davies, H.O., 2397
Brouca-Cabarrecq, C., see Fernandes, A., 2385
Brownback, M.A., Murmann, R.K. and Barnes, C.L., Kinetic, thermodynamic and X-ray crystal studies on *N*-alkyl-α-amineoxime ligand exchange between planar nickel(II) complexes, 2505
Brown, C.T., see Baker, P.K., 2559
Brüggeller, P., see Oberhauser, W., 727
Bryce, M.R., see Batsanov, A.S., 537
Bubnov, Y.N., see Voloshin, Y.Z., 2721
Buculei, V., see Tudor, V., 3033
Bukietyńska, K. and Krot-Łacina, K., Vanadium(III) interaction with adenine, 2353
Bunel, S., see Parada, J., 2223
Bunge, S.D., Just, O. and Rees, W.S., Jr., Synthesis, structural characterization and dynamic behavior of Group 12 metals containing the sterically hindered ligand [N(*t*-Bu)CH(*t*-Bu)CHN-*t*-Bu]$^-$, 823
Bunton, C.A., see Parada, J., 2223
Butcher, R.J., see Akbar Ali, M., 2431
Butcher, R.J., see Ali, M.A., 1037
Bu, X.-H., see Du, M., 3065
Byabartta, P., Santra, P.K., Misra, T.K., Sinha, C. and Kennard, C.H.L., Synthesis, spectral characterisation, redox studies of isomeric dichloro-bis-[1-alkyl-2(naphthyl-(α/β)-azo)imidazole]ruthenium(II). Single crystal X-ray structure of blue-green dichloro-bis-[1-ethyl-2-(naphthyl-α-azo)imidazole] ruthenium(II), 905

Cabaleiro, S., see Castro, J., 2329
Cabrera, A., see Alvarez-Toledano, C., 215
Cador, O., see Vaz, M.G.F., 1761
Cai, Y.-P., Su, C.-Y., Xu, A.-w., Kang, B.-S., Tong, Y.-X., Liu, H.-Q. and Jie, S., Syntheses and characterization of copper(II) complexes of bis(acetylacetone)trimethylenediimine, 657
Camargo, M.A., see Lemos, S.S., 849
Campo, J.A., Cano, M., Heras, J.V., Cristina Lagunas, M., Pinilla, E. and Rosario Torres, M., Bowl-shaped molybdenum complexes containing tris(3-*p*-methoxyphenylpyrazol-1-yl)borate (Tp^{An}). Crystal structures of [Mo(Tp^{An})(NO)(Cl)(NHC_6H_4-*p*-CH_3)] and [Mo(Tp^{An})(NO)(Cl){NHC_6H_4-*p*-$N(CH_3)_2$}], 2997
Cañada-Vilalta, C., Huffman, J.C. and Christou, G., Preparation, crystal structure and chelate substitution reactions of [$Mn_4O_2(O_2CPh)_6(dpm)_2$] (dpm = the anion of dipivaloylmethane), 1785
Cañada-Vilalta, C., Huffman, J.C., Streib, W.E., Davidson, E.R. and Christou, G., Use of the dicarboxylate ligand *m*-phenylenedipropionate for the synthesis of new Mn/O clusters. Synthesis, characterization and magnetic properties, 1375
Cano, M., see Campo, J.A., 2997
Canovese, L., Visentin, F., Santo, C., Chessa, G. and Uguagliati, P., Mechanism of the reaction of allyl amination of Pd(II) allyl complexes containing chelating pyridine–chalcogen ligands. A surprisingly low influence of the chalcogen atom, 3171
Cao, H., see Yang, S.-P., 223
Cao, R., see Liang, Y.-C., 2477
Cao, R., see Shi, Q., 3287
Cao, R., see Wang, R.-H., 3165
Cao, R., see Zhao, Y.-J., 2619
Carballo, R., Castiñeiras, A., Covelo, B. and Vázquez-López, E.M., Coordination polymers of copper(II) based on mixed N- and O-donor ligands: the crystal structures of [CuL_2(4,4′-bipy)]$_n$ (L = lactate or 2-methyllactate), 899
Carballo, R., Castiñeiras, A., Covelo, B., Niclós, J. and Vázquez-López, E.M., Synthesis and characterization of a potassium complex of magneson: [$K(HL)(OH_2)_2]_\infty$ [H_2L = 4-(4-nitrophenylazo)-resorcinol (magneson)], 2415
Carballo, R., Castiñeiras, A., García-Fontán, S., Losada-González, P., Abram, U. and Vázquez-López, E.M., Synthesis, structure and reactivity of bromo- and aquatricarbonylrhenium(I) phosphinite and phosphonite derivatives, 2371
Carballo, R., see Castiñeiras, A., 441
Carballo, R., see Fernández-García, F., 2675
Carbonera, C., see Schweizer, J., 1771
Cardoso, Z.Z., see Lemos, S.S., 849
Carling, S.G. and Day, P., A Monte Carlo study of honeycomb lattice ferrimagnets, 1525
Casabó, J., see Pons, J., 1029
Casabó, J., see Pons, J., 2531
Casas, J.S., Castellano, E.E., Macías, A., Playá, N., Sánchez, A., Sordo, J., Varela, J.M. and Vázquez-López, E.M., Methyl- and phenylmercury(II) complexes of 5-(4′-dimethylaminobenzylidene)rhodanine (HDABRd) and 5-(2′-thiophenomethylene)-rhodanine (HTRd). The crystal and molecular structure of [HgPh(DABRd)] and [HgMe(TRd)], 1845
Casey, W.H., see Loring, J.S., 1983
Cassoux, P., see Kobayashi, H., 1587
Castellano, E.E., see Casas, J.S., 1845
Castellano, E.E., see Vasconcellos, L.C.G., 493
Castiñeiras, A., Carballo, R. and Pérez, T., Synthesis and structural characterization of complexes of Zn(II), Cd(II) and Hg(II) halides with 2-formylpyrrole thiosemicarbazone and 2-acetylpyrrole thiosemicarbazone, 441
Castiñeiras, A., Gil, M., Bermejo, E. and West, D.X., Structural and spectral study of platinum(II) complexes of pyridil bis{3-piperidyl-, bis{hexamethyleneiminyl-, bis{N(4)-diethyl- and bis{N(4)-dipropylthiosemicarbazones}, 449
Castiñeiras, A., see Carballo, R., 899
Castiñeiras, A., see Carballo, R., 2415
Castiñeiras, A., see Carballo, R., 2371
Castiñeiras, A., see García-Seijo, M.I., 855
Castiñeiras, A., see Gutierrez, L., 703
Castiñeiras, A., see Ketcham, K.A., 3265
Castro, J., Cabaleiro, S., Pérez-Lourido, P., Romero, J., García-Vázquez, J.A. and Sousa, A., Electrochemical synthesis, X-ray diffraction and spectroscopic characterisation of Co(II) compounds with [(4-methylphenyl)sulfonyl]-1*H*-imino-2-phenyl-2-oxazolines, 2329
Castro-Juiz, S., López-Torres, M., Fernández, A., Mosteiro, R., Suárez, A., Vila, J.M. and Fernández, J.J., Directed regioselectivity in cyclometallated palladium(II) compounds of *N*-benzylidenebenzylamines. Crystal and molecular structure of [Pd{3,4-(OCH_2O)C_6H_2C(H)=NCH_2[3,4-(OCH_2O)C_6H_3]-*C*2,*N*}(μ-O_2-CMe)]$_2$, 2925
Catala, L., Feher, R., Amabilino, D.B., Wurst, K. and Veciana, J., Pyrazol-4-yl-substituted α-nitronyl and α-imino nitroxide radicals in solution and solid states, 1563
Catala, L., see Wautelet, P., 1571
Cattalini, L., see Pitteri, B., 869
Caulton, K.G., see Baxter, D.V., 2589
Cavalheiro, E.T.G., see Felicio, R.C., 261
Cavigliasso, G., see Bridgeman, A.J., 3101
Cavigliasso, G., see Bridgeman, A.J., 2269

Cea-Olivares, R., see García-Montalvo, V., 203
Cecconi, F., Ghilardi, C.A., Midollini, S., Orlandini, A. and Vacca, A., Synthesis, characterization and X-ray structure of the organomercurial complex $[Hg(C_6F_5)(np_3)](CF_3SO_3)$, $np_3 = N(CH_2CH_2PPh_2)_3$, 2885
Cerrada, E., Laguna, M., Hursthouse, M.B. and Terroba, R., Synthesis and characterisation of phosphinothiolate tin(IV) complexes. Crystal structure of $[Sn^tBu_2(OPPh_2C_6H_4S)(OH_2)]ClO_4 \cdot H_2O$, 2863
Češljević, V.I., see Bogdanović, G.A., 2231
Chaberski, M., see Szłyk, E., 2853
Chadghan, A., see Pons, J., 1029
Chadghan, A., see Pons, J., 2531
Chadwick, A.V., see Covington, A.D., 461
Chai, J.-F., see Tang, L.-F., 403
Chai, J.-F., Tang, L.-F., Jia, W.-L., Wang, Z.-H., Wang, J.-T., Leng, X.-B. and Wang, H.-G., Synthesis, structure and characterization of M–Sn (M = Mo, W) bonded heterobimetallic complexes containing bis(pyrazol-1-yl)methane ligands, 3249
Chakov, N.E., see Shute, A.A., 2241
Chakraborty, S., Walawalkar, M.G. and Lahiri, G.K., Ruthenium-mediated selective cleavage of nitrogen–carbon bond of the diimine function. Synthesis, spectroscopic and redox properties of the complexes $[Ru(L)_2\{^-OC_6H_4C(CH_3)=N-H\}][ClO_4]$ (L = 2,2′-bipyridine and 1,10-phenanthroline) and the crystal structure of the bipyridine derivative, 1851
Chakravarty, A.R., see Rath, R.K., 2735
Chakravorty, A., see Shivakumar, M., 2089
Chaloner, P.A., see Sánchez, G., 571
Chan, A.S.C., see Zhang, Y.-H., 1859
Chan, A.S.C., see Zhao, Y.-J., 2619
Chandra, S.K., see Soler, M., 1279
Chao, H., see Jiang, C.-W., 2187
Charmant, J.P.H., see Vaucher, S., 2467
Chatterjee, C. and Stephen, M., Acid and metal ion promoted hydrolysis of [*N*-(*o*-carboxyphenyl)iminodiacetato](picolinato)-chromate(III) complex: a mechanistic study, 2917
Chaudhuri, N.R., see Maji, T.K., 651
Chaves, F.A., see Novak, M.A., 1513
Chawla, S.K., Hundal, M.S., Kaur, J. and Obrai, S., Synthesis and characterisation of 4,4′-bipyridine bridged supramolecules derived from $[(N-N)Cu(H_2O)_4]X_2$, [(N–N) = diamine] and linear 4,4′-bipyridine. X-ray crystal structures of $[(2,2'\text{-bpy})Cu(4,4'\text{-bpy})(OClO_3)_2]_n$ and $[(1,10\text{-phen})Cu[(4,4'\text{-bpy})(OClO_3)]_n(ClO_4)_n \cdot nH_2O$, 2105
Cheng, J., see Misra, T.K., 3149
Cheng, M., see Euler, W.B., 507
Cheng, P., see Gao, E.-Q., 669
Cheng, P., see Tang, J.-K., 675
Chen, J.-H., see Yang, C.-H., 3257
Chen, J., see Lu, S.-F., 2339
Chen, L., see Fu, Z.-Y., 1925
Chen, L., see Su, X.-C., 91
Chen, S., see Xiang, H., 313
Chen, W.-H., Wei, H.-H., Lee, G.-H. and Wang, Y., Dimeric iron(III) complexes with salicylaldimine ligands: structures, magnetic properties, and activity of H_2O_2 disproportionation, 515
Chen, W., see Zhang, K.-L., 2033
Chen, X.-M., see Yang, S.-P., 223
Chen, Y.-T., see Su, X.-C., 91
Chen, Z.-D., see Yan, B., 591
Chernega, A.N., see Boldog, I., 887
Chessa, G., see Canovese, L., 3171
Chiang, M.Y., see Hwang, W.-S., 353
Chiang, M.Y., see Lin, C.-J., 3275
Chiang, W.-C., see Baxter, D.V., 2589
Chiarelli, R., see Novak, M.A., 1513
Chisholm, M.H., see Baxter, D.V., 2589
Choi, K.-Y., Lee, H.-H., Park, B.B., Kim, J.H., Kim, J., Kim, M.-W., Ryu, J.-W., Suh, M. and Suh, I.-H., Synthesis and properties of nickel(II) and copper(II) complexes of a di-*N*-acetamide tetraaza macrocycle, 2003
Choi, K.-Y., Moon Chun, K. and Suh, I.-H., Synthesis and characterization of one-dimensional nickel(II) macrocyclic complexes with bridging organic ligands, 57
Choi, M.-G., see Noh, D.-Y., 1939
Christidis, P.C., see Hadjikostas, C.C., 395
Christou, G., see Aliaga, N., 1273
Christou, G., see Aubin, S.M.J., 1139
Christou, G., see Bhattacharjee, A., 1607
Christou, G., see Cañada-Vilalta, C., 1785
Christou, G., see Cañada-Vilalta, C., 1375
Christou, G., see Hendrickson, D.N., 1479
Christou, G., see Kuroda-Sowa, T., 1529
Christou, G., see Mettes, F.L., 1459
Christou, G., see Sañudo, E.C., 1269
Christou, G., see Soler, M., 1365
Christou, G., see Soler, M., 1279
Chung, C.-S., see Misra, T.K., 3149
Chun, H., Maes, E.M., Czernuszewicz, R.S. and Bernal, I., Syntheses, structure and spectroscopic characterization of *fac*- and *mer*-Co(aepn)$(CN)_3$ and of their ^{13}CN analogues [aepn = *N*-(2-aminoethyl)-1,3-propanediamine], 2597
Churakov, A.V., see Rufanov, K.A., 379
Churchill, D.G., see Kimblin, C., 1891
Cieślak-Golonka, M., see Wojciechowska, A., 2063
Ciunik, Z., see Łukasiewicz, M., 237
Ciunik, Z., see Ruman, T., 2965
Ciunik, Z., see Ruman, T., 2551
Clarke, M.L., Recent advances in homogeneous catalysis using platinum complexes, 151
Clark, R.D., see Evans, W.J., 2483
Clark, T., Cochrane, J., Colson, S.F., Malik, K.Z., Robinson, S.D. and Steed, J.W., Amidinato and triazenido complexes of ruthenium(II): X-ray crystal structure of the *N*,*N*′-diphenylformamidine fragmentation product $[RuCl(NH_2Ph)\{PhNC(H)NPh\}(Me_2SO)_2]$, 1875
Clearfield, A., see Krishnamohan Sharma, C.V., 2095
Clegg, W., see Beheshti, A., 179
Clegg, W., see Redshaw, C., 119
Clemente, D.A., see Marzotto, A., 1079
Clemente, D.A., see Marzotto, A., 171
Clemente-León, M., see Bellouard, F., 1615
Clérac, R., see Smith, J.A., 1727
Cochrane, J., see Clark, T., 1875
Codjovi, E., see Jeftić, J., 1599
Codjovi, E., see Roubeau, O., 1709
Coles, M.P. and Hitchcock, P.B., Synthesis and X-ray crystal structure of polymeric and dimeric copper(I) cyanide complexes incorporating a bicyclic guanidine ligand, 3027
Coles, S.J., see Apperley, D.C., 1907
Collins, J.E., see Reger, D.L., 2491
Colson, S.F., see Clark, T., 1875
Comerlato, N.M., Costa, L.A.S., Howie, R.A., Pereira, R.P., Rocco, A.M., Silvino, A.C., Wardell, J.L. and Wardell, S.M.S.V., Synthesis and properties of bis(1,3-dithiole-2-thione-4,5-dithiolato)bismuthate(1-) salts, $[Q][Bi(dmit)_2]$. Crystal structure of $[AsPh_4][Bi(dmit)_2] \cdot 1/2DMSO$: comparison of the solid state structures of $[Q][Bi(dmit)_2]$ and $[Q][Sb(dmit)_2]$, 415
Conato, C., Ferrari, S., Kozłowski, H., Pulidori, F. and Remelli, M., Ni(II) complexes of dipeptides: a thermodynamic and spectroscopic study, 615
Constable, E.C., Housecroft, C.E., Johnston, L.A., Armspach, D., Neuburger, M. and Zehnder, M., Dicobalt cluster functionalized 2,2′:6′,2″-terpyridine ligands and their ruthenium(II) complexes, 483

Contreras, R., Valderrama, M., Beroggi, C. and Boys, D., Synthesis and characterization of new dimethylplatinum(IV) complexes with *o*-(diphenylphosphino)-
thioanisole and its chalcogenide derivatives as ligands. Crystal structure of *trans*-[Me_2PtBr_2{*o*-$Ph_2P(S)C_6H_4SMe$–S,S′}], 3127
Coombs, T.D., Brisdon, B.J., Curtis, C.P., Mahon, M.F., Brewer, S.A. and Willis, C.R., Syntheses and crystal structures of Cu(II) and Zn(II) complexes of 2,2′-dipyridyl(*N*-propenyl)amine, 2935
Cordopatis, P., see Tiliakos, M., 2203
Cornelissen, U., see Jiang, J., 557
Coronado, E., see Ballester, G., 1659
Coronado, E., see Bellouard, F., 1615
Coronado, E., see John Plater, M., 2293
Costa, L.A.S., see Comerlato, N.M., 415
Cotton, F.A., see Angaridis, P., 755
Covelo, B., see Carballo, R., 899
Covelo, B., see Carballo, R., 2415
Covington, A.D., Lampard, G.S., Menderes, O., Chadwick, A.V., Rafeletos, G. and O'Brien, P., Extended X-ray absorption fine structure studies of the role of chromium in leather tanning, 461
Cowley, A., see Valach, F., 1933
Cramer, R., see Redón, R., 3119
Cranswick, L.M.D., see Gómez, A., 165
Crayston, J.A., see Cromie, T.J., 307
Creber, M.L., Orrell, K.G., Osborne, A.G., Šik, V., Hursthouse, M.B. and Light, M.E., Solution fluxionality of some pyridine-2,6-dialdehydes, -diketones and -diesters when acting as bidentate ligands in rhenium(I) and platinum(IV) complexes. Crystal structure of [$ReBr(CO)_3L$] (L = methylethyldipicolinate), 1973
Cristina Lagunas, M., see Campo, J.A., 2997
Cromie, T.J., Hay, R.W., Lightfoot, P., Richens, D.T. and Crayston, J.A., Synthesis and crystal structure of *cis*-[$NiL(en)](ClO_4)_2{\cdot}en{\cdot}H_2O$ (L = 3-hydroxyethyl-1,3,5,8,12-penta-azacyclotetradecane) and solution studies of the planar-*cis*-folding equilibrium, 307
Cronje, S., see Raubenheimer, H.G., 1089
Crouch, A.M., see Maisela, L.L., 3189
Crouse, K.A., see Tarafder, M.T.H., 2363
Císařová, I., see Smékal, Z., 3301
Cui, C.-P., see Fu, Z.-Y., 1925
Cui, Y., Qian, Y.-T. and Huang, J.-S., Synthesis, characterization and X-ray structure of three types of triply crotonate-bridged heterometallic zinc(II)–lanthanide(III) complexes, 1795
Cupertino, D., McPartlin, M. and Zissimos, A.M., Synthesis of cobalt(II) complexes of derivatised salicylaldoxime ligands; X-ray crystal structures of DMSO adducts of bis(3-nitro-5-methylsalicylaldoximato)cobalt(II) and bis(3-nitro-5-phenylsalicylaldoximato)-cobalt(II), 3239
Curtis, C.P., see Coombs, T.D., 2935
Czernuszewicz, R.S., see Chun, H., 2597

Dadachova, E., see Park, G., 3155
Dalal, N.S., see Achey, R.M., 1745
Dalal, N.S., see Maccagnano, S., 1441
Dalgarno, S., see Jiang, M., 2151
Dallavalle, F. and Tegoni, M., Speciation and structure of copper(II) complexes with (*S*)-phenylalanine- and (*S*)-tryptophanhydroxamic acids in methanol/water solution: a combined potentiometric, spectrophotometric, CD and ESI-MS study, 2697
Dallavalle, F., Folesani, G., Sabatini, A., Tegoni, M. and Vacca, A., Formation equilibria of ternary complexes of copper(II) with (*S*)-tryptophanhydroxamic acid and both D- and L-amino acids in aqueous solution, 103
Daniele, S., Hubert-Pfalzgraf, L.G. and Bavoux, C., Calcium tetramethylheptanedionate adducts with N-donor ligands. Molecular structure of a dimeric and volatile adduct $Ca_2(\eta^2\text{-thd})(\mu,\eta^2\text{-thd})_3(\eta^2\text{-bipy})$, 1065
Daniele, S., see Decams, J.M., 2405
Daniels, L.M., see Heyen, B.J., 783
Darkwa, J., see Maisela, L.L., 3189
Daro, N., see Dasna, I., 1371
Das, A.K., Peng, S.-M. and Bhattacharya, S., Chemistry of ruthenium with some dioxime ligands. Syntheses, structures and reactivities, 327
Das, D., see Laskar, I.R., 2073
Das, D., see Rauth, G.K., 363
da Silva San Gil, R.A., see de Oliveira, V., 2647
Dasna, I., Golhen, S., Ouahab, L., Daro, N. and Sutter, J.-P., Ferromagnetic interactions in Mn(II) coordination complex containing nitronyl nitroxide radical and silver–dicyanide anion: structure and magnetic studies of $Mn^{II}(NITpPy)_2[Ag(CN)_2]_2$, 1371
Davidson, E.R., see Cañada-Vilalta, C., 1375
Davies, H.O., Brooks, J.J., Jones, A.C., Leedham, T.J., Bickley, J.F., Steiner, A., O'Brien, P., White, A.J.P. and Williams, D.J., Synthesis and crystal structures of three new strontium β-diketonate complexes: $[Sr(tmhd)_2(^iPrOH)_4]$, $[Sr_2(tmhd)_4(dmaeH)_2(\mu_2\text{-}dmaeH)_2]$ and $[Sr_4(tmod)_8]$, 2397
Davis, J.P., see Grant, G.J., 3333
Day, P., see Carling, S.G., 1525
Day, V.W., see Silvernail, C.M., 3113
Decams, J.M., Daniele, S., Hubert-Pfalzgraf, L.G., Vaissermann, J. and Lecocq, S., Synthesis and characterization of niobium(V) and tantalum(V) derivatives with diamido ligands. Molecular structure of {4,5-Me_2-*o*-$C_6H_2(NSiMe_3)_2\}_2NbCl$ and of a tantalum imide, 2405
Deflon, V.M., see Lemos, S.S., 849
Deguchi, H., see Mito, M., 1509
de Jongh, L.J., see Evangelisti, M., 1447
de Jongh, L.J., see Luis, F., 1451
de Jongh, L.J., see Mettes, F.L., 1459
de la Fuente, I., see Barral, M.C., 2537
del Valle, M.A., see Bodini, M.E., 1005
Demšar, A., see Perdih, F., 1967
Deng, Y., Wang, R.-J., Ding, T.-Z., Li, Y., Sun, S.-Q., Feng, Y.-P. and Zhao, Y.-F., Synthesis and characterization of cadmium, copper and zinc complexes with scorpionate ligand hydrotris[3-(*p*-anisyl)-5-methylpyrazol-1-yl]borate [$HB\{pz^{An,Me}\}_3$]. X-ray structure of $[Cd(OAc)(Hpz^{Me,An})(HB\{pz^{An,Me}\}_3)]{\cdot}CH_2Cl_2$, 291
de Oliveira, V., da Silva San Gil, R.A. and Lachter, E.R., Synthesis and characterization of two new niobium(V) diperoxo complexes containing 8-quinolinolate as the ligand, 2647
Derek Woollins, J., see Bhattacharyya, P., 1803
Derek Woollins, J., see Necas, M., 741
Devereux, M., see McCann, M., 2799
Dexpert-Ghys, J., see Fernandes, A., 2385
Dey, D.K., see Mondal, N., 607
Dhindsa, A.S., see Batsanov, A.S., 537
Dikarev, E.V., see Angaridis, P., 755
Dimitrijević, M.D., see Rychlewska, U., 2523
Dinda, R., see Sengupta, P., 3349
Ding, T.-Z., see Deng, Y., 291
DiStasi, V.F., see Baxter, D.V., 2589
Diz, E.L., Neels, A., Stoeckli-Evans, H. and Süss-Fink, G., New $Ru_3(CO)_{12}$ derivatives with bulky diphosphine ligands: synthesis, structure and catalytic potential for olefin hydroformylation, 2771
Dockal, E.R., see Felicio, R.C., 261
Dołęga, A., see Becker, B., 949
Domasevitch, K.V., see Boldog, I., 887
Domasevitch, K.V., see Petkova, E.G., 747
Domínguez, S., see Armas, M., 799
Donnici, C.L., see Batista, A.A., 2123
Dooling, D., Joorst, G. and Mapolie, S.F., The synthesis, characterization and some reactions of cationic η^2-(α,ω-diene) complexes of iron, 467

dos Santos Afonso, M., see Barja, B.C., 1821
Dowling, C.M. and Parkin, G., Syntheses and crystal structures of $[Bp^{Bu^t,Me}]ZnX$, $[Bp^{Bu^t,Pr^i}]ZnX$ (X = Me, I) and $\{[Bp^{Bu^t,Me}]Cd(\mu\text{-}I)\}_2$: mononuclear versus dinuclear bis(pyrazolyl)hydroborato zinc and cadmium complexes, 285
Drake, J.E., see Ghesner, I., 1101
Drillon, M., see Massobrio, C., 1305
Drillon, M., see Rabu, P., 1677
Dromzée, Y., see Podgajny, R., 685
Duan, C.-Y., see Hu, C.-J., 2117
Duan, C.-Y., see Pan, Z.-Q., 2945
Duan, C.-Y., see Zhang, J.-J., 2285
Du, M., Shang, Z.-L., Leng, X.-B. and Bu, X.-H., Three-dimensional frameworks built from hydrogen bonds and π–π stacking interactions: structural and spectral study on Co(II) complexes of 1,5-diazacyclooctane (DACO) functionalized by heterocyclic pendants, 3065
Dunbar, K.R., Preface to the Proceedings of ICMM 2000, zzzz
Dunbar, K.R., see Smith, J.A., 1727
Durán, J., see Basallote, M.G., 297
Durán, J., see Basallote, M.G., 75
Dutremez, S.G., see Baxter, D.V., 2589
Dutta, S., Bhattacharya, P.K. and Tiekink, E.R.T., Synthesis, structure and redox properties of mixed ligand complexes of trivalent ruthenium with deprotonated 2-carbamoylpyridine derivatives and 2,2′-bipyridine, 2027
Dutta, S., Bhattacharya, P.K., Horn, E. and Tiekink, E.R.T., Synthesis and substitution reactions of dichlorobis-triphenylphosphine-[2-(*N*-(2-pyridinium-2yl)-carbamoyl-N^-)-pyridine]ruthenium(I) 1815
Du, W.-X., see Fu, Z.-Y., 1925

Eglin, J.L., see Barclay, T., 767
Eichhorn, D.M., see Siemer, C.J., 2637
Eichler, B.E., Pu, L., Stender, M. and Power, P.P., The synthesis and structure of sterically encumbered terphenyl tin(II) halide derivatives: simultaneous existence of monomers and dimers in the crystalline phase, 551
Eilmes, J., Ptaszek, M. and Zielińska, K., A new synthetic strategy towards dibenzotetraaza[14]annulenes bearing alkoxycarbonyl and aryloxycarbonyl pendant substituents, 143
Elango, S., see Yang, C.-H., 3257
El Fallah, M.S., see Bag, B., 2113
El-Gamel, N.E.A., see Mohamed, G.G., 2689
El-khateeb, M. and Obidate, T., The first selenosulfonate complexes $CpFe(CO)_2Se\text{-}SO_2R$: preparation and structure of $CpFe(CO)_2SeSO_2C_6H_5$, 2393
Ellena, J., see Vasconcellos, L.C.G., 493
Ellis, D.D., see Riggio, I., 2659
Elsegood, M.R.J., see Redshaw, C., 119
Emmenegger, F., see Audergon, L., 387
Enoki, T., Kawatsu, N., Shibayama, Y., Sato, H., Kobori, R., Maruyama, S. and Kaneko, K., Magnetism of nano-graphite and its assembly, 1311
Eppley, H.J., see Aubin, S.M.J., 1139
Epstein, A.J., see Pejaković, D.A., 1435
Epstein, A.J., see Schweizer, J., 1771
Errington, W., see Willey, G.R., 423
Esat, B., see Lahti, P.M., 1647
Escax, V., see Goujon, A., 1347
Escax, V., see Goujon, A., 1339
Escuer, A., see Goher, M.A.S., 2971
Essig, M.W., Webster Keogh, D., Scott, B.L. and Watkin, J.G., Synthesis and structural characterization of the lanthanide Schiff-base complexes $\{N[CH_2CH_2N{=}CH(2\text{-}O\text{-}3,5\text{-}t\text{-}Bu_2C_6H_2)]_3\}Ln$ (Ln = Sm, Nd), 373
Estevan, F., Feliz, M., Llusar, R., Mata, J.A. and Uriel, S., High yield synthesis of trinuclear $[M_3S_4X_3(diphos)_3]^+$ (M = Mo, W; X = Cl, Br and diphos = dmpe, dppe) molecular clusters from solid state materials. Synthesis and structure of $[W_3S_4H_3(dppe)_3](BPh_4)$, 527
Euler, W.B., Cheng, M. and Zhao, C., New $Ru(bpy)_2L^{2+}$ complexes where L is a linear oligoazine, 507
Evangelisti, M., Bartolomé, J., Mettes, F., de Jongh, L.J., Kahn, M.L., Mathonière, C. and Kahn, O., Specific heat of spin ladder lanthanide and transition-metal-based molecular magnets, 1447
Evangelisti, M., see Mettes, F.L., 1459
Evans, W.J., Johnston, M.A., Clark, R.D., Anwander, R. and Ziller, J.W., Heteroleptic and heterometallic divalent lanthanide bis(trimethylsilyl)amide complexes: mixed ligand, inverse sandwich, and alkali metal derivatives, 2483
Evans, W.J., Johnston, M.A., Greci, M.A. and Ziller, J.W., Facile formation of luminescent terbium(III) aryloxide complexes directly from terbium metal including the X-ray crystal structures of $Tb(OC_6H_3Me_2\text{-}2,6)_3(THF)_3$ and $Tb(OC_6H_3^iPr_2\text{-}2,6)_3(THF)_2$, 277
Exarchos, G., Robinson, S.D. and Steed, J.W., The synthesis of new bimetallic complex salts by halide/sulfur chelate cross transfer: X-ray crystal structures of the salts $[Ni(S_2CNEt_2)(dppe)]_2[HgBr_4]$, $[Pt(S_2CNEt_2)(dppe)]_2[CdCl_4]$, $[Co(S_2CNEt_2)_2(dppe)]_2[Cl_3ZnO{:}(Ph)_2PCH_2CH_2P(Ph)_2{:}OZnCl_3]$ and $[Pd(S_2CN^nBu_2)(bipy)]_2[CdCl_4]$, 2951

Fahlman, M., see Käll, P.-O., 2747
Falk, K., Balanda, M., Tomkowicz, Z., Mascarenhas, F., Schilling, J., Klavins, P. and Haase, W., Three-dimensional magnetic ordering in manganese(III)–porphyrin–TCNE complexes, 1521
Fanning, J.C., see Ankers, D.L., 623
Fan, Y.-T., see Lu, H.-J., 3281
Fawcett, J., Hope, E.G., Russell, D.R., Stuart, A.M. and Wood, D.R.W., Synthesis and coordination chemistry of $PEt(C_6H_4\text{–}4\text{-}C_6F_{13})_2$. Crystal structure of *cis*-$[PtCl_2\{PEt(C_6H_4\text{–}4\text{-}C_6F_{13})_2\}_2]$, 321
Fedorov, V.E., see Mironov, Y.V., 969
Feher, R., see Catala, L., 1563
Fei, Z., Slawin, A.M.Z. and Woollins, J.D., New diphosphine systems, 3355
Fei, Z., Slawin, A.M.Z. and Woollins, J.D., Nucleophilic reactions of 2,4-(naphthalene-1,8-diyl)-1,3,2,4-dithiadiphosphetane 2,4-disulfide, 2577
Felicio, R.C., Cavalheiro, E.T.G. and Dockal, E.R., Preparation, characterization and thermogravimetric studies of [*N*,*N*′-*cis*-1,2-cyclohexylene bis(salicylideneaminato)]cobalt(II) and [*N*,*N*′-(±)-*trans*-1,2-cyclo-hexylene bis(salicylideneaminato)]cobalt(II), 261
Feliz, M., see Estevan, F., 527
Feng, X.-L., see Xiang, H., 313
Feng, Y.-P., see Deng, Y., 291
Feng, Z.-X., see Wu, Z.-Y., 281
Fenton, D.E., see Valencia, L., 3091
Fernandes, A., Jaud, J., Dexpert-Ghys, J. and Brouca-Cabarrecq, C., Study of new lanthanide complexes of 2,6-pyridinedicarboxylate: synthesis, crystal structure of Ln(Hdipic)(dipic) with Ln = Eu, Gd, Tb, Dy, Ho, Er, Yb, luminescence properties of Eu(Hdipic)(dipic), 2385
Fernandes, M.A., see Shongwe, M.S., 2195
Fernández, A., see Castro-Juiz, S., 2925
Fernández-García, F., Bolaño, S., Carballo, R., García-Fontán, S. and Bravo, J., Reactions of [1,2-bis(diphenylphosphinite)ethane]-bromotricarbonylrhenium(I) with phosphites, phosphonites and phosphinites. The crystal structure of $[ReBr(CO)_2\{Ph_2PO(CH_2)_2OPPh_2\}L']$ [$L' = P(OCH_3)_3$, $P(OC_2H_5)_3$ and $PPh(OC_2H_5)_2$], 2675
Fernández, J.J., see Castro-Juiz, S., 2925
Fernández-Trujillo, M.J., see Basallote, M.G., 297
Fernández-Trujillo, M.J., see Basallote, M.G., 75

Ferrari, S., see Conato, C., 615
Ferrer, J.R., see Lahti, P.M., 1465
Ferrero Gramage, I., see Stassen, A.F., 1699
Fewings, K.R., Junk, P.C., Georganopoulou, D., Prince, P.D. and Steed, J.W., Supramolecular interactions in metal tosylate complexes, 643
Fiol, J.J., see García-Raso, Á., 2877
Fiol, J.J., see García-Raso, Á., 2609
Fischer, J., see Meneghetti, S.P., 2705
Flomer, W.A., see Reger, D.L., 2491
Folesani, G., see Dallavalle, F., 103
Folting, K., see Aliaga, N., 1273
Folting, K., see Aubin, S.M.J., 1139
Folting, K., see Baxter, D.V., 2589
Folting, K., see Soler, M., 1365
Fondo, M., see Maneiro, M., 711
Font-Bardia, M., see López, C., 987
Font-Bardia, M., see Pons, J., 1029
Foreman, M.R.S.J., see John Plater, M., 2293
Försterling, F.H., see Lemos, S.S., 849
Frey, G.D., Bell, Z.R., Jeffery, J.C. and Ward, M.D., Complexes of ruthenium(III) and chromium(III) with a new tetradentate N_2O_2-donor ligand: crystal structures, redox properties and spectroelectrochemistry, 3231
Fuess, H., see Iskander, M.F., 2787
Fujinami, S., see Abdul Jalil, M., 1071
Fujinami, S., see Abdul Jalil, M., 627
Fujita, W. and Awaga, K., Novel magnetic properties of heterocyclic thiazyl radicals, 1517
Fujiwara, H., see Kobayashi, H., 1587
Fujiwara, M., see Nakamura, T., 191
Fun, H.-K., see Kannan, S., 2145
Fun, H.K., see Manonmani, J., 3039
Fun, H.-K., see Tarafder, M.T.H., 2363
Fursova, E., see Shvedenkov, Y., 1207
Fursova, E., Shvedenkov, Y., Romanenko, G., Ikorskii, V. and Ovcharenko, V., Solid solutions of heterospin molecular magnets, 1229
Fu, Z.-Y., Lin, P., Du, W.-X., Chen, L., Cui, C.-P., Zhang, W.-J. and Wu, X.-T., Two new coordination host frameworks for the inclusion of 4-amino-benzophenone guest molecules, 1925

Gábor Ágoston, C., see Sanna, D., 937
Gaizer, F., see Bogdán, C., 1809
Galán-Mascarós, J.R., see Ballester, G., 1659
Galán-Mascarós, J.R., see Bellouard, F., 1615
Galán-Mascarós, J.-R., see Smith, J.A., 1727
Galas, D.F., see Grant, G.J., 3333
Gangopadhyay, J., see Shivakumar, M., 2089
Ganguly, R., see Ghalsasi, P.S., 1499
Gantzel, P.K., see Aubin, S.M.J., 1139
Gao, E.-Q., Liao, D.-Z., Jiang, Z.-H. and Yan, S.-P., Synthesis, crystal structure and magnetic properties of novel copper(II)–nickel(II) complexes of macrocyclic oxamides, 923
Gao, E.-Q., Yin, L.-H., Tang, J.-K., Cheng, P., Liao, D.-Z., Jiang, Z.-H. and Yan, S.-P., Synthesis, crystal structure and magnetic properties of a new dialkoxo-bridged diiron(III) complex, 669
Gao, S., see Ma, B.-Q., 1255
García-Barros, F.J., see Bernalte-García, A., 3315
García-Fernández, M.E., see García-Seijo, M.I., 855
García-Fontán, S., see Carballo, R., 2371
García-Fontán, S., see Fernández-García, F., 2675
García, J., see Sánchez, G., 571
García-Montalvo, V., Toscano, R.A., Badillo-Delgado, A. and Cea-Olivares, R., Synthesis, characterization and crystal structure of 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl bis(*N*-piperidine-dithiocarbamate), $[1,2\text{-}C_6H_4(CH_2)_2Te(S_2CNC_5H_{10})_2]$ (**1**), 1,3 dihydro-2λ^4-benzotellurole-2-iodo-2-yl-diethyldithiophosphinate, $[1,2\text{-}C_6H_4\text{-}(CH_2)_2TeI(S_2PEt_2)]$ (**2**) and 1,3-dihydro-2λ^4-benzotellurole-2-iodo-2-yl dimethyldithiophosphinate, $[1,2\text{-}C_6H_4(CH_2)_2TeI(S_2P\text{-}Me_2)]$ (**3**), 203
García-Monteagudo, J.C., see Maneiro, M., 711
García-Raso, Á., Fiol, J.J., Bádenas, F. and Muñoz, F., Bioinorganic chemistry of copper(II) complexes of *N*-salicylidene-aminoacidato: associative versus dissociative mechanism in the formation of copper ternary complexes with 2-aminopyridine (or pyrimidine). An ab initio study, 2609
García-Raso, Á., Fiol, J.J., Bádenas, F., Lago, E. and Molins, E., Crystal structures of two copper(II) ternary complexes of *N*-salicylidene-tryptophanato with 2-aminopyridine and 2-aminopyrimidine, 2877
García-Seijo, M.I., Castiñeiras, A., Mahieu, B., Jánosi, L., Berente, Z., Kollár, L. and García-Fernández, M.E., Crystal structure and reactivity of mononuclear cationic palladium(II) and platinum(II) triphos complexes with phenyltin(IV) anions. The formation of polynuclear platinum–triphos ionic and covalent complexes, 855
García-Vázquez, J.A., see Castro, J., 2329
Garcia, I., see Ketcham, K.A., 3265
Gareth Williams, J.A., see Batsanov, A.S., 981
Gasowska, A., Jastrzab, R., Bregier-Jarzebowska, R. and Lomozik, L., Intermolecular and coordination reactions in the systems of copper(II) with adenosine 5′-monophosphate or cytidine 5′-monophosphate and triamines, 2305
Gatteschi, D., see Luis, F., 1451
Gatteschi, D., see Vaucher, S., 2467
Gaul, D.A., see Just, O., 815
Gdaniec, M., see Baca, S.G., 831
Geiser, U., see Manson, J.L., 1423
Gelbrich, T., see Plater, M.J., 3219
Georganopoulou, D., see Fewings, K.R., 643
George, C., see Lahti, P.M., 1465
Georgiev, I.O., see Karasik, A.A., 3321
Gerbeleu, N.V., see Baca, S.G., 831
Gerola, T., see Marzotto, A., 1079
Ghalsasi, P.S., Ganguly, R., Samant, S.D. and Yakhmi, J.V., Azido-mediated ferromagnetic exchange interaction in the M(II)–oxine complexes, 1499
Ghalsasi, P.S., Inoue, K., Samant, S.D. and Yakhmi, J.V., A complex of a chiral substituent-based nitroxide triradical having two chiral centres with $Mn(hfac)_2$, 1495
Ghesner, I., Palotas, C., Silvestru, A., Silvestru, C. and Drake, J.E., Lithium tetraorganodichalcogenoimidodiphosphinates. Crystal structure of $[Li\{(OPPh_2)(SPMe_2)N\}\cdot 2H_2O]_2$, a dimer formed through oxygen-bridging phosphorus ligands, 1101
Ghilardi, C.A., see Cecconi, F., 2885
Ghosh, S., see Sengupta, P., 975
Ghosh, S., see Sengupta, P., 3349
Ghosh, T., Bandyopadhyay, P., Bharadwaj, P.K. and Banerjee, R., Kinetics of dissociation of M(II)-aza-oxa cryptates (M = Ni, Cu) in weakly acidic aqueous-acetonitrile media, 477
Giester, G., see Perdih, F., 1967
Gili, P., see Armas, M., 799
Gilli, P., see Pitteri, B., 869
Gillitt, N.D., see Parada, J., 2223
Gil, M., see Castiñeiras, A., 449
Giménez-Saiz, C., see Ballester, G., 1659
Giménez-Saiz, C., see Bellouard, F., 1615
Girard, J.N., see Kimblin, C., 1891
Głowiak, T., see Kurdziel, K., 3307
Glowiak, T., see Mikloš, D., 1867
Głowiak, T., see Skarżyńska, A., 2667
Goclan, A., see Ruman, T., 2965
Goeminne, A.M., see Pauwels, T.F., 2457
Goeta, A.E., see Batsanov, A.S., 981

Goher, M.A.S., Escuer, A., Mautner, F.A. and Al-Salem, N.A., Synthesis, spectral, magnetic and crystal structural characterization of two new copper(II) azido complexes: *catena*[$\mu(N_3)Cu(pyridine)_3]_n(PF_6)_n$ and dimeric $[Cu(4\text{-ethylpyridine})(N_3)_2]_2$, 2971
Goher, M.A.S., Hafez, A.K. and Mak, T.C.W., A copper(I) complex containing a new structure of the $[Cu_2I_3]^-$ anion. Reaction of CuI with quinaldic acid and the crystal structure of tris-(2-carboxyquinoline)triiododicopper(I) monohydrate, 2583
Gohil, S., see Kessler, V.G., 915
Gohil, S., see Werndrup, P., 2163
Golhen, S., see Dasna, I., 1371
Golhen, S., see Schweizer, J., 1771
Goliński, A., see Szłyk, E., 2853
Golzar Hossain, G.M., see Johns, C.A., 721
Gómez, A., Reguera, E. and Cranswick, L.M.D., The structure of two orthorhombic nitroprussides: $Cd[Fe(CN)_5NO]\cdot 2H_2O$ and $Zn[Fe(CN)_5NO]\cdot 2H_2O$, 165
Gómez-García, C.J., see Bellouard, F., 1615
Gómez-García, C.J., see John Plater, M., 2293
González, A.M., see Maneiro, M., 711
Goodwin, J.C., see Schmitt, W., 1687
Gopalkrishnan, I.K., see Radhakrishnan, S., 1489
Gorichko, M.V., see Petkova, E.G., 747
Gorji, A., see Amirnasr, M., 695
Goujon, A., see Jeftić, J., 1599
Goujon, A., Varret, F., Escax, V., Bleuzen, A. and Verdaguer, M., Generic features of a photo-induced magnetic structure, exhibited by the $Rb_{0.52}Co[Fe(CN)_6]_{0.84}\cdot 2.3 1H_2O$ Prussian Blue analogue, 1347
Goujon, A., Varret, F., Escax, V., Bleuzen, A. and Verdaguer, M., Thermo-chromism and photo-chromism in a Prussian blue analogue, 1339
Gourevitch, D.N., see Rufanov, K.A., 379
Graf, M., see Böttcher, H.-C., 2011
Gramage, I.F., see Roubeau, O., 1709
Gramilich, V., see Mondal, N., 135
Gramlich, V., see Bag, B., 2113
Gramlich, V., see Mondal, N., 607
Granell, J., see Albert, J., 3225
Grant, G.J., Brandow, C.G., Galas, D.F., Davis, J.P., Pennington, W.T., Valente, E.J. and Zubkowski, J.D., Heteroleptic platinum(II) complexes of macrocyclic thioethers and halides: the crystal structures of $[Pt(9S3)Cl_2]$, $[Pt(9S3)Br_2]$, and $[Pt(9S3)I_2]$, 3333
Greci, M.A., see Evans, W.J., 277
Greve, J., see Näther, C., 1017
Grillo, V.A., see Sañudo, E.C., 1269
Grins, J., see Käll, P.-O., 2747
Gül, A., see Sağlam, Ö., 269
Guo, G.-C., see Wang, Q.-M., 2683
Gupta, R. and Mukherjee, R., Five-coordinate anion-bound copper(II) complexes with non-planar tridentate ligands. X-ray structures of $[Cu(L^3)(N_3)_2]$ and $[Cu(L^3)(ONO)(OClO_3)]$ (L^3 = 2,6-bis(3,5-dimethyl-pyrazol-1-ylmethyl)pyridine), 2545
Gupta, S.K. and Kushwah, Y.S., Mononuclear iron(III)macrocyclic complexes derived from 4-methyl-2,6-di(formyl/benzoyl)phenol and diamines: synthesis, spectral speciation and electrochemical behaviour, 2019
Guschin, D., see Shvedenkov, Y., 1207
Gust, K.R., Heeg, M.J. and Winter, C.H., Synthesis, structure, and properties of niobium and tantalum imido complexes bearing pyrazolato ligands. Crystal structures of $Ta(N\text{-}t\text{-}Bu)(t\text{-}Bu_2Pz)_3$, $Ta(N\text{-}i\text{-}Pr)(t\text{-}Bu_2Pz)_3$, $Ta(N\text{-}t\text{-}Bu)(Me_2Pz)_3(py)$, and $Ta(N\text{-}t\text{-}Bu)(t\text{-}Bu_2Pz)_2(Cl)(py)$, 805
Gutierrez, L., Alzuet, G., Borrás, J., Liu-González, M., Sanz, F. and Castiñeiras, A., Influence of tetrahedral distortion of CuN_4 complexes on spectroscopic properties. Synthesis, characterization and crystal structures of [Cu(*N*-(2-methylpyridyl)benzenesulfonylamidate)$_2$], [Cu(*N*-(2-methylpyridyl)toluenesulfonylamidate)$_2$] and [Cu(*N*-(2-methylpyridyl)naphthalenesulfonylamidate)$_2$] compounds, 703
Gutiérrez-Pérez, R., see Alvarez-Toledano, C., 215
Guzei, I.A., see Aubin, S.M.J., 1139
Guzei, I.A., see Maisela, L.L., 3189
Guzei, L.A., see Reger, D.L., 2491

Haase, W., see Falk, K., 1521
Haase, W., see Iskander, M.F., 2787
Haasnoot, J.G., see Roubeau, O., 1709
Haasnoot, J.G., see Stassen, A.F., 1699
Hadjikakou, S.K., see Kubicki, M., 2179
Hadjikostas, C.C., Alkam, H.H., Bolos, C.A. and Christidis, P.C., Synthesis and spectroscopic investigation of some mixed-ligand nickel(II) chelates containing phosphines and 1,1-dithiolate ligands. Crystal structure of [(1,2-bis(diphenylphosphino)ethane)-1,1-dicyano-2,2-ethylenedithiolato]nickel(II), 395
Hafez, A.K., see Goher, M.A.S., 2583
Hagenbach, A., see Lemos, S.S., 849
Haid, R., see Oberhauser, W., 727
Halcrow, M.A., see Holland, J.M., 2829
Halcrow, M.A., see Jiang, M., 2151
Halcrow, M.A., see Liu, X., 2889
Hanna, T.A., Keitany, G., Ibarra, C., Sommer, R.D. and Rheingold, A.L., Synthesis and crystal structure of a three-coordinate bismuth alkoxide with bismuth-β-phenyl secondary interactions, $Bi(OCPh_3)_3$, 2451
Han, X.-X., Weng, L.-H., Leng, X.-B. and Zhang, Z.-Z., Cu^+ and Pt^{2+} complexes with a *p-tert*-butylcalix[4]arene fitted with two phosphine pendant arms, 1881
Haquet, T., see Alvarez-Toledano, C., 215
Hara, H., see Ishii, T., 1297
Hara, K., Taguchi, M. and Yagasaki, A., Hydrolysis of platinum(II) phosphine complexes in aqueous 1.0 M $NaNO_3$ medium, 1903
Harrington, F., Matthews, M.L., Patel, B. and Reid, G., Silver(I) complexes with the mixed P/O donor ligand $Ph_2P(CH_2)_2O(CH_2)_2O(CH_2)_2PPh_2$ (L^1) and the crystal structures of $[Ag(L^1)](CF_3SO_3)$, $[Ag_2(L^1)_3](CF_3SO_3)_2$ and $[Ag(L^1)(NO_3)]$, 2741
Hasan, M.M., Hursthouse, M.B., Kabir, S.E. and Malik, K.M.A., Dinuclear iron carbonyl complexes with dithiolate ligands: X-ray structures of $[Fe_2(CO)_6\{\mu\text{-}SCCHCHC(CH_3)CHCS\}]$ and $[Fe_2(CO)_5\{\mu\text{-}SCCHCHC(CH_3)CHCS\}(PPh_3)]$, 97
Hase, S., Shiomi, D., Sato, K. and Takui, T., Magnetic properties of phenol-substituted nitronyl nitroxide biradicals as building blocks of organic salt ferrimagnets, 1403
Hashimoto, M., Sakata, K. and Tanoue, Y., Crystal structures and spectral properties of (2,3-*cis*- and 2,3-*trans*-cyclohexano-1,4,8,11-tetraazacyclotetradecane)nickel-(II) complexes, 409
Hashizume, D., see Miyake, T., 1551
Hashizume, D., see Omata, J., 1557
Haslop, J.V., see Willey, G.R., 423
Hauser, A., see Jeftić, J., 1599
Havel, J., see Lubal, P., 47
Hay, R.W., see Cromie, T.J., 307
Healy, P.C., see Batista, A.A., 2123
Heath, S.L., see Schmitt, W., 1687
Heath, S.L., see Shongwe, M.S., 2195
Heeg, M.J., see Gust, K.R., 805
Heinicke, J., see Karasik, A.A., 3321
Heinicke, J., see Kühl, O., 2215
Hendrickson, D.N., Christou, G., Ishimoto, H., Yoo, J., Brechin, E.K., Yamaguchi, A., Rumberger, E.M., Aubin, S.M.J., Sun, Z. and Aromí, G., Magnetization tunneling in single-molecule magnets, 1479

Hendrickson, D.N., see Aliaga, N., 1273
Hendrickson, D.N., see Aubin, S.M.J., 1139
Hendrickson, D.N., see Bhattacharjee, A., 1607
Hendrickson, D.N., see Kuroda-Sowa, T., 1529
Hendrickson, D.N., see Sañudo, E.C., 1269
Hendrickson, D.N., see Soler, M., 1365
Hendrickson, D.N., see Soler, M., 1279
Hendrickson, D., see Mettes, F.L., 1459
Heras, J.V., see Campo, J.A., 2997
Herdtweck, E., see Xue, W.-M., 791
Hermann, P., see Lubal, P., 47
Hernández-Molina, R., see Armas, M., 799
Herszage, J., see Barja, B.C., 1821
Hessheimer, A.J., see Krishnamohan Sharma, C.V., 2095
Heyen, B.J., Jennings, J.G., Powell, G.L., Roach, W.B., Thurman, D.W. and Daniels, L.M., Products of the reactions of $[Re_2X_8]^{2-}$ with 3,6-dithiaoctane (dto). Preparation and crystal structures of $Re_2Cl_5(dto)_2$, $Re_2Br_5(dto)_2$, and $(n\text{-}Bu_4N)_2Re_2(NCS)_8\cdot dto$, 783
Hey-Hawkins, E., see Kühl, O., 2171
Hey-Hawkins, E., see Kühl, O., 111
Hey-Hawkins, E., see Papp, R., 1053
Hey-Hawkins, E., see Sterzik, A., 3007
Hibbert, T.G., see Kana, A.T., 2989
Higes-Rolando, F.J., see Bernalte-García, A., 3315
Hill, J.P., see Schmitt, W., 1687
Hill, M.S., Mahon, M.F., McGinley, J.M.G. and Molloy, K.C., The synthesis and characterisation of *C*-triorganometallated (metal = Sn, Si) bis-(thienyl)- and bis-(pyrazolyl)alkanes, including the crystal structure of $[(Ph_3Sn)C_3N_2]_2CH_2$, 1995
Hill, S., see Maccagnano, S., 1441
Hitaka, M., see Mito, M., 1505
Hitchcock, P.B., see Coles, M.P., 3027
Hitchcock, P., see Sánchez, G., 571
Hoffman, D.M., see Jung, J.-H., 2129
Hoffman, D.M., see Miinea, L.A., 2425
Hojo, M., see Ueda, T., 83
Holland, J.M., Kilner, C.A., Thornton-Pett, M. and Halcrow, M.A., Steric effects on the electronic and molecular structures of nickel(II) and cobalt(II) 2,6-dipyrazol-1-ylpyridine complexes, 2829
Holubová, J., see Lubal, P., 47
Homborg, H., see Jiang, J., 557
Hong, J., see Noh, D.-Y., 1939
Hong, M.-C., see Liang, Y.-C., 2477
Hong, M.-C., see Shi, Q., 3287
Hong, M.-C., see Wang, R.-H., 3165
Hong, M.-C., see Zhao, Y.-J., 2619
Honjo, T., see Abdul Jalil, M., 1071
Honjo, T., see Abdul Jalil, M., 627
Hope, E.G., see Fawcett, J., 321
Horn, E., see Dutta, S., 1815
Hosaini Sadr, M., see Beheshti, A., 179
Hoshino, N., see Oshio, H., 1621
Hosokoshi, Y., see Kumagai, H., 1329
Hosokoshi, Y., see Mukai, K., 1537
Hossain, S., see Ali, M.A., 1045
Housecroft, C.E., see Constable, E.C., 483
Hovnanian, N., see Albaric, L., 2261
Howard, J.A.K., see Batsanov, A.S., 981
Howard, J.A.K., see Batsanov, A.S., 537
Howard, J.A.K., see Rufanov, K.A., 379
Howie, R.A., see Comerlato, N.M., 415
Howie, R.A., see John Plater, M., 2293
Hratchian, H.P., Prendergast, T. and Milletti, M.C., Theoretical investigation of substituent effects on the silicon–metal bond for a series of transition metal-substituted base-stabilized silylene complexes, 209
Huang, J.-Q., see Lu, S.-F., 2339
Huang, J.-S., see Cui, Y., 1795
Huang, X.-Y., see Lu, S.-F., 2339
Huang, Z.L., see Rabu, P., 1677
Huang, Z.-X., see Lu, S.-F., 2339
Huang, Z.-X., see Zhang, Y.-H., 1107
Hubert-Pfalzgraf, L.G., see Daniele, S., 1065
Hubert-Pfalzgraf, L.G., see Decams, J.M., 2405
Hubert-Pfalzgraf, L.G., see Werndrup, P., 2163
Hu, C.-J., Duan, C.-Y., Liu, Y.-J., Lu, C.-S., Ren, X.-M. and Meng, Q.-J., Synthesis, spectroscopic characterization and X-ray crystal structure of vanadylpolymolybdophosphates with monocapped Keggin polyanion $[PMo_5V_7O_{40}(VO)]^{7-}$, 2117
Huffman, J.C., see Cañada-Vilalta, C., 1785
Huffman, J.C., see Cañada-Vilalta, C., 1375
Huffman, J.C., see Sañudo, E.C., 1269
Huffman, J.C., see Soler, M., 1279
Hu, H.-W., see Jiang, L.-J., 2807
Hundal, M.S., see Chawla, S.K., 2105
Hursthouse, M.B., see Apperley, D.C., 1907
Hursthouse, M.B., see Cerrada, E., 2863
Hursthouse, M.B., see Creber, M.L., 1973
Hursthouse, M.B., see Hasan, M.M., 97
Hursthouse, M.B., see Plater, M.J., 3219
Hwang, L.-P., see Yang, C.-H., 3257
Hwang, W.-S., see Lin, C.-J., 3275
Hwang, W.-S., Tzeng, T.-S., Wang, D.-L. and Chiang, M.Y., Iron-carbonyl complexes from *N*-(2-thienylmethylidene)benzylamines: *endo* as well as *exo* cyclometalation and alkyl exchange, 353
Hybl, L., see Kirk, M.L., 1741

Ibarra, C., see Hanna, T.A., 2451
Ibarra, C., see Parada, J., 2223
Ikorskii, V., see Fursova, E., 1229
Ikorskii, V., see Shvedenkov, Y., 1207
Ikorskii, V., see Yeltsov, I., 1215
Iluykhin, A., see Zutin, K., 1011
Incarvito, C.D., see Bakbak, S., 3343
Incarvito, C., see Reger, D.L., 2491
Inoue, H., see Nagashima, H., 1151
Inoue, K., see Adachi, K., 1411
Inoue, K., see Ghalsasi, P.S., 1495
Inoue, K., see Kumagai, H., 1329
Inoue, K., see Mukai, K., 1537
Ireland, L.R., see Bridgeman, A.J., 2841
Irie, M., see Matsuda, K., 1391
Ise, T., see Ohira, S., 1223
Ishida, T., Ohira, S., Watanabe, I., Nogami, T. and Nagamine, K., Zero-field muon spin rotation study on TEMPO-based magnets, Ar-CH=N-TEMPO, 1545
Ishida, T., see Miyake, T., 1551
Ishida, T., see Ohira, S., 1223
Ishida, T., see Omata, J., 1557
Ishii, T., Aizawa, N., Hara, H., Yamashita, M. and Matsuzaka, H., Electronic structure of the Haldane gap system derived using DV-Xα calculations, 1297
Ishii, T., see Kabir, M.K., 1417
Ishimoto, H., see Hendrickson, D.N., 1479
Iskander, M.F., Khalil, T.E., Haase, W., Werner, R., Svoboda, I. and Fuess, H., Synthesis, magnetochemical studies and X-ray molecular structures of some mononuclear copper(II)–1*H*-pyrazole adducts and mono(μ-pyrazolate) bridged dicopper(II) complexes derived from *N*-salicylidenearoylhydrazines, 2787
Ismaiel, A.A.A., Baraka, R.M. and Nasman, O.S.M., Template synthesis and characterization of mono, and homobi-nucleating mixed dithiatetraazamacrocyclic complexes, 455
Ito, T., see Oshio, H., 1621
Ivanova, B.B., see Bontchev, P.R., 231

Iwasaki, F., see Miyake, T., 1551
Iwasaki, F., see Omata, J., 1557

Jain, P.U., Paul, H., Munshi, P., Walawalkar, M.G. and Lahiri, G.K., Osmium dithiophosphates. Synthesis, X-ray crystal structure, spectroscopic and electrochemical properties, 245
Janča, M., Nečas, M., Žák, Z. and Příhoda, J., On the reaction of chlorodithiophosphoric acid pyridiniumbetaine with polyfunctional nucleophiles: Part II. Reaction with thiosemicarbazide derivatives, 2823
Janczak, J. and Kubiak, R., X-ray single crystal investigations of magnesium phthalocyanine. The 4 + 1 coordination of the Mg ion and its consequence, 2901
Jang, H.-Y., see Noh, D.-Y., 1939
Jánosi, L., see García-Seijo, M.I., 855
Jastrzab, R., see Gasowska, A., 2305
Jaud, J., see Fernandes, A., 2385
Jeffery, J.C., see Bell, Z.R., 2045
Jeffery, J.C., see Frey, G.D., 3231
Jeftić, J., Matsarski, M., Hauser, A., Goujon, A., Codjovi, E., Linarès, J. and Varret, F., Quasi-static nature of the light induced thermal hysteresis in $[Fe(ptz)_6](BF_4)_2$ spin-transition solid, 1599
Jeß, I., see Näther, C., 1017
Jennings, J.G., see Heyen, B.J., 783
Jensen, P., see van der Werff, P.M., 1129
Jensen, W.E., see Amaral, S., 1317
Jensen, W.P., Palenik, G.J. and Tiekink, E.R.T., Bond valence sums in coordination chemistry. Sn(II), Sn(III), and Sn(IV) complexes containing Sn–S and/or Sn–N bonds, 2137
Jeong, J.H., see Roh, S.-G., 337
Jeong, J.H., see Roh, S.-G., 1961
Jeremic, M., see Sasic, S., 839
Jezierska, J., see Kurdziel, K., 3307
Jezierska, J., see Kurzak, B., 2627
Jiang, C.-W., Chao, H., Li, R.-H., Li, H. and Ji, L.-N., Syntheses, characterization and third-order nonlinear optical properties of ruthenium(II) complexes containing 2-phenylimidazo-[4,5-*f*][1,10]phenanthroline and extended diimine ligands, 2187
Jiang, J., Cornelissen, U., Arnold, D.P., Sun, X. and Homborg, H., Raman spectroscopic characteristics of phthalocyanine and naphthalocyanine in sandwich-type (na)phthalocyaninato and porphyrinato rare earth complexes: Part 2. The effects of different excitation wavelengths, 557
Jiang, L.-J., Luo, Q.-H., Wang, Z.-L., Liu, D.-J., Zhang, Z. and Hu, H.-W., A dioxotetraamine fluorenyl ligand and its nickel(II) complex — crystal structure and fluorescent sensing properties in aqueous solution, 2807
Jiang, M., Dalgarno, S., Kilner, C.A., Halcrow, M.A. and Kee, T.P., Chiral bis(oxazoline) complexes. Synthesis, structure and applications in catalytic phospho-transfer, 2151
Jiang, Z.-H., see Gao, E.-Q., 923
Jiang, Z.-H., see Gao, E.-Q., 669
Jiang, Z.-H., see Tang, J.-K., 675
Jiang, Z., see Li, L., 681
Jia, W.-L., see Chai, J.-F., 3249
Jia, W.-L., see Tang, L.-F., 403
Jie, S., see Cai, Y.-P., 657
Ji, L.-N., see Jiang, C.-W., 2187
Ji, L.-N., see Yang, S.-P., 223
Ji, L.-N., see Zhang, Q.-L., 3049
Jiménez-Aparicio, R., see Barral, M.C., 2537
Jin, D.-M., see Yang, R.-N., 585
Jinno, S., see Mukai, K., 1537
John Plater, M., Foreman, M.R.S.J., Howie, R.A., Skakle, J.M.S., McWilliam, S.A., Coronado, E. and Gómez-García, C.J., Synthesis and characterisation of polymeric manganese and zinc 5-hydroxyisophthalates, 2293
Johns, C.A., Golzar Hossain, G.M., Abdul Malik, K.M., Zahir Haider, S. and Rowzatur Romman, U.K., Structural studies of Ni(II), Zn(II) and Cd(II) complexes with saccharinate and 2,2′-bipyridine ligands, 721
Johnston, L.A., see Constable, E.C., 483
Johnston, M.A., see Evans, W.J., 277
Johnston, M.A., see Evans, W.J., 2483
Jones, A.C., see Davies, H.O., 2397
Jones, M., see Less, R.J., 523
Joorst, G., see Dooling, D., 467
Jouad, E.M., Riou, A., Allain, M., Khan, M.A. and Bouet, G.M., Synthesis, structural and spectral studies of 5-methyl 2-furaldehyde thiosemicarbazone and its Co, Ni, Cu and Cd complexes, 67
Julbe, A., see Albaric, L., 2261
Julier, M., see Lahti, P.M., 1465
Julve, M., see Tudor, V., 3033
Jung, J.-H., Park, J.-S., Hoffman, D.M. and Lee, T.R., Synthesis, characterization and reactivity of $ReOMe_2(bipy)X$ complexes, 2129
Junk, P.C., see Fewings, K.R., 643
Junk, P.C., Smith, M.K. and Steed, J.W., Anion-induced structural diversity in 12-crown-4 complexes of transition metal salts, 2979
Just, O., Gaul, D.A. and Rees, W.S., Jr, Low-coordinate volatile Group 12 amides: syntheses and crystal structure determinations of dimeric $\{M\{N[Si(CH_3)_2CH_2CH_2Si(CH_3)_2]\}_2\}_2$; M = Zn, Cd and monomeric $Hg\{\overline{N[Si(CH_3)_2CH_2CH_2Si(CH_3)_2]}\}_2$, 815
Just, O., see Bunge, S.D., 823

Kabir, M.K., Kawahara, M., Kumagai, H., Adachi, K., Kawata, S., Ishii, T. and Kitagawa, S., The rational syntheses of manganese–chloranilate compounds: crystal structures and magnetic properties, 1417
Kabir, S.E., see Hasan, M.M., 97
Kahn, M.L., see Evangelisti, M., 1447
Kahn, M.L., see Sutter, J.-P., 1593
Kahn, O., see Evangelisti, M., 1447
Käll, P.-O., Grins, J., Fahlman, M. and Söderlind, F., Synthesis, structure determination and X-ray photoelectron spectroscopy characterisation of a novel polymeric silver(I) nicotinic acid complex, $H[Ag(py\text{-}3\text{-}CO_2)_2]$, 2747
Kana, A.T., Hibbert, T.G., Mahon, M.F., Molloy, K.C., Parkin, I.P. and Price, L.S., Organotin unsymmetric dithiocarbamates: synthesis, formation and characterisation of tin(II) sulfide films by atmospheric pressure chemical vapour deposition, 2989
Kanaya, T., Shiomi, D., Sato, K. and Takui, T., Single-component ferrimagnetics: triplet–doublet composite molecules as constituents of purely organic molecule-based ferrimagnets, 1397
Kandaswamy, M., see Manonmani, J., 3039
Kaneko, K., see Enoki, T., 1311
Kaneko, T., Makino, T., Sato, G. and Aoki, T., Poly(9,10-anthryleneethynylene)-based polyradicals with pendant phenoxyls, 1291
Kang, B.-S., see Cai, Y.-P., 657
Kang, Y., see Tang, Y.-H., 2911
Kannan, S., Shanmugasundara Raj, S. and Fun, H.-K., Crown ether compounds of actinide bis(β-diketonate). Synthesis, characterization and molecular structures of $[UO_2(TTA)_2H_2O]_2$(benzo-15,crown-5) (**1**) and $[UO_2(TTA)_2(\mu\text{-}H_2O)]_2(H_2O)_2$(dibenzo-18,crown-6) (**2**), 2145
Karadag, A., Yilmaz, V.T. and Thoene, C., Di- and triethanolamine complexes of Co(II), Ni(II), Cu(II) and Zn(II) with thiocyanate: synthesis, spectral and thermal studies. Crystal structure of dimeric Cu(II) complex with deprotonated diethanolamine, $[Cu_2(\mu\text{-}dea)_2(NCS)_2]$, 635
Karasawa, S. and Koga, N., Photochemical formations of super high-spin molecules consisting of carbenes and metal ions in frozen solutions, 1387

Karasik, A.A., Georgiev, I.O., Musina, E.I., Sinyashin, O.G. and Heinicke, J., Synthesis of novel water-soluble linear and heterocyclic phosphino amino acids from 2-phosphinophenols or 2-phosphinophenolethers, formaldehyde and amino acids, 3321
Karlsson, M., see Loring, J.S., 1983
Kasbollah, A., see Tarafder, M.T.H., 2363
Katsumata, K., Persuading singlet ground states to order, 1735
Kaul, B.B. and Yee, G.T., A charge-transfer salt magnet based on a non-cyanocarbon acceptor, 1,4,9,10-anthracenetetrone and decamethylferrocene, 1757
Kaur, J., see Chawla, S.K., 2105
Kawae, T., see Mito, M., 1509
Kawae, T., see Mito, M., 1505
Kawahara, M., see Kabir, M.K., 1417
Kawakami, T., Kitagawa, Y., Matsuoka, F., Yamashita, Y. and Yamaguchi, K., Theoretical studies of strong direct magnetic interactions of 5-methyl-1,2,4-triazole nitronylnitroxide, 1235
Kawakami, T., see Kitagawa, Y., 1189
Kawakami, T., see Matsuoka, F., 1169
Kawakami, T., see Onishi, T., 1177
Kawakami, T., Takamizawa, S., Kitagawa, Y., Maruta, T., Mori, W. and Yamaguchi, K., Theoretical studies of spin arrangement of adsorbed organic radicals in metal-organic nanoporous cavity, 1197
Kawata, S., see Adachi, K., 1411
Kawata, S., see Kabir, M.K., 1417
Kawatsu, N., see Enoki, T., 1311
Kee, T.P., see Jiang, M., 2151
Keitany, G., see Hanna, T.A., 2451
Kennard, C.H.L., see Byabartta, P., 905
Kent, A.D., see Bokacheva, L., 1717
Kessler, V.G., Gohil, S., Kritikos, M., Korsak, O.N., Knyazeva, E.E., Moskovskaya, I.F. and Romanovsky, B.V., An approach to heterometallic alkoxide-β-diketonate complexes with a M_4O_4 cubane-like core and new prospects of their application in preparation of solid catalysts. X-ray single crystal study of $(Co,Ni)_4(acac)_4(\mu_3\text{-}OMe)_4(MeOH)_4$, $Co_2Ni_2(acac)_4(\mu_3\text{-}OMe)_4(OAc)_2$ and $Mg_4(acac)_4(\mu_3\text{-}OMe)_4(MeOH)_4$, 915
Kessler, V.G., see Werndrup, P., 2163
Ketcham, K.A., Swearingen, J.K., Castiñeiras, A., Garcia, I., Bermejo, E. and West, D.X., Iron(III), cobalt(II,III), copper(II) and zinc(II) complexes of 2-pyridineformamide 3-piperidylthiosemicarbazone, 3265
Khalil, T.E., see Iskander, M.F., 2787
Khan, M.A., see Jouad, E.M., 67
Kilner, C.A., see Holland, J.M., 2829
Kilner, C.A., see Jiang, M., 2151
Kilner, C.A., see Liu, X., 2889
Kim, B.J., Park, J.W. and Koo, S.M., Niobium persulfide complexes: synthesis and structural characterization of $[Et_4N][NbO(S_2)_2(bpy)]\cdot DMF$, $[PPN][NbO(CS_3)(S_2)(bpy)]$ and $[Et_4N][NbO(S_2C_2(CO_2Me)_2)(S_2)(bpy)]\cdot DMF$ complexes, 2279
Kimblin, C., Churchill, D.G., Bridgewater, B.M., Girard, J.N., Quarless, D.A. and Parkin, G., *Tris*(mercaptoimidazolyl)hydroborato complexes of cobalt and iron, $[Tm^{Ph}]_2M$ (M = Fe, Co): structural comparisons with their *tris*(pyrazolyl)hydroborato counterparts, 1891
Kim, J.H., see Choi, K.-Y., 2003
Kim, J., Lim, J.M., Suh, M.C. and Yun, H., Crystal structure and magnetic properties of dicarboxylate-bridged linear chain Mn(II) complexes, 1947
Kim, J., see Choi, K.-Y., 2003
Kim, M.-W., see Choi, K.-Y., 2003
Kim, S.-J., see Kim, Y., 3073
Kim, T.-J., see Roh, S.-G., 1961
Kim, Y.H., see Noh, D.-Y., 1939
Kim, Y., Kim, S.-J. and Lough, A.J., New dirhodium(II,II) carboxylates with 2,6-bis(*N'*-1,2,4-triazolyl)pyridinato ligand (btp), 3073
Kirk, M.L., Rubie, N.D. and Hybl, L., Magnetic circular dichroism studies of $Mn[Mn(CN)_6]$, 1741
Kitagawa, S., see Adachi, K., 1411
Kitagawa, S., see Kabir, M.K., 1417
Kitagawa, Y., Kawakami, T., Yoshioka, Y. and Yamaguchi, K., Theoretical studies on magnetic interactions of the metal dimers and their acetate complexes, 1189
Kitagawa, Y., see Kawakami, T., 1235
Kitagawa, Y., see Kawakami, T., 1197
Kitagawa, Y., see Matsuoka, F., 1169
Kitagawa, Y., see Onishi, T., 1177
Kitamura, C., see Pejaković, D.A., 1435
Kitamura, S., see Moriguchi, T., 2315
Kivekäs, R., see Meliani, H., 2517
Klavins, P., see Falk, K., 1521
Knobel, M., see Vaz, M.G.F., 1431
Knyazeva, E.E., see Kessler, V.G., 915
Kobayashi, A., see Kobayashi, H., 1587
Kobayashi, H., Tanaka, H., Ojima, E., Fujiwara, H., Otsuka, T., Kobayashi, A., Tokumoto, M. and Cassoux, P., Coexistence of antiferromagnetic order and superconductivity in organic conductors, 1587
Kobori, R., see Enoki, T., 1311
Ko, B.-T., see Yang, C.-H., 3257
Koga, N., see Akita, T., 1475
Koga, N., see Karasawa, S., 1387
Kollár, L., see García-Seijo, M.I., 855
Konitz, A., see Becker, B., 949
Konitz, A., see Becker, B., 2567
Koo, S.M., see Kim, B.J., 2279
Kopacka, H., see Oberhauser, W., 727
Kopcová, M., see Mikloš, D., 1867
Korabik, M., see Mikloš, D., 1867
Korecz, L., see Szabó-Plánka, T., 995
Korsak, O.N., see Kessler, V.G., 915
Kownacki, I., Kubicki, M. and Marciniec, B., Synthesis and structure of the first cobalt(I)–siloxide complex, 3015
Kozaki, M., see Mori, H., 1663
Kozaki, M., see Nagao, O., 1653
Kozłowski, H., see Conato, C., 615
Kravtsov, V., see Tudor, V., 3033
Kress, J., see Meneghetti, S.P., 2705
Krishnamohan Sharma, C.V., Hessheimer, A.J. and Clearfield, A., Novel materials based on self-assembly of organophosphonic acids, 2095
Kritikos, M., see Kessler, V.G., 915
Kritikos, M., see Werndrup, P., 2163
Kroczewska, D., see Kurzak, B., 2627
Krot-Łacina, K., see Bukietyńska, K., 2353
Kruczała, K., see Podgajny, R., 685
Kubiak, R., see Janczak, J., 2901
Kubicki, M., Hadjikakou, S.K. and Xanthopoulou, M.N., Synthesis, characterisation and study of mercury(II) bromide complexes with triphenylphosphine and heterocyclic thiones. The crystal structures of [bis(triphenylphosphine) dibromo mercury(II)] and [dibromo (pyrimidine-2-thionato) (triphenylphosphine) mercury(II)]. Extended intra-molecular linkages via N–H···Br and C–H···Br interactions, 2179
Kubicki, M., see Kownacki, I., 3015
Kühl, O., Blaurock, S., Sieler, J. and Hey-Hawkins, E., Metallatriphos complexes: synthesis and molecular structure of $[TpZr(OCH_2PPh_2)_3]$ (Tp = tris(pyrazolyl)hydroborate) and formation of the heterodinuclear complex $[TpZr(\mu\text{-}OCH_2PPh_2)_3Mo(CO)_3]$ with bridging phosphinoalkoxide ligands, 2171

Kühl, O., Blaurock, S., Sieler, J. and Hey-Hawkins, E., Molybdenum tetracarbonyl complexes with functionalised aminophosphine ligands: *cis*-$[Mo(CO)_4(PPh_2NHR)_2]$ (R = Ph, Bu^t) — molecular structures of $PMes_2NHPh$ (Mes = 2,4,6-$Me_3C_6H_2$), PPh_2NHBu^t and *cis*-$[Mo(CO)_4(PPh_2NHBu^t)_2]$, 111
Kühl, O., Lönnecke, P. and Heinicke, J., Influence of anellation in unsaturated heterocyclic diaminogermylenes, 2215
Kühn, F.E., see Xue, W.-M., 791
Kuhns, P.L., see Achey, R.M., 1745
Kumagai, H., Hosokoshi, Y., Markosyan, A.S. and Inoue, K., Synthesis, structure and magnetic properties of bis(hexafluoroacetylacetonato)Mn(II) complex with a novel triplet organic radical, 4-*N*-*tert*-butylaminoxyl-4′-nitronylnitroxylbiphenyl, 1329
Kumagai, H., see Adachi, K., 1411
Kumagai, H., see Kabir, M.K., 1417
Kumar Saha, M., see Mondal, N., 579
Kurdziel, K., Głowiak, T. and Jezierska, J., Coordination properties of 1-allyl-2-methylimidazole relative to some metal ions in the solid state and aqueous solution, 3307
Kuroda-Sowa, T., Nakano, M., Christou, G. and Hendrickson, D.N., Effects of paramagnetic $[Fe(C_5Me_5)_2]^+$ cation on the anionic single-molecule magnet, $[Mn_{12}O_{12}(O_2CC_6H_4F(\text{-}o))_{16}(H_2O)_4]^-$, 1529
Kuroda-Sowa, T., see Munakata, M., 2321
Kuroda-Sowa, T., see Munakata, M., 2037
Kurzak, B., Bogusz, K., Kroczewska, D. and Jezierska, J., Mixed-ligand copper(II) complexes with diethylenetriamine and histidine- or methioninehydroxamic acids in water solution, 2627
Kushwah, Y.S., see Gupta, S.K., 2019
Kwiatkowski, E., Romanowski, G., Nowicki, W. and Suwińska, K., Crystal structure and magnetic properties of *catena*-μ-(pyrazine-*N*,*N*′)bis[(*p*-nitrobenzoyl)trifluoroacetonato-*O*,*O*′]copper(II), 1097
Kyritsakas, N., see Armspach, D., 663
Kývala, M., see Lubal, P., 47

Lachter, E.R., see de Oliveira, V., 2647
Lago, E., see García-Raso, Á., 2877
Laguna, M., see Cerrada, E., 2863
Lahiri, G.K., see Chakraborty, S., 1851
Lahiri, G.K., see Jain, P.U., 245
Lahti, P.M., Esat, B., Liao, Y., Serwinski, P., Lan, J. and Walton, R., Heterospin organic molecules: nitrene–radical linkages, 1647
Lahti, P.M., Ferrer, J.R., George, C., Oliete, P., Julier, M. and Palacio, F., Hydrogen-bonded benzimidazole-based *tert*-butylnitroxides, 1465
Lai, S.-j., see Park, G., 3155
Lampard, G.S., see Covington, A.D., 461
Lampeka, R.D., see Lysenko, A.B., 957
Lampeka, R.D., see Petkova, E.G., 747
Lampeka, Y.D., see Tsymbal, L.V., 1837
Landee, C.P., see Amaral, S., 1317
Langes, C., see Oberhauser, W., 727
Lan, J., see Lahti, P.M., 1647
Lao, W.-J., see Zhang, Y.-H., 1107
Laskar, I.R., Maji, T.K., Das, D., Lu, T.-H., Wong, W.-T., Okamoto, K.-i. and Ray Chaudhuri, N., Syntheses, characterisation and solid state thermal studies of 1-(2-aminoethyl)piperidine (L), 1-(2-aminoethyl)pyrrolidine (L′) and 4-(2-aminoethyl)-morpholine (L″) complexes of nickel(II): X-ray single crystal structure analyses of *trans*-$[NiL_2(CH_3CN)_2](ClO_4)_2$, *trans*-$[NiL_2(NCS)_2]$ and *trans*-$[NiL''_2(NCS)_2]$, 2073
Laskar, I.R., see Maji, T.K., 651
Laura Bandini, A., Banditelli, G. and Bovio, B., Protonation of platinum(II) pyrazolates: synthesis, characterization and X-ray crystal structure of $[Pt(dppe)(Hpz\text{-}N)_2][BF_4]_2 \cdot CHCl_3 \cdot H_2O$ (Hpz-*N* = unsubstituted pyrazole), 2869
Leban, I., see Perdih, F., 1967
Lecocq, S., see Decams, J.M., 2405
Leedham, T.J., see Davies, H.O., 2397
Lee, G.-H., see Chen, W.-H., 515
Lee, G.-H., see Lin, H.-H., 3057
Lee, H.-H., see Choi, K.-Y., 2003
Lee, H.-J., see Noh, D.-Y., 1939
Lee, T.R., see Jung, J.-H., 2129
Leighton, F., see Bodini, M.E., 1005
Lelièvre-Berna, E., see Schweizer, J., 1771
Lemos, S.S., Camargo, M.A., Cardoso, Z.Z., Deflon, V.M., Försterling, F.H. and Hagenbach, A., Copper(I) pseudohalide complexes with 4,6-dimethylpyrimidine-2(1H)-thione and triphenylphosphane as ligands. The X-ray crystal structures of $[Cu(N_3)(dmpymtH)(PPh_3)_2]$ and $[Cu(NCS)(dmpymtH)(PPh_3)_2]$, 849
Leng, X.-B., see Chai, J.-F., 3249
Leng, X.-B., see Du, M., 3065
Leng, X.-B., see Han, X.-X., 1881
Leovac, V.M., see Bogdanović, G.A., 2231
Less, R.J., Rawson, J.M. and Jones, M., Selenium for sulfur substitution in a thiazyl ring: identification of the phenyl-selenathiadiazolylium cation, $[PhCNSeSN]^+$, 523
Levason, W., Patel, B., Popham, M.C., Reid, G. and Webster, M., Scandium, yttrium and lanthanum nitrate complexes of tertiary arsine oxides: synthesis and multinuclear spectroscopic studies. X-ray structures of $[M(Me_3AsO)_6](NO_3)_3$ (M = Sc or Y), $[Sc(Ph_3AsO)_3(NO_3)_2]NO_3$, $[M''(Ph_3AsO)_4(NO_3)_2]NO_3$ (M″ = Y or La) and $[La(Ph_3AsO)_2(EtOH)(NO_3)_3]$, 2711
Levason, W., see Bosson, M., 2055
Leznoff, D.B., Xue, B.-Y., Stevens, C.L., Storr, A., Thompson, R.C. and Patrick, B.O., Synthesis, structure and magnetic properties of 3D interpenetrating nets of M(pyrazine)$[Au(CN)_2]_2$ (M = Cu, Ni, Co) supported by aurophilic interactions, 1247
Liang, Y.-C., Hong, M.-C., Cao, R., Su, W.-P., Zhao, Y.-J. and Weng, J.-B., Infinite chain structures of $[Zn(4,4'\text{-bipy})Cl_2]_n$ and $[Cu(H_2PO_4)(4,4'\text{-bipy})\cdot 2H_2O]_n$ via hydrothermal synthesis, 2477
Liang, Y.-C., see Shi, Q., 3287
Liang, Y.-C., see Wang, R.-H., 3165
Liang, Y.-C., see Zhao, Y.-J., 2619
Liao, D., see Li, L., 681
Liao, D.-Z., see Gao, E.-Q., 923
Liao, D.-Z., see Gao, E.-Q., 669
Liao, D.-Z., see Tang, J.-K., 675
Liao, F.-L., see Nag, J.K., 2253
Liao, F.-L., see Santra, P.K., 599
Liao, Y., see Lahti, P.M., 1647
Liao, Z.-R., Zheng, X.-F., Luo, B.-S., Shen, L.-R., Li, D.-F., Liu, H.-L. and Zhao, W., Synthesis, characterization and SOD-like activities of manganese-containing complexes with *N*,*N*,*N*′,*N*′-tetrakis(2′-benzimidazolyl methyl)-1,2-ethanediamine (EDTB), 2813
Liau, B.-C., see Yang, C.-H., 3257
Li, D.-F., see Liao, Z.-R., 2813
Lightfoot, P., see Cromie, T.J., 307
Light, M.E., see Apperley, D.C., 1907
Light, M.E., see Creber, M.L., 1973
Li, H., see Jiang, C.-W., 2187
Li, H., see Zhang, Q.-L., 3049
Li, L., Liao, D., Jiang, Z. and Yan, S., Structure and magnetic behaviour of a novel alternating one-dimensional chain compound $\{[Cu(phen)(\mu_{1,1}\text{-}N_3)]_2(\mu\text{-ta})\}_n$, 681
Lim, J.M., see Kim, J., 1947
Linarès, J., see Jeftić, J., 1599
Linarès, J., see Roubeau, O., 1709
Linarès, J., see Stassen, A.F., 1699
Lin, C.-J., Hwang, W.-S. and Chiang, M.Y., Nitrate and perchlorate salts of a silver(I) complex from 5-methyl-2-(2,3-diaza-4-(5-methyl-2-thienyl)buta-1,3-dienyl)thiophene, 3275

Lin, H.-H., Wei, H.-H., Lee, G.-H. and Wang, Y., Structure and magnetic properties of copper(II) carboxylate with pyridyl-substituted nitronyl nitroxides, 3057
Lin, H.-K., see Su, X.-C., 91
Lin, P., see Fu, Z.-Y., 1925
Lipkowski, J., see Tudor, V., 3033
Li, R.-H., see Jiang, C.-W., 2187
Liu, D.-J., see Jiang, L.-J., 2807
Liu-González, M., see Gutierrez, L., 703
Liu, H.-L., see Liao, Z.-R., 2813
Liu, H.-Q., see Cai, Y.-P., 657
Liu, J.-F., see Meng, L., 881
Liu, J.-G., see Zhang, Q.-L., 3049
Liu, J.-Z., see Zhang, Q.-L., 3049
Liu, X., McInnes, E.J.L., Kilner, C.A., Thornton-Pett, M. and Halcrow, M.A., Metal complexes of 4′-(3-phenylpropoxy)-2,2′:6′,2″-terpyridine and 4′-(3-propoxy)-2,2′:6′,2″-terpyridine, 2889
Liu, X., see Tang, J.-K., 675
Liu, Y.-F., see Yang, R.-N., 585
Liu, Y.-J., see Hu, C.-J., 2117
Liu, Y.-Q., see Zhang, Y.-H., 1107
Li, Y., see Deng, Y., 291
Li, Z.-J., see Tang, Y.-H., 2911
Lloret, F., see Tudor, V., 3033
Llusar, R., see Estevan, F., 527
Llusar, R., see Mata, J.A., 2083
Lodyga-Chruscinska, E., Micera, G., Sanna, D., Olczak, J. and Zabrocki, J., A new class of peptide chelating agents towards copper(II) ions, 1915
Lomozik, L., see Gasowska, A., 2305
Lönnecke, P., see Kühl, O., 2215
López, C., Bosque, R., Solans, X. and Font-Bardia, M., Factors affecting the lability of the Pd–N bonds in palladacycles containing a $\sigma(Pd–C_{sp^2,\ ferrocene})$ bond. X-ray crystal structures of $[Pd\{[(\eta^5\text{-}C_5H_3)–C(Me)=N–R]Fe(\eta^5\text{-}C_5H_5)\}Cl(L)]$ {with $R = CH_2–C_6H_5$ and $L = PEt_3$ or $R = C_6H_4$-4-Me and $L = PPh_2Et$}, 987
López, G., see Sánchez, G., 571
López-Ortiz, F., see Lysenko, A.B., 957
López-Torres, M., see Castro-Juiz, S., 2925
Lorenzo, P., see Armas, M., 799
Loring, J.S., Karlsson, M., Ronald Fawcett, W. and Casey, W.H., Speciation and complexation in aqueous Al(III)–quinolinate solutions: a spectroscopic study, 1983
Losada-González, P., see Carballo, R., 2371
Lough, A.J., see Kim, Y., 3073
Lubal, P., Kývala, M., Hermann, P., Holubová, J., Rohovec, J., Havel, J. and Lukeš, I., Thermodynamic and kinetic study of copper(II) complexes with *N*-methylene(phenylphosphinic acid) derivatives of cyclen and cyclam, 47
Luck, R.L. and O'Neill, R.S., The Br and I analogues of $ReCl(H_2)(PMePh_2)_4$; crystal structures of $ReBr(H_2)(PMePh_2)_4$ and the $[ReO_2(Py)_4]^+$ cation; possible solution state evidence of Re–H···H···N(Py) interactions as evident in T_1 measurements, 773
Lu, C.-S., see Hu, C.-J., 2117
Lu, H.-J., Fan, Y.-T., Wu, Y.-J. and Yin, M.-C., Tripodal lipophilic ionophores: synthesis, cation binding and transport through liquid membranes, 3281
Luis, F., Mettes, F.L., Tejada, J., Gatteschi, D. and de Jongh, L.J., Experimental observation of quantum relaxation and quantum coherence in molecular magnetic clusters, 1451
Luis, F., see Mettes, F.L., 1459
Lu, J.Y., Schroeder, T.J., Babb, A.M. and Olmstead, M., Two new coordination polymers differentiated by C–H···O hydrogen bonding — synthesis and crystal structure of [(oxa)M(DPA)], 2445
Łukasiewicz, M., Ciunik, Z., Ruman, T., Skóra, M. and Wołowiec, S., Complexes of heteroscorpionate trispyrazolylborate anionic ligands: Part II. The X-ray crystallographic and ^1H NMR studies on thiocyanato[hydrobis(3-phenylpyrazolyl)(3,5-di-*tert*-butylpyrazolyl)borato]cobalt(II) and thiocyanato[hydrobis(3-phenyl,5-methylpyrazolyl)(3-methyl,5-phenylylpyrazolyl)borato]cobalt(II) complexes, 237
Łukasiewicz, M., see Ruman, T., 2965
Łukasiewicz, M., see Ruman, T., 2551
Lukeš, I., see Lubal, P., 47
Luna-Giles, F., see Bernalte-García, A., 3315
Luo, B.-S., see Liao, Z.-R., 2813
Luo, Q.-H., see Jiang, L.-J., 2807
Luo, Q.-H., see Pan, Z.-Q., 2945
Luo, Q.-H., see Zhang, J.-J., 2285
Lu, S.-F., Huang, J.-Q., Yu, R.-M., Huang, X.-Y., Wu, Q.-J., Peng, Y., Chen, J., Huang, Z.-X., Zheng, Y. and Wu, D.-X., Synthesis and structural characterization of hybrid Group 12, 14, 15 metals–molybdenum (tungsten) cluster compounds, 2339
Lussier, A., see Maccagnano, S., 1441
Lu, T.-B., see Xiang, H., 313
Lu, T.-H., see Laskar, I.R., 2073
Lu, T.-H., see Misra, T.K., 3149
Lu, T.-H., see Nag, J.K., 2253
Lu, T.-H., see Santra, P.K., 599
Lutz, P.J., see Meneghetti, S.P., 2705
Lysenko, A.B., Shishkina, S.V., Shishkin, O.V., Peralta-Pérez, E., López-Ortiz, F. and Lampeka, R.D., Synthesis, solution and solid-state structure of Pd(II), Pt(II), Ir(III) and Zn(II) complexes with 5-pyridyl substituted *N*-methyl isoxazolidines, 957
Ly, T.Q., see Bhattacharyya, P., 1803

Ma, B.-Q., Gao, S., Yi, T. and Xu, G.-X., One-dimensional coordination polymers $[Co(acac)_2pz]_n$ and $[Co(acac)_2(4,4'\text{-bipy})]_n$ (acac = acetylacetone, pz = pyrazine, bipy = 4,4′-bipyridine): synthesis, structures and magnetic properties, 1255
Macías, A., see Casas, J.S., 1845
Macías, A., see Valencia, L., 3091
Maccagnano, S., Achey, R., Negusse, E., Lussier, A., Mola, M.M., Hill, S. and Dalal, N.S., Single crystal EPR determination of the spin Hamiltonian parameters for Fe_8 molecular clusters, 1441
Macedo, W.A.A., see Vaz, M.G.F., 1431
Ma, D., see Park, G., 3155
Maekawa, M., see Munakata, M., 2321
Maekawa, M., see Munakata, M., 2037
Maes, E.M., see Chun, H., 2597
Maestro, M.A., see Arnáiz, F.J., 3295
Maestro, M.A., see Arnáiz, F.J., 2781
Maffeo, D., see Batsanov, A.S., 981
Mague, J.T., see Balakrishna, M.S., 2421
Mahía, J., see Arnáiz, F.J., 3295
Mahía, J., see Arnáiz, F.J., 2781
Mahía, J., see Valencia, L., 3091
Mahieu, B., see García-Seijo, M.I., 855
Mahon, M.F., see Coombs, T.D., 2935
Mahon, M.F., see Hill, M.S., 1995
Mahon, M.F., see Kana, A.T., 2989
Maisela, L.L., Crouch, A.M., Darkwa, J. and Guzei, I.A., Bidentate aryldichalcogenide complexes of [(diphosphino)ferrocene]-palladium(II) and [(diphosphino)ferrocene]platinum(II). Synthesis, molecular structures and electrochemistry, 3189
Maji, T.K., Laskar, I.R., Mostafa, G., Welch, A.J., Mukherjee, P.S. and Chaudhuri, N.R., A 1D thiocyanato bridge nickel(II) system: crystal structure and magnetic property, 651
Maji, T.K., see Laskar, I.R., 2073
Makino, T., see Kaneko, T., 1291
Mak, T.C.W., see Goher, M.A.S., 2583
Mak, T.C.W., see Sengupta, P., 975
Mak, T.C.W., see Wang, Q.-M., 2683
Malik, K.M.A., see Hasan, M.M., 97

Malik, K.Z., see Clark, T., 1875
Mandel, A., see Schmitt, W., 1687
Maneiro, M., Bermejo, M.R., Fondo, M., González, A.M., Sanmartín, J., García-Monteagudo, J.C., Pritchard, R.G. and Tyryshkin, A.M., Structural and photolytic studies on new mononuclear and binuclear manganese complexes containing Schiff base ligands. The crystal structure of $[Mn(\mu\text{-}3,5\text{-}Brsalpn)(\mu\text{-}O)]_2 \cdot 2DMF$, 711
Manessi-Zoupa, E., see Tiliakos, M., 2203
Máñez, M.A., see Basallote, M.G., 297
Máñez, M.A., see Basallote, M.G., 75
Mann, S., see Vaucher, S., 2467
Manonmani, J., Thirumuruhan, R., Kandaswamy, M., Narayanan, V., Shanmuga Sundara Raj, S., Ponnuswamy, M.N., Shanmugam, G. and Fun, H.K., Synthesis of copper(II) and nickel(II) complexes using compartmental ligands: X-ray, electrochemical and magnetic studies, 3039
Manson, J.L., Schlueter, J.A., Geiser, U., Stone, M.B. and Reich, D.H., Crystal structures and magnetic properties of $Mn[N(CN)_2]_2L$ {L = 2,5-dimethylpyrazine and aminopyrazine}, 1423
Manson, J.L., see Pejaković, D.A., 1435
Mao, Z.-W., see Xiang, H., 313
Mapolie, S.F., see Dooling, D., 467
Marangoni, G., see Pitteri, B., 869
Marciniec, B., see Kownacki, I., 3015
Markosyan, A.S., see Kumagai, H., 1329
Marques, H.M., see Shongwe, M.S., 2195
Marquez, V.E., Anacona, J.R. and Barbarin, C.R., Synthesis, molecular structure and electrochemistry of cobalt(II) complexes of 2,2′:6′,2″-terpyridine macrocycles, 1885
Maruta, G., Nishiyama, K. and Takeda, S., μSR studies on the dimensionality of layered compounds $Cu_2(OH)_3X$, 1185
Maruta, G., see Takeda, S., 1263
Maruta, T., see Kawakami, T., 1197
Maruyama, S., see Enoki, T., 1311
Marzotto, A., Clemente, D.A., Benetollo, F. and Valle, G., Piperazine (and derivatives) Copper(II) compounds: 1,4-dimethylpiperazin-1,4-ium tetrachlorocuprate(II) and Cu–N bond formation in trichloro(1-methylpiperazin-1-ium-N^4)copper(II) and trichloro(1,4-dimethylpiperazin-1-ium-N^4)copper(II)., 171
Marzotto, A., Clemente, D.A., Gerola, T. and Valle, G., Synthesis, molecular structure and reactivity of sodium 5-sulfosalicylate dihydrate and sodium[triaqua(5-sulfosalicylato)copper(II)] 2 hemihydrate, 1079
Mascarenhas, F., see Falk, K., 1521
Massobrio, C., Pouillon, Y., Rabu, P. and Drillon, M., A density functional study of copper hydroxonitrate: size effects and spin density topology, 1305
Mata, J.A., Peris, E., Uriel, S., Llusar, R., Asselberghs, I. and Persoons, A., Preparation and properties of new ferrocenyl heterobimetallic complexes with counterion dependent NLO responses, 2083
Mata, J.A., see Estevan, F., 527
Mathonière, C., see Evangelisti, M., 1447
Mathonière, C., see Vaz, M.G.F., 1761
Matsarski, M., see Jeftić, J., 1599
Matsuda, K. and Irie, M., Photoswitching of magnetic interaction: diarylethene photochromic spin couplers, 1391
Matsuoka, F., see Kawakami, T., 1235
Matsuoka, F., Yamashita, Y., Kawakami, T., Kitagawa, Y., Yoshioka, Y. and Yamaguchi, K., Theoretical investigation on the magnetic interaction of the tetrathiafulvalene–nitronyl nitroxide stacking model: possibility of organic magnetic metals and magnetic superconductors, 1169
Matsushita, T., see Nakamura, T., 191
Matsushita, Y., see Mito, M., 1509
Matsuzaka, H., see Ishii, T., 1297
Matt, D., see Armspach, D., 663
Matthews, M.L., see Harrington, F., 2741
Matthew Woodward, F., see Amaral, S., 1317
Mauro, A.E., see Zutin, K., 1011
Mautner, F.A., see Goher, M.A.S., 2971
McCann, M., Townsend, S., Devereux, M., McKee, V. and Walker, B., Mixtures obtained by reacting *trans*-(±)-1,2-diaminocyclohexane with acetylacetone in the presence of simple cobalt(II) salts, 2799
McCleverty, J.A., see Bell, Z.R., 2045
McGinley, J.M.G., see Hill, M.S., 1995
McInnes, E.J.L., see Liu, X., 2889
McKee, V., see McCann, M., 2799
McPartlin, M., see Cupertino, D., 3239
McWilliam, S.A., see John Plater, M., 2293
Medaković, V.B., see Bogdanović, G.A., 2231
Mederos, A., see Armas, M., 799
Meece, F.A., see Siemer, C.J., 2637
Mehandjiev, D.R., see Bontchev, P.R., 231
Mei, Y.-H., see Zhang, J.-J., 2285
Meliani, H., Viñas, C., Teixidor, F., Sillanpää, R. and Kivekäs, R., A thiophenophane ligand with endodentate coordination, 2517
Melnikov, P., see Zutin, K., 1011
Melník, M., see Mikloš, D., 1867
Melo, D.M.A., see Pimentel, P.M., 2651
Menderes, O., see Covington, A.D., 461
Meneghetti, S.P., Lutz, P.J., Fischer, J. and Kress, J., Synthesis and X-ray structure of a monoprotonated salt and of three transition-metal complexes of *N,N′*-ditertiobutyl-2,11-diaza[3.3](2,6)pyridinophane, 2705
Meng, L., Zhan, X.-P., Wang, M. and Liu, J.-F., Synthesis, ^{183}W NMR spectroscopic characterization and properties of trisubstituted heteropolytungstates containing Group 3A elements, 881
Meng, Q.-J., see Hu, C.-J., 2117
Merzweiler, K., see Böttcher, H.-C., 2011
Mettes, F.L., Aromí, G., Luis, F., Evangelisti, M., Christou, G., Hendrickson, D. and de Jongh, L.J., Experimental observation of quantum coherence in molecular magnetic clusters with half-integer spin, 1459
Mettes, F.L., see Luis, F., 1451
Mettes, F., see Evangelisti, M., 1447
Micera, G., see Lodyga-Chruscinska, E., 1915
Micera, G., see Sanna, D., 937
Micera, G., see Sanna, D., 3079
Michinobu, T., Tsuchida, E. and Nishide, H., 5,4′-Bis[bis(-methoxyphenyl)amino]-2-methoxystilbene and its cationic biradical, 1147
Midollini, S., see Cecconi, F., 2885
Mikloš, D., Segl'a, P., Palicová, M., Kopcová, M., Melník, M., Valko, M., Glowiak, T., Korabik, M. and Mrozinski, J., Synthesis, spectral and magnetic properties, and crystal structures of copper(II)2-methylthionicotinate adducts with chelating ligands, 1867
Miller, D.O., see Zhao, L., 1359
Miller, J.S., see Pejaković, D.A., 1435
Miller, J.S., see Schweizer, J., 1771
Miller, J.S., Unsolved mysteries in molecule-based magnets — a personal view, 1723
Milletti, M.C., see Hratchian, H.P., 209
Miinea, L.A. and Hoffman, D.M., Amine adducts of *tert*-butylthiolate gallium hydrides—synthetic and X-ray crystallographic studies, 2425
Minguet, M., Amabilino, D.B. and Veciana, J., Solution state circular dichroism studies of chiral phenyl α-nitronyl nitroxide radicals, 1633
Miranda, M.J., see Arnáiz, F.J., 3295

Mironov, Y.V., Virovets, A.V., Sheldrick, W.S. and Fedorov, V.E., Novel inorganic polymeric compounds based on the Re_4 chalcocyanide cluster complexes: synthesis and crystal structures of $Mn_2[Re_4Se_4(CN)_{12}]\cdot 6H_2O$, $Cd_2[Re_4Te_4(CN)_{12}]\cdot 6H_2O$, $Cu_2[Re_4Te_4(CN)_{12}]\cdot 4H_2O$ and $K_4Re_4Se_4(CN)_{12}\cdot 6H_2O$, 969
Mirza, A.H., see Akbar Ali, M., 2431
Mirza, A.H., see Ali, M.A., 1037
Mirza, A.H., see Ali, M.A., 1045
Misaki, Y., see Mukai, K., 1537
Misra, T.K., Chung, C.-S., Cheng, J. and Lu, T.-H., Isolation and structural characterization of *trans*-β-{(*C-meso*-5,5,7,12,12, 14-hexamethyl-1,4,8,11-tetraazacyclotetradecane)(diaquo)}nickel(II) perchlorate and *cis*-α-{(*C-racemic*-5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane)(diisothiocyanato)}nickel(II), 3149
Misra, T.K., see Byabartta, P., 905
Mito, M., Kawae, T., Takeda, K., Takagi, S., Matsushita, Y., Deguchi, H., Rawson, J.M. and Palacio, F., Pressure-induced enhancement of the transition temperature of a genuine organic weak-ferromagnet up to 65 K, 1509
Mito, M., Tanimoto, T., Kawae, T., Hitaka, M., Takeda, K., Nakatsuji, S., Morimoto, H. and Anzai, H., Measurements of magnetic susceptibility of a genuine organic bulk-ferromagnet at high pressures in a diamond anvil cell, 1505
Mitra, S., see Bag, B., 2113
Mitra, S., see Mondal, N., 607
Mitra, S., see Mondal, N., 579
Mitra, S., see Mondal, N., 2473
Mitra, S., see Mondal, N., 135
Miura, Y., see Nakatsuji, M., 1355
Miyake, T., Ishida, T., Hashizume, D., Iwasaki, F. and Nogami, T., Ferromagnetic $S=1$ chain formed by a square Ni_2S_2 motif in $Ni(qt)_2$ (qt = quinoline-8-thiolate). Magnetic properties of related compounds, 1551
Miyasaka, M., Yamazaki, T., Tsuchida, E. and Nishide, H., Magnetic and electrical properties of poly(3-radical-substituted thiophene)s, 1157
Miyazaki, Y., see Bhattacharjee, A., 1607
Mohamed, G.G., El-Gamel, N.E.A. and Teixidor, F., Complexes of 2-(2-benzimidazolylazo)-4-acetamidophenol, a phenoldiazenyl-containing ligand. Could this be a moiety suitable for Zn and Cd extraction?, 2689
Mohamed, M.M.A. and Shoukry, M.M., Complex formation reactions of (*N,N'*-dimethylethylenediamine) palladium(II) with various biologically relevant ligands, 343
Mokrzan, J., see Audergon, L., 387
Mola, M.M., see Maccagnano, S., 1441
Molins, E., see García-Raso, Á., 2877
Molloy, K.C., see Hill, M.S., 1995
Molloy, K.C., see Kana, A.T., 2989
Momblona, F., see Sánchez, G., 571
Mondal, N., Dey, D.K., Mitra, S. and Gramlich, V., Synthesis and characterization of cyano-bridged polynuclear $[Cu(dmpn)_2]_3[Co(CN)_6]_2\cdot 12H_2O$ and trinuclear $[Cu(dmpn)_2]_2[Co(CN)_6]\cdot ClO_4\cdot 3H_2O$ complexes, 607
Mondal, N., Kumar Saha, M., Bag, B., Mitra, S., Rosair, G. and Salah El Fallah, M., Synthesis and crystal structure of mononuclear copper(II) complex of tridentate Schiff base ligand and its ferrocyanide-bridged pentanuclear complex, 579
Mondal, N., Mitra, S. and Rosair, G., Synthesis and structural characterisation of a cyano-bridged trinuclear complex $[(CuL)_2Fe(CN)_6][ClO_4]\cdot 2CH_3OH\cdot H_2O$, 2473
Mondal, N., Mitra, S., Gramilich, V., Ozra Ghodsi, S. and Abdul Malik, K.M., Synthesis, characterization and crystal structures of some four coordinated nickel(II) complexes with tridentate Schiff base ligands, 135
Mondal, N., see Bag, B., 2113
Monsur, A., see Ali, M.A., 1045
Moon Chun, K., see Choi, K.-Y., 57
Moraga, E., see Parada, J., 2223
Morales, D., see Redón, R., 3119
Moreira, I.S., see Batista, A.A., 2123
Moreira, Í.S., see Vasconcellos, L.C.G., 493
Moriguchi, T., Kitamura, S., Sakata, K. and Tsuge, A., Syntheses and structures of dichloropalladium(II)(dithia[3.3]metadipyridinophane) and dichloroplatinum(II)(dithia[3.3]metadipyridinophane) complexes, 2315
Mori, H., Nagao, O., Kozaki, M., Shiomi, D., Sato, K., Takui, T. and Okada, K., Magnetic behavior of copper(II) complexes of a nitronyl-nitroxide-substituted pyrimidine, 1663
Morimoto, H., see Mito, M., 1505
Mori, W., see Kawakami, T., 1197
Morris, M.J., see Shongwe, M.S., 2195
Mörtl, K.P., see Sutter, J.-P., 1593
Moser, A., Quantitative correlation between the pseudo-cavity volume of the *p-tert*-butylcalix[4]arene tetra-acetamide and the ionic radius of the cationic guests, 1897
Moskovskaya, I.F., see Kessler, V.G., 915
Mostafa, G., see Maji, T.K., 651
Mosteiro, R., see Castro-Juiz, S., 2925
Motson, G.R., see Bell, Z.R., 2045
Moubaraki, B., see van der Werff, P.M., 1129
Moulton, W.G., see Achey, R.M., 1745
Moya-Cabrera, M., see Alvarez-Toledano, C., 215
Mrozinski, J., see Mikloš, D., 1867
Mroziński, J., see Smékal, Z., 3301
Mukai, K., Jinno, S., Shimobe, Y., Azuma, N., Hosokoshi, Y., Inoue, K., Taniguchi, M., Misaki, Y. and Tanaka, K., Syntheses and properties of genuine organic magnetic conductors: (1:1) and (1:2) salts of ethyl-pyridinium-substituted verdazyl radicals with TCNQ, 1537
Mukherjee, P.S., see Maji, T.K., 651
Mukherjee, R., see Gupta, R., 2545
Munakata, M., Wen, M., Suenaga, Y., Kuroda-Sowa, T., Maekawa, M. and Anahata, M., Carbon and nitrogen coordinated silver(I) polymers of 2,4,6-triphenoxy-1,3,5-triazine, 2321
Munakata, M., Wen, M., Suenaga, Y., Kuroda-Sowa, T., Maekawa, M. and Anahata, M., Silver(I) complexes of triazine derivatives having stepped π–π interactions and 2D sheets, 2037
Muñoz, F., see García-Raso, Á., 2609
Munshi, P., see Jain, P.U., 245
Murmann, R.K., Barnes, C.L. and Barakat, S., X-ray crystal comparisons and rates of conversion between *RS/SR* and *RR/SS*-$[Ni(n\text{-}PrAO)_2\text{–}H]^+$, 431
Murmann, R.K., see Brownback, M.A., 2505
Murray, K.S., see van der Werff, P.M., 1129
Murugesu, M., see Schmitt, W., 1687
Musina, E.I., see Karasik, A.A., 3321
Mutikainen, I., see Riggio, I., 2659
Mutikainen, I., see Stassen, A.F., 1699

Nagamine, K., see Ishida, T., 1545
Nagamine, K., see Ohira, S., 1223
Nagao, O., Kozaki, M., Shiomi, D., Sato, K., Takui, T. and Okada, K., Magnetic behavior of a manganese(II) complex of nitroxide-substituted 1,3-di(4-pyridyl)benzene, 1653
Nagao, O., see Mori, H., 1663
Nagashima, H., Yoshioka, N. and Inoue, H., Synthesis and magnetic properties of nitronyl nitroxide radicals carrying a purine ring, 1151
Nag, J.K., Santra, P.K., Sinha, C., Liao, F.-L. and Lu, T.-H., Synthesis, spectral and electrochemical studies of 2-(arylazo)heterocycle complexes of zinc(II). Single-crystal X-ray structure of $[Zn(papm)Cl_2\cdot CH_3OH]$ (papm = 2-(phenylazo)pyrimidine), 2253

Nakajima, K., see Nonoyama, M., 3019
Nakamura, T., Niwa, K., Usugi, S., Asada, H., Fujiwara, M. and Matsushita, T., Novel dinuclear manganese(III) complexes with bi- or tridentate and bridging tetradentate Schiff base ligands: preparation, properties and catalase-like function, 191
Nakano, M., see Bhattacharjee, A., 1607
Nakano, M., see Kuroda-Sowa, T., 1529
Nakatsuji, M., Miura, Y. and Teki, Y., Ferro- and antiferromagnetic interactions of cyano-substituted thioaminyl radicals, 1355
Nakatsuji, S., see Mito, M., 1505
Nakatsuji, S., see Ojima, T., 1335
Nakayama, K., see Ohira, S., 1223
Narayanan, V., see Manonmani, J., 3039
Nasman, O.S.M., see Ismaiel, A.A.A., 455
Nataro, C., Baseski, H.M., Thomas, C.M., Wiza, B.J. and Rourke, K.M., Analysis of phosphines functionalized with crown ether groups by NMR and cyclic voltammetry, 1023
Näther, C., Jeß, I. and Greve, J., Synthesis and thermal properties of the inorganic–organic transition metal halogenides CuCl–pyrazine and Cu_2Cl_2–pyrazine, 1017
Nazimuddin, M., see Akbar Ali, M., 2431
Nazimuddin, M., see Ali, M.A., 1045
Necas, M., Beran, M., Derek Woollins, J. and Novosad, J., The synthesis and characterisation of bis(diisopropylphosphoryl)ferrocene $Fe[(\eta^5\text{-}C_5H_4)P(O)^iPr_2]_2$, bis(diisopropylthiophosphoryl)ferrocene $Fe[(\eta^5\text{-}C_5H_4)P(S)^iPr_2]_2$, and bis(diisopropylselenophosphoryl)ferrocene $Fe[(\eta^5\text{-}C_5H_4)P(Se)^iPr_2]_2$, the oxidised derivatives of bis(diisopropylphosphino)ferrocene, 741
Nečas, M., see Janča, M., 2823
Neels, A., see Diz, E.L., 2771
Negusse, E., see Maccagnano, S., 1441
Nethaji, M., see Rath, R.K., 2735
Neuburger, M., see Constable, E.C., 483
Neveling, A., see Raubenheimer, H.G., 1089
Niclós, J., see Carballo, R., 2415
Nierlich, M., see Thuéry, P., 3183
Nikolaou, S. and Toma, H.E., Synthesis, spectroscopy and electrochemistry of a μ-oxo-triruthenium cluster containing a bridged bis(2,2′-bipyridyl)ruthenium(II) moiety, 253
Nishide, H., see Michinobu, T., 1147
Nishide, H., see Miyasaka, M., 1157
Nishikawa, H., see Abdul Jalil, M., 1071
Nishikawa, H., see Abdul Jalil, M., 627
Nishiyama, K., see Maruta, G., 1185
Niwa, K., see Nakamura, T., 191
Nogami, T., see Ishida, T., 1545
Nogami, T., see Miyake, T., 1551
Nogami, T., see Ohira, S., 1223
Nogami, T., see Omata, J., 1557
Nogueira, V.M., see Zutin, K., 1011
Noh, D.-Y., Seo, E.-M., Lee, H.-J., Jang, H.-Y., Choi, M.-G., Kim, Y.H. and Hong, J., Syntheses and characterization of heterobimetallic complexes (dppf)Pt(dithiolate) (dppf: bis(diphenylphosphino)ferrocene); X-ray crystal structures of (dppf)PtL where L = dmit, phdt and *i*-mnt, 1939
Nonoyama, K., see Nonoyama, M., 3019
Nonoyama, M., Nakajima, K. and Nonoyama, K., Cyclometallation of 3-phenyl-6-*p*-toluidinopyridazine forming a six-membered auracycle and a five-membered palladacycle certified by X-ray analysis, 3019
Novak, M.A., Chaves, F.A., Rapp, R.E., Rassat, A., Chiarelli, R. and Tholence, J.L., Low temperature specific heat and magnetic properties of the pure organic ferromagnet Dupeyredioxyl, 1513
Novosad, J., see Necas, M., 741
Nowicki, W., see Kwiatkowski, E., 1097
Nuez, A., see Ballester, G., 1659
Oberhauser, W., Stampfl, T., Haid, R., Langes, C., Bachmann, C., Kopacka, H., Ongania, K.-H. and Brüggeller, P., Solution and solid state behaviour of binuclear mercury(II) compounds containing *cis,trans,cis*-1,2,3,4-tetrakis(diphenylphosphino)cyclobutane: first X-ray structural characterisation of mercury(II) complexes with two different chelating phosphines, 727
Obidate, T., see El-khateeb, M., 2393
Obrai, S., see Chawla, S.K., 2105
O'Brien, P., see Covington, A.D., 461
O'Brien, P., see Davies, H.O., 2397
Ohira, S., Nakayama, K., Ise, T., Ishida, T., Nogami, T., Watanabe, I. and Nagamine, K., Anomalous magnetism in organic radical ferromagnets 4-arylmethyleneamino-2,2,6,6-tetramethylpiperidin-1-yloxyl just above T_C studied by the μSR method, 1223
Ohira, S., see Ishida, T., 1545
Ojima, E., see Kobayashi, H., 1587
Ojima, T., Akutsu, H., Yamada, J.-i. and Nakatsuji, S., Magnetic properties of anthracene derivatives and the corresponding photodimers with stable radical substituents, 1335
Okada, K., see Mori, H., 1663
Okada, K., see Nagao, O., 1653
Okamoto, K.-i., see Laskar, I.R., 2073
Olczak, J., see Lodyga-Chruscinska, E., 1915
Oliete, P., see Lahti, P.M., 1465
Oliveira, C.P., see Vasconcellos, L.C.G., 493
Oliveira, V.S., see Pimentel, P.M., 2651
Olmstead, M., see Lu, J.Y., 2445
Omata, J., Ishida, T., Hashizume, D., Iwasaki, F. and Nogami, T., Radical-copper hexanuclear arrays showing intermolecular ferromagnetic interactions, 1557
O'Neill, R.S., see Luck, R.L., 773
Ongania, K.-H., see Oberhauser, W., 727
Onishi, T., Takano, Y., Kitagawa, Y., Kawakami, T., Yoshioka, Y. and Yamaguchi, K., Theoretical study of the magnetic interaction for M–O–M type metal oxides. Comparison of broken-symmetry approaches, 1177
Orlandini, A., see Cecconi, F., 2885
Orrell, K.G., see Creber, M.L., 1973
Ortega, M.C., see Alvarez-Toledano, C., 215
Osborne, A.G., see Creber, M.L., 1973
Oshio, H., Yamamoto, M., Hoshino, N. and Ito, T., Ferromagnetic interactions in metal complexes with imino nitroxides, 1621
Otani, M., see Suzuki, N., 1381
Otsuka, T., see Kobayashi, H., 1587
Ouahab, L., see Dasna, I., 1371
Ouahab, L., see Schweizer, J., 1771
Ouyang, X., see Smith, J.A., 1727
Ovcharenko, V., see Fursova, E., 1229
Ovcharenko, V., see Shvedenkov, Y., 1207
Ovcharenko, V., see Yeltsov, I., 1215
Ozra Ghodsi, S., see Mondal, N., 135

Palacio, F., see Lahti, P.M., 1465
Palacio, F., see Mito, M., 1509
Palenik, G.J., see Jensen, W.P., 2137
Palicová, M., see Mikloš, D., 1867
Palotas, C., see Ghesner, I., 1101
Pal, S., see Rauth, G.K., 363
Pan, Z.-Q., Luo, Q.-H., Duan, C.-Y. and Shen, M.-C., A novel saddle-form macrocyclic barium complex—synthesis, characterization, mechanism and X-ray crystal structure, 2945
Paoli Monteiro, V.R., see Pessôa, M.M.B., 3133
Papp, R., Sieler, J. and Hey-Hawkins, E., Synthesis and spectroscopic studies on the base-stabilized aryloxyboron derivatives $BX_2\{2\text{-}(NMe_2CH_2)OC_6H_4\}$, $BX_2\{2\text{-}(NEt_2CH_2)OC_6H_4\}$ and $BX_2\{2,6\text{-}(NEt_2CH_2)_2OC_6H_3\}$, (X = Cl, Et, H) and molecular structures of $BCl_2\{2\text{-}(NEt_2CH_2)_2OC_6H_4\}$ and $[BCl_2\{2\text{-}NHEt_2CH_2\text{-}6\text{-}(NEt_2\text{-}CH_2)OC_6H_3\}]Cl$, 1053

Parada, J., Bunel, S., Moraga, E., Ibarra, C., Gillitt, N.D. and Bunton, C.A., Mixed complexes of cobalt(III) with phenanthroline and galactose or arabinose, 2223
Park, B.B., see Choi, K.-Y., 2003
Park, D.-K., see Roh, S.-G., 1961
Park, G., Dadachova, E., Przyborowska, A., Lai, S.-j., Ma, D., Broker, G., Rogers, R.D., Planalp, R.P. and Brechbiel, M.W., Synthesis of novel 1,3,5-*cis,cis*-triaminocyclohexane ligand based Cu(II) complexes as potential radiopharmaceuticals and correlation of structure and serum stability, 3155
Parkin, G., see Dowling, C.M., 285
Parkin, G., see Kimblin, C., 1891
Parkin, I.P., see Kana, A.T., 2989
Park, J.-S., see Jung, J.-H., 2129
Park, J.W., see Kim, B.J., 2279
Park, Y.-C., see Roh, S.-G., 1961
Patel, B., see Harrington, F., 2741
Patel, B., see Levason, W., 2711
Patel, T., see Bosson, M., 2055
Patrick, B.O., Reiff, W.M., Sánchez, V., Storr, A. and Thompson, R.C., Polybis(pyrazolato)iron(II) and poly-2,2′bipyridinetetrakis-(imidazolato)-diiron(II) and -dicobalt(II): from short-range magnetic interactions in the pyrazolate to long-range ferromagnetic ordering in the imidazolates, 1577
Patrick, B.O., see Leznoff, D.B., 1247
Paul, H., see Jain, P.U., 245
Pauwels, T.F., Smet, P.W. and Goeminne, A.M., Zinc complexation of 3,6,9,17,20,23-hexaazatricyclo[23.3.1.1^{11,15}]triaconta-1(29),11-(30),12,14,25,27-hexaene and its molecular recognition of anions, 2457
Péczely, G., see Bogdán, C., 1809
Pedrosa, M.R., see Arnáiz, F.J., 2781
Pejaković, D.A., Manson, J.L., Kitamura, C., Miller, J.S. and Epstein, A.J., Photoinduced magnetization in molecule-based magnets $K_xCo[Fe(CN)_6]_y \cdot zH_2O$ ($x \approx 0.31$, $y \approx 0.77$, $z \approx 3.54$) and $Mn(TCNE)_x \cdot y(CH_2Cl_2)$ ($x \approx 2$), 1435
Peng, S.-M., see Das, A.K., 327
Peng, Y., see Lu, S.-F., 2339
Pennington, W.T., see Grant, G.J., 3333
Peralta-Pérez, E., see Lysenko, A.B., 957
Perdih, F., Demšar, A., Pevec, A., Petriček, S., Leban, I., Giester, G., Sieler, J. and Roesky, H.W., Synthesis and the crystal structures of a monoanionic tetrafluorodentate ligand and its complex with lanthanum ion, 1967
Pereira, R.P., see Comerlato, N.M., 415
Pérez, J., see Sánchez, G., 571
Pérez-Lourido, P., see Castro, J., 2329
Pérez, T., see Castiñeiras, A., 441
Peris, E., see Mata, J.A., 2083
Perlepes, S.P., see Tiliakos, M., 2203
Persoons, A., see Mata, J.A., 2083
Pessôa, M.M.B., Andrade, G.F.S., Paoli Monteiro, V.R. and Temperini, M.L.A., 2-Formylpyridinethiosemicarbazone and methyl derivatives: spectroscopic studies, 3133
Petkova, E.G., Lampeka, R.D., Gorichko, M.V. and Domasevitch, K.V., Nickel(II) and tridentate 8-hydroxyquinoline-2-carbaldehyde-*N*-methylnitrone (HL): enantioselective association of octahedral $[M(HL)(L)]^+$ moieties driven by strong hydrogen bonding, 747
Petriček, S., see Perdih, F., 1967
Petrukhina, M.A., see Angaridis, P., 755
Pettinari, C., Copper(I) and silver(I) azide complexes containing N-donor ligands, 2755
Pevec, A., see Perdih, F., 1967
Piccand, M., see Audergon, L., 387
Pickett, C.J., see Barrière, F., 27
Piekarski, H., see Audergon, L., 387
Pietraszko, A., see Wojciechowska, A., 2063
Pimentel, P.M., Oliveira, V.S., Silva, Z.R., Melo, D.M.A., Zinner, L.B., Vicentini, G. and Bombieri, G., Synthesis, properties of lanthanide trifluoroacetate complexes with 2-azacyclononanone and X-ray crystal structure of $[Sm(CF_3COO)_3(AZA)_2 \cdot (H_2O)]_2 \cdot 2AZA$, 2651
Piniella, J.F., see Pons, J., 1029
Piniella, J.F., see Pons, J., 2531
Pinilla, E., see Campo, J.A., 2997
Piszczek, P., see Szłyk, E., 2853
Pitteri, B., Marangoni, G., Cattalini, L., Visentin, F., Bertolasi, V. and Gilli, P., The role of the non-participating groups in substitution reactions at cationic Pt(II) complexes containing tridentate chelating nitrogen donors. Crystal structure of {Pt[bis(2-pyridylmethyl)amine](py)}$(CF_3SO_3)_2$, 869
Planalp, R.P., see Park, G., 3155
Plater, M.J., Aiken, S., Gelbrich, T., Hursthouse, M.B. and Bourhill, G., Structures of Pb(II) porphyrins: [5,10,15,20-*tetrakis*-triisopropylsilylethynylporphinato]lead-(II) and [5,15-bis-(3,5-bis-*tert*-butylphenyl)-10,20-bis-triisopropylsilylethynylporphinato]lead(II), 3219
Playá, N., see Casas, J.S., 1845
Podgajny, R., Dromzée, Y., Kruczała, K. and Sieklucka, B., Metal–metal interactions in bent cyano-bridged trinuclear octacyanomolybdate(IV)–platinum(IV) complexes, 685
Polshin, E.V., see Voloshin, Y.Z., 2721
Ponnuswamy, M.N., see Manonmani, J., 3039
Pons, J., Chadghan, A., Casabó, J., Alvarez-Larena, A., Piniella, J.F. and Ros, J., Cu(II) complexes with pyrazole-derived ligands. Crystal structure of {[diaquanitrato(3-phenyl-5-(2-pyridyl)pyrazole)]copper(II)} nitrate, 2531
Pons, J., Chadghan, A., Casabó, J., Alvarez-Larena, A., Piniella, J.F., Solans, X., Font-Bardia, M. and Ros, J., Ni(II) complexes with pyrazole-derived ligands. Crystal structures of $[Ni(HL^0)_2ClH_2O][Ni(HL^0)_2(H_2O)_2]Cl_3 \cdot CH_3OH \cdot H_2O$ and $[Ni(HL^1)_2(H_2O)_2]Br_2 \cdot 2.5DMF$ (HL^0 = 3-phenyl-5-(2-pyridyl)pyrazole and HL^1 = 3-phenyl-5-(6-methyl-(2-pyridyl))pyrazole, 1029
Pontillon, Y., see Schweizer, J., 1771
Popham, M.C., see Bosson, M., 2055
Popham, M.C., see Levason, W., 2711
Porcher, P., see Sutter, J.-P., 1593
Potekhin, K.A., see Voloshin, Y.Z., 2721
Pouillon, Y., see Massobrio, C., 1305
Powell, A.K., see Schmitt, W., 1687
Powell, G.L., see Heyen, B.J., 783
Power, P.P., see Eichler, B.E., 551
P. Raptopoulou, C., see Tiliakos, M., 2203
Prendergast, T., see Hratchian, H.P., 209
Příhoda, J., see Janča, M., 2823
Price, L.S., see Kana, A.T., 2989
Priego, J.L., see Barral, M.C., 2537
Prince, P.D., see Fewings, K.R., 643
Pritchard, R.G., see Maneiro, M., 711
Przyborowska, A., see Park, G., 3155
Ptaszek, M., see Eilmes, J., 143
Pulidori, F., see Conato, C., 615
Pu, L., see Eichler, B.E., 551
Purcell, W., see Visser, H.G., 185
Puschmann, H., see Batsanov, A.S., 981

Qian, Y.-T., see Cui, Y., 1795
Qin, Y.-Y., see Tang, Y.-H., 2911
Quarless, D.A., see Kimblin, C., 1891
Queiroz, S.L., see Batista, A.A., 2123
Quirós, M., see Basallote, M.G., 297

Qu, L.-H., see Zhang, Q.-L., 3049

Rabinovich, D., see Bakbak, S., 3343
Rabu, P., Rueff, J.M., Huang, Z.L., Angelov, S., Souletie, J. and Drillon, M., Copper(II) and cobalt(II) dicarboxylate-based layered magnets: influence of π electron ligands on the long range magnetic ordering, 1677
Rabu, P., see Massobrio, C., 1305
Radanović, D.D., see Rychlewska, U., 2523
Radanović, D.J., see Rychlewska, U., 2523
Radhakrishnan, S., Saujanya, C., Sonar, P., Gopalkrishnan, I.K. and Yakhmi, J.V., Polymer-mediated synthesis of γ-Fe_2O_3 nano-particles, 1489
Rafeletos, G., see Covington, A.D., 461
Rahman, H., see Akbar Ali, M., 2431
Rajca, A., Rajca, S., Wongsriratanakul, J. and Ross, C.R., II, 4,6 - Bis(trifluoromethyl) - *N,N'* - di - *tert* - butyl - 1,3 - phenylenebis-(aminoxyl) and its bis(hexafluoroacetylacetonato)manganese(II) complex: synthesis, X-ray crystallography, and magnetism, 1669
Rajca, S., see Rajca, A., 1669
Rapp, R.E., see Novak, M.A., 1513
Rassat, A., see Novak, M.A., 1513
Ratera, I., Ruiz-Molina, D., Vidal-Gancedo, J., Rovira, C. and Veciana, J., EPR study of the *trans* and *cis* isomers of a ferrocenyl Schiff-based polychlorotriphenylmethyl radical, 1643
Rath, N.P., see Arendse, M.J., 2495
Rath, R.K., Nethaji, M. and Chakravarty, A.R., Transfer hydrogenation of acetophenone promoted by (arene)ruthenium(II) reduced Schiff base complexes: an X-ray structure of [(η^6-*p*-cymene)RuCl(OC_6H_4-2-$CH_2NHC_6H_4$-*p*-Me)], 2735
Raubenheimer, H.G., Neveling, A., Cronje, S. and Billing, D.G., Synthesis and characterisation of pentacarbonyl(thiazolyl)manganese(0) complexes and their conversion to cationic 2,3-dihydro-thiazol-2-ylidene(pentacarbonyl)manganese(0) compounds: the crystal structures of $[(CO)_5Mn\{\overline{CN(H)CHCHS}\}][CF_3SO_3]$ and $[(CO)_5Mn\{\overline{CN(H)C(CH_3)CHS}\}][CF_3SO_3]$, 1089
Rauth, G.K., Pal, S., Das, D., Sinha, C., Slawin, A.M.Z. and Woollins, J.D., Synthesis, spectral characterization and electrochemical studies of mixed-ligand complexes of platinum(II) with 2-(arylazo)pyridines and catechols. Single-crystal X-ray structure of dichloro{2-(phenylazo) pyridine}platinum(II), 363
Rawson, J.M., see Less, R.J., 523
Rawson, J.M., see Mito, M., 1509
Ray Chaudhuri, N., see Laskar, I.R., 2073
Reddy, K.V., see VanOrman, C.A., 541
Redón, R., Cramer, R., Bernès, S., Morales, D. and Torrens, H., Allyl–palladium compounds with fluorinated benzenethiolate ligands. X-ray crystal structure of [(η^3-C_3H_5)Pd(μ-SC_6H_4F-4)$_2$Pd(η^3-C_3H_5)], 3119
Redshaw, C., Clegg, W. and Elsegood, M.R.J., Synthesis and structural characterisation of $[Mo(NNPh_2)(NPh_2)(mesityl)_2(OC_6F_5)]$ and $\{[W(NNPh_2)(NPh_2)(OSiMe_3)]_2(\mu\text{-}Cl)_2(\mu\text{-}O)\}$: isodiazene complexes with bulky amide groups arising via N–N bond cleavage, 119
Reedijk, J., see Riggio, I., 2659
Reedijk, J., see Roubeau, O., 1709
Reedijk, J., see Stassen, A.F., 1699
Rees, W.S., Jr., see Bunge, S.D., 823
Rees, W.S., Jr, see Just, O., 815
Reger, D.L., Collins, J.E., Flomer, W.A., Rheingold, A.L., Incarvito, C. and Guzei, L.A., Reactions of sodium tetrahydridoborate with tris(pyrazolyl)methane ligands. Syntheses and solid state structures of $\{[HC(pz)_3](thf)Na(\mu^1_1,\mu^1_1\text{-}BH_4)\}_2$ and $\{[HC(3,5\text{-}Me_2pz)_3]_2\text{-}Na\}(BH_4)$ (pz = pyrazolyl ring, thf = tetrahydrofuran), 2491
Reguera, E., see Gómez, A., 165
Reich, D.H., see Manson, J.L., 1423
Reid, G., see Harrington, F., 2741
Reid, G., see Levason, W., 2711
Reiff, W.M., Sanchez, V., Thompson, R.C. and Storr, A., Complex magnetism of ferrous chains based on alternating FeN_4 and FeS_4 tetrahedra, 1243
Reiff, W.M., see Patrick, B.O., 1577
Remelli, M., see Conato, C., 615
Ren, X.-M., see Hu, C.-J., 2117
Ressouche, E., see Schweizer, J., 1771
Reyes, A.P., see Achey, R.M., 1745
Rheingold, A.L., see Aubin, S.M.J., 1139
Rheingold, A.L., see Bakbak, S., 3343
Rheingold, A.L., see Hanna, T.A., 2451
Rheingold, A.L., see Reger, D.L., 2491
Rheingold, A.L., see Silvernail, C.M., 3113
Ribas, J., see Bag, B., 2113
Richens, D.T., see Cromie, T.J., 307
Riggio, I., van Albada, G.A., Ellis, D.D., Mutikainen, I., Spek, A.L., Turpeinen, U. and Reedijk, J., X-ray crystal structures, spectroscopic and magnetic measurements of copper(II) and cobalt(II) halide compounds with bis(2-benzimidazolyl)alkane ligands, 2659
Riou, A., see Jouad, E.M., 67
Ristanović, D.M., see Rychlewska, U., 2523
Roach, W.B., see Heyen, B.J., 783
Robinson, S.D., see Clark, T., 1875
Robinson, S.D., see Exarchos, G., 2951
Rocco, A.M., see Comerlato, N.M., 415
Rockenbauer, A., see Szabó-Plánka, T., 995
Rodríguez-Fortea, A., see Ruiz, E., 1323
Roesky, H.W., see Perdih, F., 1967
Rogers, R.D., see Park, G., 3155
Rohovec, J., see Lubal, P., 47
Roh, S.-G. and Jeong, J.H., Reactivity of [η^5-$CpCo\{P(O)(OMe)_2\}_3$]$MoOCl_2$ toward H_2O_2 and NaOMe: syntheses and X-ray structures of [η^5-$CpCo\{P(O)(OMe)_2\}_3$]MoO_2X (X = Cl, OH), 337
Roh, S.-G., Park, Y.-C., Park, D.-K., Kim, T.-J. and Jeong, J.H., Synthesis and characterization of a Zn(II) complex of a pyrazole-based ligand bearing a chiral L-alaninemethylester, 1961
Romanenko, G., see Fursova, E., 1229
Romanenko, G., see Yeltsov, I., 1215
Romanovsky, B.V., see Kessler, V.G., 915
Romanowski, G., see Kwiatkowski, E., 1097
Romero, F.M., see Ballester, G., 1659
Romero, J., see Castro, J., 2329
Ronald Fawcett, W., see Loring, J.S., 1983
Rosair, G., see Mondal, N., 579
Rosair, G., see Mondal, N., 2473
Rosario Torres, M., see Campo, J.A., 2997
Rösel, T., see Böttcher, H.-C., 2011
Ros, J., see Pons, J., 1029
Ros, J., see Pons, J., 2531
Ross, C.R., II, see Rajca, A., 1669
Roubeau, O., see Stassen, A.F., 1699
Roubeau, O., Stassen, A.F., Gramage, I.F., Codjovi, E., Linarès, J., Varret, F., Haasnoot, J.G. and Reedijk, J., Surprising features in old and new [Fe(alkyl-tetrazole)$_6$] spin-crossover systems, 1709
Rourke, K.M., see Nataro, C., 1023
Rovira, C., see Ratera, I., 1643
Rowzatur Romman, U.K., see Johns, C.A., 721
Rubie, N.D., see Kirk, M.L., 1741
Rueff, J.M., see Rabu, P., 1677
Rufanov, K.A., Zarubin, D.N., Ustynyuk, N.A., Gourevitch, D.N., Sundermeyer, J., Churakov, A.V. and Howard, J.A.K., Synthesis and structure of a series of new haloaryl imido complexes of molybdenum, 379

Ruiz, D., see Soler, M., 1279
Ruiz, E., Rodríguez-Fortea, A., Alemany, P. and Alvarez, S., Density functional study of the exchange coupling in distorted cubane complexes containing the Cu_4O_4 core, 1323
Ruiz, F., see Sánchez, G., 571
Ruiz-Molina, D., see Ratera, I., 1643
Ruman, T., Ciunik, Z., Goclan, A., Łukasiewicz, M. and Wołowiec, S., Complexes of heteroscorpionate trispyrazolylborate anionic ligands. Part V. X-ray crystallographic studies of cobalt(II) complexes with hydrobis(3,5-dimethylpyrazolyl)(3,5-diphenylpyrazolyl)borate and hydrobis(3,5-diphenylpyrazolyl)(3,5-dimethylpyrazolyl)borate ligands, 2965
Ruman, T., Łukasiewicz, M., Ciunik, Z. and Wołowiec, S., Complexes of heteroscorpionate trispyrazolylborate anionic ligands. Part III. X-ray crystallographic and NMR studies on cobalt(II) complexes with tris(pyrazolyl)borate anionic ligands obtained from 3,5-di-methylpyrazole and 3(5)-methyl,5(3)-phenylpyrazole, 2551
Ruman, T., see Łukasiewicz, M., 237
Rumberger, E.M., see Aubin, S.M.J., 1139
Rumberger, E.M., see Hendrickson, D.N., 1479
Rumberger, E., see Soler, M., 1365
Rusanov, E.B., see Boldog, I., 887
Russell, D.R., see Fawcett, J., 321
Rustad, D.S., The correct triammonium trisulfimide (triammonium 1,3,5,2,4,6-trithiatriazine-1,1,3,3,5,5-hexoxide), $(NH_4)_3N_3S_3O_6$, 2439
Rybak, W.K., see Skarżyńska, A., 2667
Rychlewska, U., Radanović, D.D., Dimitrijević, M.D., Ristanović, D.M., Vasojević, M.M. and Radanović, D.J., Square-pyramidal copper(II) chelate complexes of edta-type and related ligands forming six-membered rings. Crystal structure of magnesium (ethylenediamine-*N*,*N*,*N'*-tri-3-propionato-*N'*-3-propionate)copper(II) decahydrate, $Mg[Cu(edtp)]\cdot 10H_2O$, 2523
Rys, E., see Sterzik, A., 3007
Ryu, J.-W., see Choi, K.-Y., 2003

Sabatini, A., see Dallavalle, F., 103
Sağlam, Ö. and Gül, A., Porphyrazines with appending eight crown ethers, 269
Sakata, K., see Hashimoto, M., 409
Sakata, K., see Moriguchi, T., 2315
Salah El Fallah, M., see Mondal, N., 579
Salas, J.M., see Basallote, M.G., 297
Samant, S.D., see Ghalsasi, P.S., 1499
Samant, S.D., see Ghalsasi, P.S., 1495
Samaria, K.M., see Benetollo, F., 3143
Sánchez, A., see Casas, J.S., 1845
Sánchez, G., Serrano, J.L., Momblona, F., Ruiz, F., García, J., Pérez, J., López, G., Chaloner, P.A. and Hitchcock, P., New mono- and bis(pentafluorophenyl)palladium(II) complexes with iminophosphine ligands. Crystal structure of $[Pd(C_6F_5)(SC_6H_5)(o\text{-}Ph_2PC_6H_4\text{-}CH{=}N^iPr)]$, 571
Sánchez, V., see Patrick, B.O., 1577
Sanchez, V., see Reiff, W.M., 1243
Sanmartín, J., see Maneiro, M., 711
Sanna, D., Ágoston, C.G., Micera, G. and Sóvágó, I., The effect of the ring size of fused chelates on the thermodynamic and spectroscopic properties of peptide complexes of copper(II), 3079
Sanna, D., Gábor Ágoston, C., Sóvágó, I. and Micera, G., Potentiometric and spectroscopic studies on the copper(II) complexes formed by oligopeptides containing histidine with a protection at the terminal amino group, 937
Sanna, D., see Lodyga-Chruscinska, E., 1915
Santiago, M.O., see Batista, A.A., 2123
Santo, C., see Canovese, L., 3171
Santra, P.K., see Byabartta, P., 905
Santra, P.K., see Nag, J.K., 2253
Santra, P.K., Sinha, C., Sheen, W.-J., Liao, F.-L. and Lu, T.-H., Reaction of $Ru(PPh_3)_3Cl_2$ with 2-(arylazo)pyrimidines. Spectral and redox characterisation of the products. Part V. Single crystal X-ray structure of $Ru(PPh_3)_2(papm)Cl_2$ (papm = 2-(phenylazo)pyrimidine), 599
Sañudo, E.C., Grillo, V.A., Yoo, J., Huffman, J.C., Bollinger, J.C., Hendrickson, D.N. and Christou, G., Synthesis, structural characterization and magnetic properties of mixed-valent bis-bipyridine manganese carboxylate clusters, 1269
Sanz, F., see Gutierrez, L., 703
Sasic, S., Zoric, D., Jeremic, M. and Antic-Jovanovic, A., Study of complex formation in Al(III)–thiocyanate–water system via Raman spectra and factor analysis, 839
Sato, G., see Kaneko, T., 1291
Sato, H., see Enoki, T., 1311
Sato, K., see Hase, S., 1403
Sato, K., see Kanaya, T., 1397
Sato, K., see Mori, H., 1663
Sato, K., see Nagao, O., 1653
Saujanya, C., see Radhakrishnan, S., 1489
Saunders, A., see Valach, F., 1933
Sayre, L.M., see VanOrman, C.A., 541
Schenk, K.J., see Amirnasr, M., 695
Schilling, J., see Falk, K., 1521
Schlaepfer, C.-W., see Aydin, N., 37
Schlueter, J.A., see Manson, J.L., 1423
Schmidt, H., see Böttcher, H.-C., 2011
Schmitt, W., Murugesu, M., Goodwin, J.C., Hill, J.P., Mandel, A., Bhalla, R., Anson, C.E., Heath, S.L. and Powell, A.K., Strategies for producing cluster-based magnetic arrays, 1687
Schroeder, T.J., see Lu, J.Y., 2445
Schweizer, J., Bencini, A., Carbonera, C., Epstein, A.J., Golhen, S., Lelièvre-Berna, E., Miller, J.S., Ouahab, L., Pontillon, Y., Ressouche, E. and Zheludev, A., Magnetization and spin density in $[FeCp_2^*]^{\bullet+}$: A look-back at the magnetic interactions in the chains $[FeCp_2^*]^{\bullet+}[TCNE]^{\bullet-}$, 1771
Scott, B.L., see Essig, M.W., 373
Secco, F., see Biver, T., 1953
Segl'a, P., see Mikloš, D., 1867
Sengupta, P., Dinda, R., Ghosh, S. and Sheldrick, W.S., Synthesis and characterisation of some ruthenium(II) complexes of α-*N* heterocyclic carboxylic acids—X-ray structures of *cis*-$[Ru(PPh_3)_2(L^1)_2]\cdot 2CH_3OH$ and *cis*-$[Ru(PPh_3)_2(L^3H)_2]$ (L^1H = pyridine 2-carboxylic acid and L^3H_2 = imidazole 4,5-dicarboxylic acid), 3349
Sengupta, P., Ghosh, S. and Mak, T.C.W., A new route for the synthesis of bis(pyridine dicarboxylato)bis(triphenylphosphine) complexes of ruthenium(II) and X-ray structural characterisation of the biologically active *trans*-$[Ru(PPh_3)_2(L^1H)_2]$ (L^1H_2 = pyridine 2,3-dicarboxylic acid), 975
Seo, E.-M., see Noh, D.-Y., 1939
Serrano, J.L., see Sánchez, G., 571
Serwinski, P., see Lahti, P.M., 1647
Shang, Z.-L., see Du, M., 3065
Shanmugam, G., see Manonmani, J., 3039
Shanmugasundara Raj, S., see Kannan, S., 2145
Shanmuga Sundara Raj, S., see Manonmani, J., 3039
Sheen, W.-J., see Santra, P.K., 599
Sheldrick, W.S., see Mironov, Y.V., 969
Sheldrick, W.S., see Sengupta, P., 3349
Shen, L.-R., see Liao, Z.-R., 2813
Shen, M.-C., see Pan, Z.-Q., 2945
Shen, Q., see Yao, Y.-M., 3201
Shibayama, Y., see Enoki, T., 1311
Shimobe, Y., see Mukai, K., 1537
Shiomi, D., see Hase, S., 1403
Shiomi, D., see Kanaya, T., 1397
Shiomi, D., see Mori, H., 1663

Shiomi, D., see Nagao, O., 1653
Shi, Q., Cao, R., Sun, D.-F., Hong, M.-C. and Liang, Y.-C., Solvothermal syntheses and crystal structures of two metal coordination polymers with double-chain structures, 3287
Shishkina, S.V., see Lysenko, A.B., 957
Shishkin, O.V., see Lysenko, A.B., 957
Shivakumar, M., Gangopadhyay, J. and Chakravorty, A., Pentacoordinated iridium(I) complexes incorporating azopyridine chelation. Synthesis, structure and bonding, 2089
Shongwe, M.S., Vandayar, S.K., Fernandes, M.A., Marques, H.M., Morris, M.J. and Heath, S.L., Manganese(III) in a pseudo-compressed mixed-donor octahedral environment: synthesis, X-ray crystal structure and physicochemical properties, 2195
Shoukry, M.M., see Mohamed, M.M.A., 343
Shultz, D.A., Structure–property relationships in cross-conjugated, high-spin, dinuclear ligands: building blocks for open-shell molecules and materials, 1627
Shute, A.A., Chakov, N.E. and Vincent, J.B., The stability of the biomimetic cation triaqua-μ-oxohexapropionatotrichromium(III) in vivo in rats, 2241
Shvedenkov, Y., Ikorskii, V., Guschin, D., Fursova, E. and Ovcharenko, V., Magnetic anisotropy of layered metal complexes with 3-imidazoline nitroxides, 1207
Shvedenkov, Y., see Fursova, E., 1229
Sieklucka, B., see Podgajny, R., 685
Sieler, J., see Boldog, I., 887
Sieler, J., see Kühl, O., 2171
Sieler, J., see Kühl, O., 111
Sieler, J., see Papp, R., 1053
Sieler, J., see Perdih, F., 1967
Siemer, C.J., Meece, F.A., Armstrong, W.H. and Eichhorn, D.M., Iron, copper, and cobalt complexes of hydrotris(3-phenylpyrazolyl)borate and dihydrobis(3-phenylpyrazolyl)borate. Synthesis and X-ray crystallographic characterization, 2637
Šik, V., see Creber, M.L., 1973
Sillanpää, R., see Meliani, H., 2517
Silva, Z.R., see Pimentel, P.M., 2651
Silvernail, C.M., Yap, G., Sommer, R.D., Rheingold, A.L., Day, V.W. and Belot, J.A., An effective synthesis of alkyl β-cyano-α,γ-diketones using chlorosulfonylisocyanate and a representative Cu(II) complex, 3113
Silvestru, A., see Ghesner, I., 1101
Silvestru, C., see Ghesner, I., 1101
Silvino, A.C., see Comerlato, N.M., 415
Simonov, Y.A., see Baca, S.G., 831
Simonov, Y.A., see Tudor, V., 3033
Sinha, C., see Byabartta, P., 905
Sinha, C., see Nag, J.K., 2253
Sinha, C., see Rauth, G.K., 363
Sinha, C., see Santra, P.K., 599
Sinyashin, O.G., see Karasik, A.A., 3321
Skakle, J.M.S., see John Plater, M., 2293
Skarżyńska, A., Rybak, W.K. and Głowiak, T., Oxo-rhenium(V) complexes containing bridging phosphito ligands. The synthesis, characterisation and X-ray crystal structures of [ReOCl{μ-OP(OR)$_2$}{OCMe$_2$CMe$_2$OP(OCMe$_2$-CMe$_2$O)}]$_2$ (R = Me or –CMe$_2$), 2667
Skóra, M., see Łukasiewicz, M., 237
Slawin, A.M.Z., see Bhattacharyya, P., 1831
Slawin, A.M.Z., see Bhattacharyya, P., 1803
Slawin, A.M.Z., see Birdsall, D.J., 125
Slawin, A.M.Z., see Fei, Z., 3355
Slawin, A.M.Z., see Fei, Z., 2577
Slawin, A.M.Z., see Rauth, G.K., 363
Smékal, Z., Císařová, I. and Mroziński, J., Cyano-bridged bimetallic complexes of copper(II) with tetracyanonickelate(II). Crystal structure of [Cu(dpt)Ni(CN)$_4$], 3301
Smet, P.W., see Pauwels, T.F., 2457
Smith, J.A., Galán-Mascarós, J.-R., Clérac, R., Sun, J.-S., Ouyang, X. and Dunbar, K.R., New approaches to magnetic clusters with hexacyanometallate building blocks, 1727
Smith, L.T., see Barclay, T., 767
Smith, M.K., see Junk, P.C., 2979
Söderlind, F., see Käll, P.-O., 2747
Solans, X., see López, C., 987
Solans, X., see Pons, J., 1029
Soler, M., Chandra, S.K., Ruiz, D., Huffman, J.C., Hendrickson, D.N. and Christou, G., A third isolated oxidation state for the family of [Mn$_{12}$O$_{12}$(O$_2$CR)$_{16}$(H$_2$O)$_4$] compounds. Synthesis, characterization and single-molecule magnetism properties of (PPh$_4$)$_2$-[Mn$_{12}$O$_{12}$(O$_2$CR)$_{16}$(H$_2$O)$_x$] ($x = 3$ or 4), 1279
Soler, M., Rumberger, E., Folting, K., Hendrickson, D.N. and Christou, G., Synthesis, characterization and magnetic properties of [Mn$_{30}$O$_{24}$(OH)$_8$(O$_2$CCH$_2$C(CH$_3$)$_3$)$_{32}$(H$_2$O)$_2$(CH$_3$NO$_2$)$_4$]: the largest manganese carboxylate cluster, 1365
Sommer, R.D., see Hanna, T.A., 2451
Sommer, R.D., see Silvernail, C.M., 3113
Sonar, P., see Radhakrishnan, S., 1489
Song, Y.-F. and Yang, P., Mononuclear tetrapyrido[3,2-a:2′,3′-c:3″,2″-h:2‴,3‴-j]-phenazine (tpphz) cobalt complex, 501
Sorace, L., see Vaucher, S., 2467
Sorai, M., see Bhattacharjee, A., 1607
Sordo, J., see Casas, J.S., 1845
Souletie, J., see Rabu, P., 1677
Sousa, A., see Castro, J., 2329
Souza, G.P., see Vaz, M.G.F., 1431
Sóvágó, I., see Sanna, D., 937
Sóvágó, I., see Sanna, D., 3079
Spasojević-de Biré, A., see Bogdanović, G.A., 2231
Spek, A.L., see Riggio, I., 2659
Spey, S.E., see Valencia, L., 3091
Speziali, N.L., see Vaz, M.G.F., 1761
Speziali, N.L., see Vaz, M.G.F., 1431
Stampfl, T., see Oberhauser, W., 727
Stash, A.I., see Voloshin, Y.Z., 2721
Stassen, A.F., Roubeau, O., Ferrero Gramage, I., Linarès, J., Varret, F., Mutikainen, I., Turpeinen, U., Haasnoot, J.G. and Reedijk, J., Physical properties of the spin-crossover compound hexakis(1-methyltetrazole-N^4)iron(II) triflate, steady state and relaxation studies, X-ray structure of the isomorphic Ni(II) compound, 1699
Stassen, A.F., see Roubeau, O., 1709
Staszak, Z., see Wojciechowska, A., 2063
Steed, J.W., see Clark, T., 1875
Steed, J.W., see Exarchos, G., 2951
Steed, J.W., see Fewings, K.R., 643
Steed, J.W., see Junk, P.C., 2979
Steiner, A., see Davies, H.O., 2397
Stender, M., see Eichler, B.E., 551
Stephen, M., see Chatterjee, C., 2917
Sterzik, A., Rys, E., Blaurock, S. and Hey-Hawkins, E., Synthesis and coordination properties of 1-*tert*-butylchlorophosphino- and 1,2-bis(*tert*-butylchlorophosphino)-1,2-dicarba-*closo*-dodecaborane(12)—molecular structures of *rac*- and *meso*-1,2-(P^{t}BuCl)$_2$C$_2$B$_{10}$H$_{10}$ and (*R,R,R, R/S,S,S,S*)-[{Cu{1,2-(P^{t}BuCl)$_2$C$_2$B$_{10}$-H$_{10}$}(μ-Cl)}$_2$], 3007
Stevens, C.L., see Leznoff, D.B., 1247
Stoeckli-Evans, H., see Diz, E.L., 2771
Stone, M.B., see Manson, J.L., 1423
Storr, A., see Leznoff, D.B., 1247
Storr, A., see Patrick, B.O., 1577
Storr, A., see Reiff, W.M., 1243
Streib, W.E., see Cañada-Vilalta, C., 1375
Stuart, A.M., see Fawcett, J., 321

Stumpf, H.O., see Vaz, M.G.F., 1761
Stumpf, H.O., see Vaz, M.G.F., 1431
Suárez, A., see Castro-Juiz, S., 2925
Su, C.-Y., see Cai, Y.-P., 657
Suenaga, Y., see Munakata, M., 2321
Suenaga, Y., see Munakata, M., 2037
Sugano, T., Magnetic phase transitions in organic radicals, 1285
Sugiyama, Y., see Adachi, K., 1411
Suh, I.-H., see Choi, K.-Y., 2003
Suh, I.-H., see Choi, K.-Y., 57
Suh, M.C., see Kim, J., 1947
Suh, M., see Choi, K.-Y., 2003
Sundermeyer, J., see Rufanov, K.A., 379
Sun, D.-F., see Shi, Q., 3287
Sun, H.-W., see Su, X.-C., 91
Sun, J., see Yao, Y.-M., 3201
Sun, J.-S., see Smith, J.A., 1727
Sun, S.-Q., see Deng, Y., 291
Sun, X., see Jiang, J., 557
Sun, Z., see Aubin, S.M.J., 1139
Sun, Z., see Hendrickson, D.N., 1479
Süss-Fink, G., see Diz, E.L., 2771
Sutter, J.-P., Kahn, M.L., Mörtl, K.P., Ballou, R. and Porcher, P., Experimental and analytical insight into the exchange interaction involving paramagnetic f ions, 1593
Sutter, J.-P., see Dasna, I., 1371
Suwińska, K., see Kwiatkowski, E., 1097
Su, W.-P., see Liang, Y.-C., 2477
Su, W.-P., see Wang, R.-H., 3165
Su, W.-P., see Zhao, Y.-J., 2619
Su, X.-C., Sun, H.-W., Zhou, Z.-F., Lin, H.-K., Chen, L., Zhu, S.-R. and Chen, Y.-T., Kinetics and mechanism of carboxyester hydrolysis using Zn(II) complexes with functionalized phenanthroline complexes, 91
Suzuki, N. and Otani, M., Pressure-induced insulator–metal transition and collapse of magnetism in molecular solid oxygen, 1381
Svoboda, I., see Iskander, M.F., 2787
Swearingen, J.K., see Ketcham, K.A., 3265
Szabó-Plánka, T., Árkosi, Z., Rockenbauer, A. and Korecz, L., An ESR study of the copper(II)–glycyl-L-serine and copper(II)–L-seryl-glycine systems by the simultaneous analysis of multi-component isotropic spectra. Formation constants and coordination modes, 995
Szłyk, E., Piszczek, P., Chaberski, M. and Goliński, A., Studies of thermal decomposition process of Ag(I) perfluorinated carboxylates with temperature variable IR and MS, 2853

Taguchi, M., see Hara, K., 1903
Takagi, S., see Mito, M., 1509
Takamizawa, S., see Kawakami, T., 1197
Takano, Y., see Onishi, T., 1177
Takeda, K., see Mito, M., 1509
Takeda, K., see Mito, M., 1505
Takeda, S., see Maruta, G., 1185
Takeda, S., Ueda, T., Watanabe, A. and Maruta, G., Magnetic local structures and dynamic behavior of water molecules in a moisture-sensitive spin-crossover system [Fe(II)(R-triazole)$_3$](X)·nD$_2$O studied by solid-state high-resolution deuterium NMR, 1263
Takemura, H., see Thuéry, P., 3183
Takui, T., see Hase, S., 1403
Takui, T., see Kanaya, T., 1397
Takui, T., see Mori, H., 1663
Takui, T., see Nagao, O., 1653
Talarmin, J., see Barrière, F., 27
Tanaka, H., see Kobayashi, H., 1587
Tanaka, K., see Mukai, K., 1537
Tan, E.H.-K., see van der Werff, P.M., 1129
Tang, J.-K., see Gao, E.-Q., 669
Tang, J.-K., Wang, H.-M., Cheng, P., Liu, X., Liao, D.-Z., Jiang, Z.-H. and Yan, S.-P., Synthesis, crystal structure and magnetic properties of ferromagnetically coupled trinuclear copper(II) complex with 4-(isopropylamino)-1,2,4-triazole as bridging ligands, 675
Tang, L.-F., Chai, J.-F., Wang, Z.-H., Jia, W.-L. and Wang, J.-T., Bridging cyclopentadienyl M–Sn(IV) bonded polymetallic complexes: X-ray crystal structures of [(Me$_2$SnCl)(CO)$_3$MoC$_5$H$_4$C(O)CH$_2$]$_2$·CH$_2$Cl$_2$ and [(Ph$_3$Sn)(CO)$_3$WC$_5$H$_4$C(O)CH$_2$]$_2$·3H$_2$O, 403
Tang, L.-F., see Chai, J.-F., 3249
Tang, Y.-H., Qin, Y.-Y., Wu, L., Li, Z.-J., Kang, Y. and Yao, Y.-G., Synthesis and X-ray crystal structures of two trinuclear molybdenum clusters coordinated by *p*-nitrobenzoate: Mo$_3$S$_4$(dtp)$_3$(*p*-NO$_2$C$_6$H$_4$COO)(L), 2911
Tang, Y.-Y., see Zhang, J.-J., 2285
Taniguchi, M., see Mukai, K., 1537
Tanimoto, T., see Mito, M., 1505
Tanoue, Y., see Hashimoto, M., 409
Tapia, R., see Bodini, M.E., 1005
Tarafder, M.T.H., Kasbollah, A., Crouse, K.A., Ali, A.M., Yamin, B.M. and Fun, H.-K., Synthesis and characterization of Zn(II) and Cd(II) complexes of *S*-benzyl-β-*N*-(2-pyridyl)methylenedithiocarbazate (HNNS): bioactivity of the HNNS Schiff base and its Zn(II), Cu(II) and Cd(II) complexes and the X-ray structure of the [Zn(NNS)$_2$] complex, 2363
Taraszewska, J., see Tsymbal, L.V., 1837
Tavera, R., see Albert, J., 3225
Tegoni, M., see Dallavalle, F., 2697
Tegoni, M., see Dallavalle, F., 103
Teixidor, F., see Meliani, H., 2517
Teixidor, F., see Mohamed, G.G., 2689
Tejada, J., Quantum behaviour of molecule-based magnets: basic aspects (quantum tunneling and quantum coherence) and applications (hardware for quantum computers and magnetic refrigeration). A tutorial, 1751
Tejada, J., see Luis, F., 1451
Teki, Y., Photo-induced spin alignment utilizing the excited molecular field between the excited triplet state of phenyl- or diphenylanthracene and the dangling nitroxide radicals: theoretical investigation of the mechanism for the intramolecular spin alignment, 1163
Teki, Y., see Nakatsuji, M., 1355
Temperini, M.L.A., see Pessôa, M.M.B., 3133
Terroba, R., see Cerrada, E., 2863
Terzis, A., see Tiliakos, M., 2203
Thirumuruhan, R., see Manonmani, J., 3039
Thoene, C., see Karadag, A., 635
Thoene, C., see Yilmaz, V.T., 3209
Tholence, J.L., see Novak, M.A., 1513
Thomas, C.M., see Nataro, C., 1023
Thompson, L.K., see Zhao, L., 1359
Thompson, R.C., see Leznoff, D.B., 1247
Thompson, R.C., see Patrick, B.O., 1577
Thompson, R.C., see Reiff, W.M., 1243
Thornton-Pett, M., see Holland, J.M., 2829
Thornton-Pett, M., see Liu, X., 2889
Thuéry, P., Nierlich, M., Vicens, J. and Takemura, H., Base-induced variation of the coordination mode in a uranyl homoazacalixarene complex, 3183
Thurman, D.W., see Heyen, B.J., 783
Tiekink, E.R.T., see Dutta, S., 2027
Tiekink, E.R.T., see Dutta, S., 1815
Tiekink, E.R.T., see Jensen, W.P., 2137

Tiliakos, M., Cordopatis, P., Terzis, A., P. Raptopoulou, C., Perlepes, S.P. and Manessi-Zoupa, E., Reactions of 3d-metal nitrates with *N,N'*-bis(2-pyridyl)urea (LH_2): preparation, X-ray crystal structures and spectroscopic studies of the products *trans*-$[M(II)(ONO_2)_2(LH_2)_2]$ (M = Mn, Fe, Co, Ni, Cu, Zn) and *mer*-$[Co(III)(LH)_2](NO_3)\cdot MeOH$, 2203
Timco, G.A., see Baca, S.G., 831
Tinè, M.R., see Biver, T., 1953
Tokarčík, M., see Valach, F., 1933
Tokumoto, M., see Kobayashi, H., 1587
Toma, H.E., see Nikolaou, S., 253
Tomkowicz, Z., see Falk, K., 1521
Tong, Y.-X., see Cai, Y.-P., 657
Tong, Y.-X., see Yang, S.-P., 223
Topcu, Y., see Yilmaz, V.T., 3209
Torrens, H., see Redón, R., 3119
Torres, M.R., see Barral, M.C., 2537
Toscano, R.A., see Alvarez-Toledano, C., 215
Toscano, R.A., see García-Montalvo, V., 203
Townsend, S., see McCann, M., 2799
Tsuchida, E., see Michinobu, T., 1147
Tsuchida, E., see Miyasaka, M., 1157
Tsuge, A., see Moriguchi, T., 2315
Tsymbal, L.V., Lampeka, Y.D. and Taraszewska, J., Synthesis and spectral properties of new bis(macrocyclic) nickel complexes and the influence of their structure and medium on electrochemical behaviour, 1837
Tudor, V., Kravtsov, V., Julve, M., Lloret, F., Simonov, Y.A., Lipkowski, J., Buculei, V. and Andruh, M., Intramolecular versus intermolecular exchange pathways in the binuclear complex $[Cu_2(H_2tea)_2(4,4'\text{-bipy})](ClO_4)_2\cdot 3H_2O$ (H_3tea = triethanolamine and 4,4'-bipy = 4,4'-bipyridine), 3033
Tung, J.-Y., see Yang, C.-H., 3257
Turek, P., see Wautelet, P., 1571
Turnbull, M.M., see Amaral, S., 1317
Turpeinen, U., see Riggio, I., 2659
Turpeinen, U., see Stassen, A.F., 1699
Tyryshkin, A.M., see Maneiro, M., 711
Tzeng, T.-S., see Hwang, W.-S., 353

Ueda, T., see Takeda, S., 1263
Ueda, T., Wada, K. and Hojo, M., Voltammetric and Raman spectroscopic study on the formation of Keggin-type V(V)-substituted molybdoarsenate complexes in aqueous and aqueous-organic solution, 83
Uguagliati, P., see Canovese, L., 3171
Underhill, A.E., see Batsanov, A.S., 537
Urbach, F.L., see VanOrman, C.A., 541
Urbanos, F.A., see Barral, M.C., 2537
Uriel, S., see Estevan, F., 527
Uriel, S., see Mata, J.A., 2083
Ustynyuk, N.A., see Rufanov, K.A., 379
Usugi, S., see Nakamura, T., 191

Vacca, A., see Cecconi, F., 2885
Vacca, A., see Dallavalle, F., 103
Vafazadeh, R., see Amirnasr, M., 695
Vaissermann, J., see Decams, J.M., 2405
Valach, F., Tokarčík, M., Saunders, A., Cowley, A. and Watkin, D.J., Structural isomerism of propionato copper(II) complex: crystal and molecular structure of tetrakis(μ-*o*-propionato)bis(methyl 3-pyridyl-*N*-carbamate)dicopper(II) at 190 K, 1933
Valderrama, M., see Contreras, R., 3127
Valencia, L., Adams, H., Bastida, R., Fenton, D.E., Macías, A., Mahía, J. and Spey, S.E., The synthesis of three novel pendant armed macrocyclic ligands. The X-ray crystal structure of a cadmium complex derived from the first oxaazamacrocycle bearing two alkylated aromatic amine functions, 3091
Valente, E.J., see Grant, G.J., 3333
Valko, M., see Mikloš, D., 1867
Vallarino, L.M., see Benetollo, F., 3143
Valle, G., see Marzotto, A., 1079
Valle, G., see Marzotto, A., 171
van Albada, G.A., see Riggio, I., 2659
Vandayar, S.K., see Shongwe, M.S., 2195
van der Werff, P.M., Batten, S.R., Jensen, P., Moubaraki, B., Murray, K.S. and Tan, E.H.-K., Structure and magnetism of anionic dicyanamidometallate extended networks of types $(Ph_4As)[M^{II}(dca)_3]$ and $(Ph_4As)_2[M_2^{II}(dca)_6(H_2O)]\cdot H_2O\cdot xCH_3OH$, where $dca = N(CN)_2^-$ and M^{II} = Co, Ni, 1129
VanOrman, C.A., Reddy, K.V., Sayre, L.M. and Urbach, F.L., Dicopper(II) complexes with flexible binucleating ligands containing two tridentate coordination sites, 541
Varela, J.M., see Casas, J.S., 1845
Varret, F., see Goujon, A., 1347
Varret, F., see Goujon, A., 1339
Varret, F., see Jeftić, J., 1599
Varret, F., see Roubeau, O., 1709
Varret, F., see Stassen, A.F., 1699
Varzatskii, O.A., see Voloshin, Y.Z., 2721
Vasconcellos, L.C.G., Oliveira, C.P., Castellano, E.E., Ellena, J. and Moreira, Í.S., Structure and properties of iron–cyclam complex of 2-aminophenol, 493
Vasilevsky, S., see Yeltsov, I., 1215
Vasojević, M.M., see Rychlewska, U., 2523
Vaucher, S., Charmant, J.P.H., Sorace, L., Gatteschi, D. and Mann, S., Interfacial oxidation of decamethylferrocene by hexacyanoferrate: synthesis and characterization of $[Fe^{III}(\eta\text{-}C_5Me_5)_2]_3[Fe^{III}(CN)_6]\cdot 2CH_2Cl_2\cdot 6H_2O$, 2467
Vaz, M.G.F., Ardisson, J.D., Speziali, N.L., Souza, G.P., Stumpf, H.O., Knobel, M. and Macedo, W.A.A., High coercivity in a new molecular iron-based magnet, 1431
Vaz, M.G.F., Stumpf, H.O., Speziali, N.L., Mathonière, C. and Cador, O., Magnetic pole reversal and thermal hysteresis in molecule-based magnets with a fully interlocked structure, 1761
Vázquez-López, E.M., see Carballo, R., 899
Vázquez-López, E.M., see Carballo, R., 2415
Vázquez-López, E.M., see Carballo, R., 2371
Vázquez-López, E.M., see Casas, J.S., 1845
Veciana, J., see Catala, L., 1563
Veciana, J., see Minguet, M., 1633
Veciana, J., see Ratera, I., 1643
Venturini, M., see Biver, T., 1953
Verdaguer, M., Professor Olivier Kahn, 1942–1999, zzzz
Verdaguer, M., Rational synthesis of molecular magnetic materials:a tribute to Olivier Kahn, 1115
Verdaguer, M., see Goujon, A., 1347
Verdaguer, M., see Goujon, A., 1339
Vicens, J., see Thuéry, P., 3183
Vicentini, G., see Pimentel, P.M., 2651
Vidal-Gancedo, J., see Ratera, I., 1643
Vila, J.M., see Castro-Juiz, S., 2925
Viñas, C., see Meliani, H., 2517
Vincent, J.B., see Shute, A.A., 2241
Vincent, J.B., The bioinorganic chemistry of chromium(III), 1
Virovets, A.V., see Mironov, Y.V., 969
Visentin, F., see Canovese, L., 3171
Visentin, F., see Pitteri, B., 869
Visser, H.G., Purcell, W. and Basson, S.S., A new reaction route for the synthesis of different cobalt(III)–nitrilotriacetato complexes. The crystal structure of $Cs_2[Co(nta)(CO_3)]\cdot H_2O$, 185
Vojinović, L.S., see Bogdanović, G.A., 2231

Volle, G., see Albaric, L., 2261
Voloshin, Y.Z., Varzatskii, O.A., Stash, A.I., Belsky, V.K., Bubnov, Y.N., Vorontsov, I.I., Potekhin, K.A., Antipin, M.Y. and Polshin, E.V., Template synthesis, structure and unusual series of phase transitions in clathrochelate iron(II) α-dioximates and oximehydrazonates formed by capping with functionalized boron-containing agents, 2721
Vorontsov, I.I., see Voloshin, Y.Z., 2721

Wada, K., see Ueda, T., 83
Wagner, C., see Böttcher, H.-C., 2011
Walawalkar, M.G., see Chakraborty, S., 1851
Walawalkar, M.G., see Jain, P.U., 245
Walker, B., see McCann, M., 2799
Walters, M.A., see Bokacheva, L., 1717
Walton, R., see Lahti, P.M., 1647
Wang, D.-L., see Hwang, W.-S., 353
Wang, D.-M., see Yang, R.-N., 585
Wang, H.-D., see Yan, B., 591
Wang, H.-G., see Chai, J.-F., 3249
Wang, H.-M., see Tang, J.-K., 675
Wang, J.-T., see Chai, J.-F., 3249
Wang, J.-T., see Tang, L.-F., 403
Wang, M., see Meng, L., 881
Wang, Q.-M., Guo, G.-C. and Mak, T.C.W., Structural variation in cationic coordination networks in double salts of silver(I) thiocyanate and silver(I) selenocyanate, 2683
Wang, R.-H., Hong, M.-C., Su, W.-P., Liang, Y.-C., Cao, R., Zhao, Y.-J. and Weng, J.-B., Two silver(I)–thiolate polymers with zigzag chain and lamellar structures, 3165
Wang, R.-J., see Deng, Y., 291
Wang, Y., see Chen, W.-H., 515
Wang, Y., see Lin, H.-H., 3057
Wang, Z.-H., see Chai, J.-F., 3249
Wang, Z.-H., see Tang, L.-F., 403
Wang, Z.-L., see Jiang, L.-J., 2807
Wang, Z.-L., see Zhang, J.-J., 2285
Wang, Z., see Zhang, K.-L., 2033
Wardell, J.L., see Comerlato, N.M., 415
Wardell, S.M.S.V., see Comerlato, N.M., 415
Ward, M.D., see Bell, Z.R., 2045
Ward, M.D., see Frey, G.D., 3231
Watanabe, A., see Takeda, S., 1263
Watanabe, I., see Ishida, T., 1545
Watanabe, I., see Ohira, S., 1223
Watkin, D.J., see Valach, F., 1933
Watkin, J.G., see Essig, M.W., 373
Wautelet, P., Catala, L., Bieber, A., Turek, P. and André, J.-J., Conformational effects on the magnetic ground state of diradicals coupled through extended conjugated chains. A theoretical investigation, 1571
Webster Keogh, D., see Essig, M.W., 373
Webster, M., see Bosson, M., 2055
Webster, M., see Levason, W., 2711
Wei, H.-H., see Chen, W.-H., 515
Wei, H.-H., see Lin, H.-H., 3057
Welch, A.J., see Maji, T.K., 651
Weng, J.-B., see Liang, Y.-C., 2477
Weng, J.-B., see Wang, R.-H., 3165
Weng, L.-H., see Han, X.-X., 1881
Wen, M., see Munakata, M., 2321
Wen, M., see Munakata, M., 2037
Werndrup, P., Gohil, S., Kessler, V.G., Kritikos, M. and Hubert-Pfalzgraf, L.G., Synthesis, characterization and molecular structures of homo- and heterometallic nickel(II) aminoalkoxides $Ni(\eta^2\text{-}OR^N)_2$ and $Ni(Ni_{0.25}Cu_{0.75})_2(\mu_3\text{-}OH)(\mu\text{-}OAc)(\eta^1\text{-}OAc)_2(\mu,\eta^2\text{-}OR^N)_2(\eta^2\text{-}R^NOH)$ ($R^N = CHMeCH_2NMe_2$), 2163
Werner, R., see Iskander, M.F., 2787
West, D.X., see Castiñeiras, A., 449
West, D.X., see Ketcham, K.A., 3265
White, A.J.P., see Davies, H.O., 2397
Willey, G.R., Aris, D.R., Haslop, J.V. and Errington, W., Adducts of indium(III) bromide: synthesis and structural characterisation of $[InBr_3(THF)_2]$, $[InBr_3(DMF)_3]$, $[InBr_3(Me_3[9]aneN_3)]$ and $[InBr_3(\{-N(Me)-CH_2-\}_3)]$, 423
Williams, D.J., see Davies, H.O., 2397
Williams, J.W., see Benetollo, F., 3143
Willis, C.R., see Coombs, T.D., 2935
Winter, C.H., see Gust, K.R., 805
Wiza, B.J., see Nataro, C., 1023
Woike, T., see Bellouard, F., 1615
Wojciechowska, A., Staszak, Z., Bronowska, W., Pietraszko, A. and Cieślak-Golonka, M., Spectroscopic and structural studies of chromate ions in zinc complexes with 2,2′-bipyridine. Analysis of the lowest triplet states in the CrO_4^{2-} entity, 2063
Wojnowski, W., see Becker, B., 949
Wojnowski, W., see Becker, B., 2567
Wołowiec, S., see Łukasiewicz, M., 237
Wołowiec, S., see Ruman, T., 2965
Wołowiec, S., see Ruman, T., 2551
Wongsriratanakul, J., see Rajca, A., 1669
Wong, W.-T., see Laskar, I.R., 2073
Wood, D.R.W., see Fawcett, J., 321
Woollins, J.D., see Bhattacharyya, P., 1831
Woollins, J.D., see Birdsall, D.J., 125
Woollins, J.D., see Fei, Z., 3355
Woollins, J.D., see Fei, Z., 2577
Woollins, J.D., see Rauth, G.K., 363
Wu, D.-X., see Lu, S.-F., 2339
Wu, J.-J., see Zhang, Y.-H., 1107
Wu, L., see Tang, Y.-H., 2911
Wu, Q.-J., see Lu, S.-F., 2339
Wurst, K., see Catala, L., 1563
Wu, X.-T., see Fu, Z.-Y., 1925
Wu, Y.-J., see Lu, H.-J., 3281
Wu, Z.-Y., Xu, D.-J. and Feng, Z.-X., Synthesis and catalytic properties of a Ni(II) complex with tetraglycol aldehyde bis(methionine) Schiff base, 281

Xanthopoulou, M.N., see Kubicki, M., 2179
Xiang, H., Lu, T.-B., Chen, S., Mao, Z.-W., Feng, X.-L. and Yu, K.-B., Macrocyclic nickel(II) complexes with a folded conformation. Synthesis, properties and structures of $[NiL(en)][Ni(en)_3](ClO_4)_4$ and $[(NiL)_2(\mu\text{-}ox)](ClO_4)_2$ (L = 3,10-bis(2-hydroxyethyl)-1,3,5,8,10,12-hexaazacyclotetradecane, en = ethylenediamine, ox = oxalate anion), 313
Xu, A.-w., see Cai, Y.-P., 657
Xu, D.-J., see Wu, Z.-Y., 281
Xue, B.-Y., see Leznoff, D.B., 1247
Xue, M.-Q., see Yao, Y.-M., 3201
Xue, W.-M., Kühn, F.E. and Herdtweck, E., Polymers with a backbone consisting of bimetallic tetracarboxylates and organometallic rhenium(I) complexes: synthesis, characterization, and structural examination, 791
Xu, G.-X., see Ma, B.-Q., 1255
Xu, H., see Zhang, Q.-L., 3049
Xu, Y., see Zhang, K.-L., 2033
Xu, Z., see Zhao, L., 1359

Yagasaki, A., see Hara, K., 1903
Yakhmi, J.V., see Ghalsasi, P.S., 1499
Yakhmi, J.V., see Ghalsasi, P.S., 1495
Yakhmi, J.V., see Radhakrishnan, S., 1489
Yamada, J.-i., see Ojima, T., 1335

Yamada, T., see Abdul Jalil, M., 627
Yamaguchi, A., see Hendrickson, D.N., 1479
Yamaguchi, K., see Kawakami, T., 1235
Yamaguchi, K., see Kawakami, T., 1197
Yamaguchi, K., see Kitagawa, Y., 1189
Yamaguchi, K., see Matsuoka, F., 1169
Yamaguchi, K., see Onishi, T., 1177
Yamamoto, M., see Oshio, H., 1621
Yamashita, M., see Ishii, T., 1297
Yamashita, Y., see Kawakami, T., 1235
Yamashita, Y., see Matsuoka, F., 1169
Yamazaki, T., see Miyasaka, M., 1157
Yamin, B.M., see Tarafder, M.T.H., 2363
Yan, B., Wang, H.-D. and Chen, Z.-D., Novel one-dimensional cyano-bridged chain complexes $[Ln(bet)_2(H_2O)_3Fe(CN)_6]_n$ (Ln = Nd, Pr, Sm, Gd; bet = betaine): synthesis, crystal structure and magnetochemistry, 591
Yang, C.-H., Tung, J.-Y., Liau, B.-C., Ko, B.-T., Elango, S., Chen, J.-H. and Hwang, L.-P., Monodentate and bidentate trifluoroacetato ligands in bis(trifluoroacetato)-(*N*-methyl-*meso*-tetraphenylporphyrinato)thallium(III)—a new dynamic 4:3 piano stool seven-coordinate geometry, 3257
Yang, P., see Song, Y.-F., 501
Yang, R.-N., Wang, D.-M., Liu, Y.-F. and Jin, D.-M., Synthesis of copper(I) β-diketone complexes, 585
Yang, S.-P., Tong, Y.-X., Zhu, H.-L., Cao, H., Chen, X.-M. and Ji, L.-N., Three transition metal complexes formed with tripodal polyimidazole ligands: synthesis, crystal structures and reactivity toward superoxide, 223
Yan, S.-P., see Gao, E.-Q., 923
Yan, S.-P., see Gao, E.-Q., 669
Yan, S.-P., see Tang, J.-K., 675
Yan, S., see Li, L., 681
Yao, Y.-G., see Tang, Y.-H., 2911
Yao, Y.-M., Shen, Q., Zhang, Y., Xue, M.-Q. and Sun, J., Syntheses and reactivities of bisaryloxo lanthanide chlorides and crystal structures of $[Ln(ArO)_2Cl(THF)_2]\cdot(MePh)$ (Ln = Er, Yb) and $[Sm(ArO)_2(THF)_3]\cdot(MePh)$ (ArO = 2,6-di-*tert*-butyl-4-methylphenoxo), 3201
Yap, G., see Silvernail, C.M., 3113
Yee, G.T., see Kaul, B.B., 1757
Yeltsov, I., Ovcharenko, V., Ikorskii, V., Romanenko, G. and Vasilevsky, S., Copper(II) thenoyltrifluoroacetonate as acceptor matrix in design of heterospin complexes, 1215
Yilmaz, F., see Yilmaz, V.T., 3209
Yilmaz, V.T., see Karadag, A., 635
Yilmaz, V.T., Topcu, Y., Yilmaz, F. and Thoene, C., Saccharin complexes of Co(II), Ni(II), Cu(II), Zn(II), Cd(II) and Hg(II) with ethanolamine and diethanolamine: synthesis, spectroscopic and thermal characteristics. Crystal structures of $[Zn(ea)_2(sac)_2]$ and $[Cu_2(\mu\text{-dea})_2(sac)_2]$, 3209
Yin, L.-H., see Gao, E.-Q., 669
Yin, M.-C., see Lu, H.-J., 3281
Yin, Y.-Q., see Zhang, Y.-H., 1107
Yin, Y.-Q., see Zhang, Y.-H., 1859
Yi, T., see Ma, B.-Q., 1255
Yoo, J., see Bhattacharjee, A., 1607
Yoo, J., see Hendrickson, D.N., 1479
Yoo, J., see Sañudo, E.C., 1269
Yoshioka, N., see Nagashima, H., 1151
Yoshioka, Y., see Kitagawa, Y., 1189
Yoshioka, Y., see Matsuoka, F., 1169
Yoshioka, Y., see Onishi, T., 1177
You, X.-Z., see Zhang, K.-L., 2033
Yuan, J.-C., see Zhang, Y.-H., 1859
Yu, K.-B., see Xiang, H., 313
Yun, H., see Kim, J., 1947
Yu, R.-M., see Lu, S.-F., 2339
Zabrocki, J., see Lodyga-Chruscinska, E., 1915
Zahir Haider, S., see Johns, C.A., 721
Žák, Z., see Janča, M., 2823
Zalewska, A., see Becker, B., 2567
Zarić, S.D., see Bogdanović, G.A., 2231
Zarubin, D.N., see Rufanov, K.A., 379
Zehnder, M., see Constable, E.C., 483
Zhang, J.-J., Tang, Y.-Y., Luo, Q.-H., Duan, C.-Y., Wang, Z.-L. and Mei, Y.-H., Synthesis, crystal structure and activity for H_2O_2 disproportionation of a binuclear manganese(III) complex $[(tol)Mn(bbml)_2Mn(tol)](ClO_4)_2$, 2285
Zhang, K.-L., Chen, W., Xu, Y., Wang, Z., Zhong, Z.J. and You, X.-Z., Crystal structure and magnetic properties of a thiocyanato-bridged dinuclear Cr(III)–Cu(II) complex $[(HL)Cu(SCN)Cr(NCS)_3(NH_3)_2]\cdot DMF$, 2033
Zhang, Q.-L., Liu, J.-G., Xu, H., Li, H., Liu, J.-Z., Zhou, H., Qu, L.-H. and Ji, L.-N., Synthesis, characterization and DNA-binding studies of cobalt(III) polypyridyl complexes, 3049
Zhang, W.-J., see Fu, Z.-Y., 1925
Zhang, Y.-H., Lao, W.-J., Liu, Y.-Q., Yin, Y.-Q., Wu, J.-J. and Huang, Z.-X., Reactions of dipropargyl manolate, terephthalate with $Co_2(CO)_8$, $Mo_2Cp_2(CO)_4$ and $RuCo_2(CO)_{11}$ give the di or tetranuclear clusters. The crystal structure of $[CH_2(CO_2CH_2C_2H\text{-}\mu)_2][Co_2(CO)_6]_2$ and $[p\text{-}(HC_2CH_2OCO)C_6H_4(CO_2CH_2C_2H\text{-}\mu)][Co_2(CO)_6]$, 1107
Zhang, Y.-H., Yuan, J.-C., Yin, Y.-Q., Zhou, Z.-Y. and Chan, A.S.C., Preparation and reactions of tetrahedrane-type clusters containing a SCoFeM (M = Mo or W) core. The single crystal X-ray structure of the cluster $(\mu_3\text{-}S)CoFeMo(CO)_8[\eta^5\text{-}C_5H_4C(O)CH_2CH_2CO_2Me]$, 1859
Zhang, Y., see Yao, Y.-M., 3201
Zhang, Z., see Jiang, L.-J., 2807
Zhang, Z.-Z., see Han, X.-X., 1881
Zhan, X.-P., see Meng, L., 881
Zhao, C., see Euler, W.B., 507
Zhao, L., Xu, Z., Thompson, L.K. and Miller, D.O., Self assembled polynuclear [3 × 3] grids — structural and magnetic properties of Mn(II), Fe(III), Co(II), Ni(II) and Cu(II) complexes with $M_9(\mu_2\text{-}O)_{12}$ cores, 1359
Zhao, W., see Liao, Z.-R., 2813
Zhao, Y.-F., see Deng, Y., 291
Zhao, Y.-J., Hong, M.-C., Liang, Y.-C., Su, W.-P., Cao, R., Zhou, Z.-Y. and Chan, A.S.C., Syntheses and structural characterization of silver(I) complexes with versatile heterocyclic sulfur and nitrogen donor ligands, 2619
Zhao, Y.-J., see Liang, Y.-C., 2477
Zhao, Y.-J., see Wang, R.-H., 3165
Zheludev, A., see Schweizer, J., 1771
Zheng, X.-F., see Liao, Z.-R., 2813
Zheng, Y., see Lu, S.-F., 2339
Zhong, Z.J., see Zhang, K.-L., 2033
Zhou, H., see Zhang, Q.-L., 3049
Zhou, Z.-F., see Su, X.-C., 91
Zhou, Z.-Y., see Zhang, Y.-H., 1859
Zhou, Z.-Y., see Zhao, Y.-J., 2619
Zhu, H.-L., see Yang, S.-P., 223
Zhu, S.-R., see Su, X.-C., 91
Zielińska, K., see Eilmes, J., 143
Ziller, J.W., see Evans, W.J., 277
Ziller, J.W., see Evans, W.J., 2483
Zinner, L.B., see Pimentel, P.M., 2651
Zissimos, A.M., see Cupertino, D., 3239
Zoric, D., see Sasic, S., 839
Zubkowski, J.D., see Grant, G.J., 3333
Zutin, K., Nogueira, V.M., Mauro, A.E., Melnikov, P. and Iluykhin, A., Synthesis, electrochemical behavior and X-ray crystal and molecular structures of $[Fe(diene)(CO)_2PPh_3]$ (diene = chalcone, sorbic acid), 1011

PERGAMON

Polyhedron 20 (2001) 3387–3423

POLYHEDRON

www.elsevier.com/locate/poly

Subject Index to Volume 20

Ab-initio calculations
Molecular ferromagnet, Spin density, McConnell mechanism, Exchange, Polarized neutron diffraction, 1771

Ab initio method
Molecular magnetism, Effective exchange integral, Density functional method, Hybrid DFT method, 1235

Absorption and EPR spectra
2,6-Bis(pyrazol-1-ylmethyl)pyridine and its 3,5-dimethyl-substituted derivatives, Anion-bound copper(II) complexes, X-ray structures, Cyclic voltammetry, 2545

ac and dc magnetic susceptibility
Single-molecule magnet, $[Mn_{12}]^-$ complex anion, Hysteresis, Quantum tunneling of magnetization, Metallocene cation, 1529

Acetate analogs
m-Phenylenedipropionate, Dicarboxylate ligand, Mn/O clusters, 1375

Acetonitrile
Nitrite, Nitric oxide, Iron Schiff base complexes, 623

Acetonitrile
Seven-coordinate complexes, I_2Cl_6, Molybdenum(II), Tungsten(II), 2559

Acetylacetone complexes
Crystal structures, Magnetism, Cobalt complexes, 1255

Acetylacetone
trans-(±)-1,2-Diaminocyclohexane, Cobalt(II) salts, Schiff base complexes, 2799

2-Acetylpyrrole thiosemicarbazone
2-Formylpyrrole thiosemicarbazone, Group 12 metal(II) complexes, X-ray structures, 441

Acid promoted hydrolysis
Metal ion promoted hydrolysis, Chromium(III) complexes, Resonance interactions, 2917

ac-Susceptometry
Iron(II) thioimidazolate, Weak ferromagnetism, Mössbauer spectroscopy, *g*-Factor alternation, 1243

Actinides
Isomers, Dioxouranium(VI) bromides, Uranyl bromides, Triphenylarsine oxide, 3295

Adduct
MOCVD, Calcium, β-Diketonates, X-ray structure, 1065

Adduct
Schiff base, Copper(II) complexes, Controlling-effect, Crystal structure, IR, CV, 657

Adducts
Indium(III) bromide, Crystal structures, Halides, 423

Adducts
Strontium β-diketonates, Spectroscopic data, Crystal structures, 2397

Adenine
Vanadium(III), Dimer, Complexes, Stability constants, Aqueous solutions, Uracil, 2353

Adenosine 5′-monophosphate
Molecular complexes, Copper(II) complexes, Cytidine 5′-monophosphate, Polyamines, 2305

Adsorption
Molecular magnetism, Effective exchange interaction, Metal-organic compound, Nanoporous cavity, Spin arrangement, 1197

β-Alanine
Copper(II) complexes, Peptides, Chelate ring size, Potentiometry, EPR, 3079

β-Alanyl-alanine
Nickel-dipeptide complexes, Glycyl-alanine, Glycyl-lysine, Histidyl-alanine, Histidyl-lysine, β-Alanyl-lysine, 615

β-Alanyl-lysine
Nickel-dipeptide complexes, Glycyl-alanine, Glycyl-lysine, Histidyl-alanine, Histidyl-lysine, β-Alanyl-alanine, 615

Alkali and alkaline earth complexes
2-Formylpyridinethiosemicarbazone, *E*–*Z* isomerization, Raman, NMR, 3133

Alkali metal extraction
Porphyrazine, Crown ether, Maleonitrile derivative, Phthalocyanines, 269

Alkoxide
Bismuth, Crystal structures, CVD precursors, Sol–gel precursors, 2451

Alkoxide-β-diketonate complexes
Application, Solid catalysts, X-ray single crystal study, 915

Allyl amination mechanism
Allylpalladium, Bidentate ligands, Pyridine–chalcogen ethers, Solution behaviour, 3171

Allylic substitution
Homogeneous catalysis, Platinum complexes, Carbonylation reactions, Oxidative addition, 151

Allylpalladium
Bidentate ligands, Pyridine–chalcogen ethers, Allyl amination mechanism, Solution behaviour, 3171

Allyl
Palladium, Fluorothiolate, NMR spectroscopy, Crystal structures, 3119

^{27}Al NMR spectroscopy
Quinolinic acid, Aluminum, Infrared spectroscopy, Ligand–metal complexes, Solutions, 1983

Aluminum complexes
Thiocyanate complexes, Raman spectra, Factor analysis, Complex equilibria, Aqueous solution, 839

Aluminum
Quinolinic acid, Infrared spectroscopy, ^{27}Al NMR spectroscopy, Ligand–metal complexes, Solutions, 1983

Ambidentate
Chlorosulfonylisocyanate, Cyano, Diketonate, Copper, X-ray, 3113

Amidate complexes
Diruthenium compounds, Metal–metal bonds, Multiple bonds, Ruthenium complexes, Magnetic properties, 2537

Amide complexes
Isodiazene complexes, Crystal structures, N–N bond cleavage, 119

Amide ligands
Ru complexes, Linkage isomers, 1815

Amide
Pamoic acid, Diphosphine, NMR, X-ray structures, 3355

Amide
Schiff base, Samarium, Neodymium, Heptadentate, 373

Amides
Niobium, Tantalum, Imides, X-ray structures, Catalysts, 2405

Amidinate
Ruthenium, Triazenide, X-ray crystal structure, 1875

α-Amineoxime
Nickel(II), HPLC, DL-meso, Isomerization, Racemization, 431

PII: S0277-5387(01)00985-8

α-Amineoxime
Nickel(II), Ligand-exchange, HPLC, Kinetics, 2505
Amino acid Schiff base
Ni(II) complexes, Binuclear complexes, Tetraglycol aldehyde, Catalytic activity, Polymerization reaction, 281
Amino acids
Complex formation reaction, *N,N'*-Dimethylethylenediamine, Dicarboxylic acids, Peptides, DNA constituents, 343
Amino acids
Nitrilotriacetato, Crystal structures, Cobalt(III), Nta, Carbonato, 185
Amino acids
Phosphines, Phosphinophenol ethers, Phosphorus heterocycles, Hybrid ligands, 3321
Amino acids
Tryptophanhydroxamic acid, Ternary complexes, Stereoselectivity, Competing ligand, Solution equilibria, 103
4-Amino-benzophenone
Guest molecules, Coordination network, 1925
Aminohydroxamic acids
Copper(II) complexes, Mixed-ligand complexes, Five-co-ordinate complexes, EPR spectra, VIS spectra, 2627
Aminohydroxamic acids
Methanol/water solvent, Copper(II) complexes, Stability constants, Circular dichroism, ESI-MS, 2697
Aminomethylphosphonic acid
Phosphonates, Iron, Complexes, Glyphosate, Methylphosphonic acid, 1821
2-Aminophenol
Iron–cyclam, Quinone-related species, 1,4,8,11-Tetraazacyclotetradecane, Macrocycle, X-ray structures, 493
Aminophosphine ligands
Molybdenum, *cis* Isomers, Molecular structures, 111
Aminoxyl radical
Lanthanide ion, Analytical model, Ligand field effect, f Element, Uranium, 1593
Analytical model
Lanthanide ion, Aminoxyl radical, Ligand field effect, f Element, Uranium, 1593
Anellation influence
Diaminogermylenes, Diaminocarbene homologues, Diazagermoline-2-ylidene, Molecular structures, 2215
Anion-bound copper(II) complexes
2,6-Bis(pyrazol-1-ylmethyl)pyridine and its 3,5-dimethyl-substituted derivatives, X-ray structures, Absorption and EPR spectra, Cyclic voltammetry, 2545
Anthracene
Conjugated polymer, Polyradical, Phenoxyl, Poly(aryleneethynylene), High-spin polymer, 1291
Anthracene
Stable radical, TEMPO radical, Magnetic property, Photo-functionality, $Mn(hfac)_2$ complex, 1335
1,4,9,10 anthracenetetrone
Charge-transfer salt ferromagnet, 1757
Antibacterial activity
Ruthenium complexes, Pyridine dicarboxylic acids, X-ray structures, 975
Antiferromagnetic coupling
Copper(II) carboxylate complexes, Pyridyl-substituted nitronyl nitroxides, Spin polarization, 3057
Antiferromagnetic coupling
Crystal structure, Chain complex, Manganese complex, Carboxylato complex, Hydrogen bonding, 1947
Antiferromagnetic interaction
Molecular magnetism materials, Exchange interaction, Ferromagnetic interaction, Spin cross over, Ferrimagnetic chains, Magnetic Prussian Blues, 1115
Antiferromagnetic molecular metal
Organic superconductors, Magnetic phase transitions, Superconducting phase transitions, π–d interaction, Antiferromagnetic molecular superconductor, 1587
Antiferromagnetic molecular superconductor
Organic superconductors, Magnetic phase transitions, Superconducting phase transitions, π–d interaction, Antiferromagnetic molecular metal, 1587
Antiferromagnetic state
Molecular oxygen, Electronic structure, Insulator–metal transition, Charge density, Spin density, 1381
Antiferromagnetism
Hydrogen bonding, Exchange interaction, *tert*-Butylnitroxides, 1465
Antiferromagnetism
Iron(II) pyrazolate, Iron(II) and cobalt(II) imidazolates, Mössbauer, Ferromagnetic ordering, Crystal structures, 1577
Antiferromagnet
Linear chains, Copper(II), 2-Methylpyrazine, 1317
Antiferromagnet
Magnetic phase transition, Organic ferromagnet, Ferromagnetic interaction, Free radical, 1545
Antioxidants
Catechin, Zinc(II), Superoxide, Voltammetry, Aprotic solvent, 1005
APCVD
Tin, Dithiocarbamates, Thin film, X-ray structures, 2989
Application
Alkoxide-β-diketonate complexes, Solid catalysts, X-ray single crystal study, 915
Aprotic solvent
Catechin, Antioxidants, Zinc(II), Superoxide, Voltammetry, 1005
Aqueous solution
Aluminum complexes, Thiocyanate complexes, Raman spectra, Factor analysis, Complex equilibria, 839
Aqueous solutions
Vanadium(III), Adenine, Dimer, Complexes, Stability constants, Uracil, 2353
Aquo complexes
1,4,8,11-Tetraazacyclotetradecane, β/α-Ni(*C-meso/rac*-1,7-CTH)$(ClO_4)_2$, Isothiocyanato complexes, Spectra, X-ray structures, 3149
Arene ruthenium
Crystal structure, Transfer hydrogenation, Catalysis, Reduced Schiff base, 2735
Arylamide ligands
Molybdenum, Trispyrazolylborate, Bowl-shaped molecules, 2997
2-(Arylazo)pyridine chelation
Square-pyramidal iridium(I), 2089
Aryldichalcogenide complexes
Synthesis, Molecular structures, Electrochemistry, 3189
Aryloxide
Luminescence, Terbium(III) aryloxide complexes, X-ray crystal structures, 277
Aryloxide
Synthesis, Crystal structures, Reactivity, Lanthanide, Chloride, 3201
Aryloxyborane derivatives
Molecular structures, VT ^1H NMR spectroscopy, 1053
Aurophilic interactions
Cyanide ligands, Cu(II) complexes, Interpenetration, Pyrazine, Magnetic properties, 1247
2-Azacyclononanone
Lanthanide–trifluoroacetate, Synthesis, Structures, 2651
Azide
Copper(II) compound, Crystal structure, Magnetic properties, Terephthalate, 681
Azide
Nickel, Schiff base ligands, Thiocyanate, Crystal structures, 135
Azole complexes
Copper complexes, Silver complexes, Phenanthroline, Spectroscopy, 2755
Azo ligand
Transition metal complexes, Zn and Cd extraction, Phenoldiazenyl, 2689
Azopyridine
Azopyrimidine, Zinc(II) complexes, Crystal structures, 2253
Azopyridine
Catechols, Platinum(II), Structure, Electrochemistry, 363
Azopyrimidine
Azopyridine, Zinc(II) complexes, Crystal structures, 2253
Azopyrimidines
High potential Ru(II) complexes, Phosphine, Isomer, Structures, 599

Barium
Macrocycle complexes, Crystal structures, NMR, ES MS, 2945
Base-stabilized
Hartree–Fock, Silylene, Ruthenium, 209
1,2,4,5-Benzenetetracarboxylate
Copper(II) complexes, Cadmium(II) complexes, Double-chain, Supramolecule, 3287
Benzyl-benzylidene-amine
Cyclometallation, Palladium(II), 3225

Betaine
Cyano-bridged complexes, One-dimensional chain, Crystal structures, Magnetochemistry, 591
Bicyclic guanidine
Copper(I), Bridging cyanide, Polymeric chains, Zwitterions, 3027
Bidentate ligands
Allylpalladium, Pyridine–chalcogen ethers, Allyl amination mechanism, Solution behaviour, 3171
Bidentate ligands
Crystal structures, Macrocyclic ligands, Nickel(II) complexes, 1,2-Diaminoethane folding, Thermodynamics, 307
Bidentate
Piano stool, Intermolecular exchange, Seven-coordinate, 3257
Bimetallic complexes
Crystal structures, Mercury complexes, Tetraphosphine complexes, Diphosphine complexes, Tetrahedral coordination, 727
Bimetallic complexes
Ferrocenes, NLO, Electrochemistry, 2083
Bimetallic complexes
Nitroprusside, Photomagnetism, Coordination chemistry, 1615
Bimetallic complex salts
Halide/sulfur chelate cross transfer, Crystal structures, 2951
Bimetallic oxalato complexes
Nitronyl nitroxide radicals, Cyanide complexes, Molecular magnets, 1659
Binuclear complexes
Hybrid ligands, Copper, Silver, Palladium, 627
Binuclear complexes
Ni(II) complexes, Amino acid Schiff base, Tetraglycol aldehyde, Catalytic activity, Polymerization reaction, 281
Binuclear complexes
Platinum(II), Pyridil, bis(Thiosemicarbazone), Crystal structures, 449
Binuclear copper(II) complex
Oxalato-bridged, Crystal structures, ESR, Magnetic properties, 2113
Binuclear Mn(III) complexes
Manganese catalase, Mimic, 2285
Bioactivity of metal complexes
Zn(II) complexes, Cu(II) complexes, Cd(II) complexes, *S*-Benzyl-β-*N*-(2-pyridyl)methylenedithiocarbazate, Bioactivity of NNS Schiff base, Crystal structure of Zn(II) complex, 2363
Bioactivity of NNS Schiff base
Zn(II) complexes, Cu(II) complexes, Cd(II) complexes, *S*-Benzyl-β-*N*-(2-pyridyl)methylenedithiocarbazate, Bioactivity of metal complexes, Crystal structure of Zn(II) complex, 2363
Biological activity of copper complexes
Cu(II)–O and Na(I)–O bonds, Crystal structures, Na(I) and Cu(II) complexes, Salicylic acid and 5-sulfosalicylic acid ligands, 1079
4,4′-Bipyridine bridged
Coordination polymer, Zig-zag, Infinite chain, Monolayered, Supramolecule., 2105
2,2′-Bipyridine
Chromate complexes, Zinc(II) complexes, Crystal structures, Low temperature electronic spectra, Gaussian analysis, Triplet states elucidation in the CrO_4^{2-} ion, 2063
4,4′-Bipyridine
Crystal structures, Copper(II) complexes, Triethanolamine, Magnetic properties, 3033
4,4′-Bipyridine ligand
Mixed-ligand coordination polymers, α-Hydroxycarboxylato ligands, Copper(II) complexes, Crystal structures, Supramolecular arrays, 899
2,2′-Bipyridine
Metallocyclodextrins, Chirality, Palladium, Silver, 663
Bipyridine
Nickel, Zinc, Cadmium, Saccarinate, 721
2,2′-Bipyridine
Rhenium(V), Oxo-alkyl, *Cis–trans* isomerization, 2129
2,2′-Bipyrimidine
Manganese(II), Chloranilic acid, 2,2′:6′,2″-Terpyridine, Honeycomb layer, Magnetism, 1417
Biradicals
Structure–property relationships, Dinuclear ligands, Building blocks, Metal complexes, 1627
bis(Aminoxyl)
$Mn(hfac)_2$, 2-Methyltetrahydrofuran, DFT calculations, 1669
1,2-Bis(bipyridine-6′-yl)ethane
Manganese, Tetranuclear complexes, Single molecule magnets, Photosystem II, 1269
Bis(diphenylphosphino)ethane disulfide
Tertiary phosphine sulfide, Bis(-diphenylphosphino)methane disulfide, Diiodine, Charge-transfer complexes, 1907
1,2-Bis(diphenylphosphino)ethane
Triphenylphosphine, Nickel(II) complexes, (1,1-Dithiolato)nickel(II) complexes, Crystal structure, 395
Bis(diphenylphosphino)methane disulfide
Tertiary phosphine sulfide, Bis(-diphenylphosphino)ethane disulfide, Diiodine, Charge-transfer complexes, 1907
Bis(diphosphino)ethylenediamine derivatives
Disulfides and diselenides of bis(phosphines), *N*,*N*′-substituted ethylenediamines, Crystal structures, 2421
Bis(macrocyclic) complexes
Template synthesis, Tetraazamacrocyclic ligands, $Nickel^{III/II}$ couple, Electrochemistry, 1837
Bismuth
Alkoxide, Crystal structures, CVD precursors, Sol–gel precursors, 2451
Bismuth
Dmit, 1,3-Dithiole-2-thione-4,5-dithiolates, Crystal structures, 415
Bis(pyrazol-1-yl)alkane
Molybdenum, Tungsten, Tin, X-ray crystal structures, 3249
Bis(pyrazolyl)borate
Lanthanide(III) complexes, Tris(pyrazolyl)borate, 2045
Bis(pyrazolyl)borate
Metal thiolate, Copper(I) complexes, Thiomolybdate, Molybdenum complexes, Crystal structure, 179
2,6-Bis(pyrazol-1-ylmethyl)pyridine and its 3,5-dimethyl-substituted derivatives
Anion-bound copper(II) complexes, X-ray structures, Absorption and EPR spectra, Cyclic voltammetry, 2545
bis(Thiosemicarbazone)
Platinum(II), Pyridil, Crystal structures, Binuclear complexes, 449
Bis(trimethylsilyl)amide
Lanthanide, Inverse sandwich, Heterometallic, Divalent, 2483
Bonding
Main group, Transition metals, Oxoanions, Density-functional theory, 2269
Bonding
Polyoxometalates, Structure, Valency, dft, 3101
Bond valences
Copper(II) propionate, Methyl 3-pyridyl-*N*-carbamate, Crystal structures, 1933
Bond valence sums
Tin sulfur bonds, Tin nitrogen bonds, Tin(III), 2137
Bowl-shaped molecules
Molybdenum, Trispyrazolylborate, Arylamide ligands, 2997
Br and I analogues
Single crystal X-ray diffraction study, Crystal structures, 773
Bridged small ring ligands
Crystal structures, Palladium(II) complex, Platinum(II) complex, *cis*-Platin lile complexes, 2315
Bridging cyanide
Copper(I), Bicyclic guanidine, Polymeric chains, Zwitterions, 3027
Building blocks
Structure–property relationships, Dinuclear ligands, Metal complexes, Biradicals, 1627
Bulky ligands
Terphenyl, Organotin(II) compounds, Stannanediyls, 551

Cadmium(II) complexes
1,2,4,5-Benzenetetracarboxylate, Copper(II) complexes, Double-chain, Supramolecule, 3287
Cadmium
Nickel, Zinc, Saccarinate, Bipyridine, 721
Cadmium
Zinc, Mercury, Lithium, Diazabutadiene, 823
Cadmium
Zinc, Tris(mercaptoimidazolyl)borate, Crystal structures, Sulfur-donor ligands, Tripodal ligands, 3343

Calcium complexes
Strontium complexes, Macrocyclic ligands, 2,6-Diacetylpyridine, 1,2-Diaminopropane, 3143
Calcium
MOCVD, β-Diketonates, Adduct, X-ray structure, 1065
Calf thymus DNA
Tetrapyrido[3,2-a:2′,3′-c:3″,2″-h:2‴,3‴-j]-phenazine, Co(III), Plasmid DNA, Intercalative mode, Spectra, 501
Calixarenes
Uranyl ion, Homoazacalixarenes, Zwitterion, Crystal structures, 3183
Calorimetric titration
Immobilization, Ethylenesulfide, Sol–gel process, Thermodynamic data, 929
Carbaboranylchlorophosphines
Gold complexes, Copper complexes, Molecular structures, 3007
Carbene compounds
Manganese(0) pentacarbonyl compounds, Thiazolylmanganese complexes, 2,3-Dihydro-thiazol-2-ylidenemanganese complexes, 1089
Carbene
High-spin molecule, Magnetism, Nitroxide, Phenyleneethynylene, Polymer, 1475
Carbene
Magnetic property, Matrix, Heterospin system, Photolysis, $Cu(hfac)_2$, Hysteresis, 1387
Carbohydrate cobalt complexes
Cobalt(III) complexes, Circular dichroism, Galactose and arabinose complexes, Stereoselective reactions, Sugar complexes, ^1H NMR, 2223
Carbonato
Nitrilotriacetato, Crystal structures, Cobalt(III), Nta, Amino acids, 185
Carbonylation reactions
Homogeneous catalysis, Platinum complexes, Allylic substitution, Oxidative addition, 151
Carbonyl
Iron, Selenosulfonato, Selenium, Crystal structure, 2393
Carbonyl
Ruthenium, Cluster, Phosphido-bridged, Crystal structures, 2011
Carbonyl
Ruthenium, Clusters, Diphosphine, Hydroformylation, 2771
Carboxyester
Kinetics, Catalytic hydrolysis, Zinc(II) complexes, Phenanthroline, Metalloenzyme, 91
Carboxylates
Nickel, Copper, Functional alkoxides, Sol–gel, Heteronuclear, X-ray structures, 2163
Carboxylato complex
Crystal structure, Chain complex, Manganese complex, Antiferromagnetic coupling, Hydrogen bonding, 1947
5-Carboxy-2-thienyl nitronyl nitroxide
Ferromagnetic, Magnetic phase transitions, Organic radicals, 1285
Catalase-like function
Dinuclear manganese(III) complexes, Molecular structure, Schiff base ligands, Hydrogen peroxide, 191
Catalysis
Arene ruthenium, Crystal structure, Transfer hydrogenation, Reduced Schiff base, 2735
Catalysis
Hydrophosphonylation, Phospho-transfer, Zinc complexes, X-ray crystallography, 2151
Catalysts
Niobium, Tantalum, Amides, Imides, X-ray structures, 2405
Catalytic activity
Ni(II) complexes, Amino acid Schiff base, Binuclear complexes, Tetraglycol aldehyde, Polymerization reaction, 281
Catalytic hydrolysis
Kinetics, Carboxyester, Zinc(II) complexes, Phenanthroline, Metalloenzyme, 91
Catechin
Antioxidants, Zinc(II), Superoxide, Voltammetry, Aprotic solvent, 1005
Catechols
Azopyridine, Platinum(II), Structure, Electrochemistry, 363
Cationic biradical
Stilbene, Triphenylamine, Non-Kekulé molecule, Spin-exchange interaction, 1147
Cationic dienes
Diene complexes, η^2-Dienes, Olefinic complexes, Iron-dienes, 467
Cation transport
Tripodal ionophores, Syntheses, Liquid–liquid extraction, 3281
Cd(II) complexes
Zn(II) complexes, Cu(II) complexes, *S*-Benzyl-β-*N*-(2-pyridyl)methylenedithiocarbazate, Bioactivity of metal complexes, Bioactivity of NNS Schiff base, Crystal structure of Zn(II) complex, 2363
C–H activation
Phosphorus ligands, Palladium, Schiff base, 2925
Chain complex
Crystal structure, Manganese complex, Carboxylato complex, Antiferromagnetic coupling, Hydrogen bonding, 1947
Chain complexes
Crystal structures, Nickel(II) complexes, Macrocycle, Organic ligands, 57
Chain-radical mechanisms
Iron carbonyls, Interaction of iron carbonyls with Lewis bases, Iron carbonyl radical anions, One-electron redox-initiation, 2765
Chain structures
Silver(I) complexes, Syntheses, Macrocyclic, Helical chains, 2619
Chalcogens
Diphosphino ligands, Ferrocene, X-ray crystallography, 741
Chalcone
Dicarbonyliron complexes, Sorbic acid, X-ray structures, Cyclic voltammetry, 1011
Channel
Ferromagnetic interaction, Supramolecule, Nitroxide, Ligand, Free radical, 1557
Characterization
Manganese-containing complexes, Synthesis, Crystal structures, SOD-like activity, 2813
Charged biradical
Nitronyl nitroxide, Organic salt ferrimagnet, Phenoxide, ESR spectra, Magnetic susceptibility, 1403
Charge density
Molecular oxygen, Electronic structure, Insulator–metal transition, Antiferromagnetic state, Spin density, 1381
Charge
One-dimensional antiferromagnet, Singlet ground state, Haldane gap, Spin, Copper oxides, 1735
Charge-transfer complexes
Ferromagnetic conducting crystal, Theoretical calculation, Tetrathiafulvalene–nitronyl nitroxide, Spin-polarized donor, 1169
Charge-transfer complexes
Tertiary phosphine sulfide, Bis(diphenylphosphino)methane disulfide, Bis(diphenylphosphino)ethane disulfide, Diiodine, 1907
Charge transfer
Magnetic circular dichroism, Prussian Blue, Electronic structure, Optical, Ferrimagnet, 1741
Charge-transfer salt ferromagnet
1,4,9,10 anthracenetetrone, 1757
Chelate complexes
Pentafluorophenyl palladium derivatives, Iminophosphines, Crystal structures, 571
Chelate ring size
Copper(II) complexes, Peptides, β-Alanine, Potentiometry, EPR, 3079
Chelate substitution
Crystal structures, Dipivaloylmethane, Picolinic acid, Tetranuclear Mn cluster, Magnetic susceptibility, 1785
Chelating ligands
Crystal structures, Copper(II) complexes, Pyridinecarboxylate complexes, Dimeric complexes, 1867
Chirality
Circular dichroism, Linear solvation energy relationship, Nitroxide radicals, 1633
Chirality
Metallocyclodextrins, 2,2′-Bipyridine, Palladium, Silver, 663
Chirality
Supramolecular chemistry, Nitrones, Crystal structures, 747
Chiral *N*-substituted pyrazole
Crystal structures, Zinc complexes, 1961

Chiral
Transition metals, Cluster complexes, Crystal structures, Enantiomeric separation, Diastereoisomers, 1859
Chloranilic acid
Manganese(II), 2,2′:6′,2″-Terpyridine, 2,2′-Bipyrimidine, Honeycomb layer, Magnetism, 1417
Chloride
Synthesis, Crystal structures, Reactivity, Lanthanide, Aryloxide, 3201
Chlorodithiophosphoric acid pyridiniumbetaine
Four-membered heterocycle, Five-membered heterocycle, Diazadiphosphetidine, 2823
Chlorosulfonylisocyanate
Ambidentate, Cyano, Diketonate, Copper, X-ray, 3113
Chromate complexes
Zinc(II) complexes, 2,2′-Bipyridine, Crystal structures, Low temperature electronic spectra, Gaussian analysis, Triplet states elucidation in the CrO_4^{2-} ion, 2063
Chromium
Chromodulin, Propionate, Diabetes, Rat, 2241
Chromium(III)
Chromodulin, Glucose tolerence factor, Insulin, 1
Chromium(III) complexes
Acid promoted hydrolysis, Metal ion promoted hydrolysis, Resonance interactions, 2917
Chromium(III)
Extended X-ray absorption fine structure, Leather, Tanning, 461
Chromodulin
Chromium(III), Glucose tolerence factor, Insulin, 1
Chromodulin
Chromium, Propionate, Diabetes, Rat, 2241
Circular dichroism
Aminohydroxamic acids, Methanol/water solvent, Copper(II) complexes, Stability constants, ESI-MS, 2697
Circular dichroism
Chirality, Linear solvation energy relationship, Nitroxide radicals, 1633
Circular dichroism
Cobalt(III) complexes, Carbohydrate cobalt complexes, Galactose and arabinose complexes, Stereoselective reactions, Sugar complexes, ^{1}H NMR, 2223
cis Isomers
Molybdenum, Aminophosphine ligands, Molecular structures, 111
cis-Platin lile complexes
Crystal structures, Palladium(II) complex, Platinum(II) complex, Bridged small ring ligands, 2315
Cis–trans isomerization
Rhenium(V), Oxo-alkyl, 2,2′-Bipyridine, 2129
cis
trans, Supramolecular, Hydrogen-bond, Diradical, EPR spectroscopy, 1643
Cleavage
Synthesis, Cobalt(III) complexes, DNA-binding, 3049
Cluster complexes
Transition metals, Chiral, Crystal structures, Enantiomeric separation, Diastereoisomers, 1859
Cluster compound
Crystal structures, Cobalt, Molybdenum, Ruthenium, 1107
Cluster glass
Molecule-based magnets, Photoinduced magnetization, Prussian blue, Tetracyanoethylene, 1435
Cluster
Ruthenium, Carbonyl, Phosphido-bridged, Crystal structures, 2011
Clusters and aggregates
Molecular-based magnetism, Iron(III) chemistry, Copper(II) chemistry, Supramolecular interactions, 1687
Clusters
Grids, Self assembly, Supramolecular chemistry, Structures, Magnetic properties, 1359
Clusters
Rhenium, 3d-Transition metals, Solid-state structures, 969
Clusters
Ruthenium, Carbonyl, Diphosphine, Hydroformylation, 2771
Cluster
2,2′:6′,2″-Terpyridine, Ruthenium, Cobalt carbonyl, Crystal structures, 483
Cobalt carbonyl
2,2′:6′,2″-Terpyridine, Ruthenium, Cluster, Crystal structures, 483
Cobalt complexes
Crystal structures, Magnetism, Acetylacetone complexes, 1255
Cobalt complexes
Crystal structures, Polypyrazolylborate complexes, Iron complexes, Copper complexes, Scorpionates, 2637
Cobalt
Coordination polymers, Oxalate, 2,2-Dipyridylamine, Nickel, Hydrogen bonds, 2445
Cobalt
Crystal structures, Molybdenum, Ruthenium, Cluster compound, 1107
Cobalt
2,11-Diaza[3.3](2,6)pyridinophane, Protonation, Complexation, X-ray structures, Iron, Nickel, 2705
Cobalt(II)chloride
Gaseous metal complexes, Solvation, Ligand basicity, Thermodynamic cycle, 4-Methyl-pyridine, 387
Cobalt(II) complexes
Electrochemical synthesis, Oxazolines, Sulfonamide complexes, X-ray structures, 2329
Cobalt(II) complexes
Molecular structures, Electrochemistry, 1885
Cobalt(II) complexes
Salicylaldoxime ligands, X-ray crystal structures, DMSO adducts, 3239
Cobalt(II) complexes
Schiff base ligands, Thermogravimetry, Infrared spectra, Synthesis, Tetradentate ligands, 261
Cobalt(II) complexes
Zinc(II) complexes, Pyridine, Thiazoline, Thiazolidine, 3315
Cobalt(II)
Coordination polymer, Nickel(II), Dicyanamide, Crystal structures, Magnetic order, 1129
Cobalt(III) complexes
Carbohydrate cobalt complexes, Circular dichroism, Galactose and arabinose complexes, Stereoselective reactions, Sugar complexes, ^{1}H NMR, 2223
Cobalt(III) complexes
Synthesis, DNA-binding, Cleavage, 3049
Cobalt(III)
Cyano complexes, Facial and meridional isomerism, X-ray structure analysis, Infrared, Raman, 2597
Cobalt(III)
Nitrilotriacetato, Crystal structures, Nta, Carbonato, Amino acids, 185
Cobalt(III)
Schiff base, NMR, Crystal structure, Morpholine, Pyrrolidine, Piperidine, 695
Cobalt(II)
Molecular magnets, Magneto-structural correlations, Single crystals, Copper(II), Nitroxide, 1207
Cobalt(II)
Molecular magnets, Nickel(II), Nitroxide, Solid solutions, 1229
Cobalt(II) salts
trans-(±)-1,2-Diaminocyclohexane, Acetylacetone, Schiff base complexes, 2799
Cobalt(I)
Siloxides, Crystal structures, 3015
Cobalt
2-Pyridineformamide, 3-Piperidylthiosemicarbazone, Iron, Copper, Zinc, Crystal structures, 3265
Cobalt
Silanethiolates, S ligands, N ligands, Crystal structures, 2567
Cobalt
X-ray structures, Halides, Copper, Spectroscopy, 2659
Co(II) complexes
1,5-Diazacyclooctane, Crystal structures, 3D network array, Electronic spectra, 3065
Co(III) complexes
Crystal structures, Thiosemicarbazide based ligands, DFT calculations, Preferential pyridine orientation, 2231
Co(III)
Tetrapyrido[3,2-a:2′,3′-c:3″,2″-h:2‴,3‴-j]-phenazine, Calf thymus DNA, Plasmid DNA, Intercalative mode, Spectra, 501

Compensated ferrimagnet
Molecular magnets, Monte Carlo study, 1525
Competing ligand
Tryptophanhydroxamic acid, Amino acids, Ternary complexes, Stereoselectivity, Solution equilibria, 103
Complexation
2,11-Diaza[3.3](2,6)pyridinophane, Protonation, X-ray structures, Iron, Cobalt, Nickel, 2705
Complex equilibria
Aluminum complexes, Thiocyanate complexes, Raman spectra, Factor analysis, Aqueous solution, 839
Complexes
Copper, Diketone, Crystal structure, 585
Complexes
Isoxazolidines, X-ray data, NMR data, 957
Complexes of cobalt and iron
Structural characterization, Sandwich complexes, 1891
Complexes
Phosphinoamide, Heterobidentate, Solvatochromism, X-ray, 1803
Complexes
Phosphonates, Iron, Glyphosate, Methylphosphonic acid, Aminomethylphosphonic acid, 1821
Complexes
Vanadium(III), Adenine, Dimer, Stability constants, Aqueous solutions, Uracil, 2353
Complex formation reaction
N,N'-Dimethylethylenediamine, Amino acids, Dicarboxylic acids, Peptides, DNA constituents, 343
Complex
p-tert-Butylcalix[4]arene, Phosphine pendant arms, Transition metal, 1881
Condensation reactions
Macrocyclic complexes, Template synthesis, 455
Conductivity
Verdazyl radical, Tetracyanoquinodimethanide, Magnetism, Semiconductor, Crystal structures, 1537
π-Conjugated polymer
High-spin polymer, Polyradical, Electrical conductivity, Polythiophene, 1157
Conjugated polymer
Polyradical, Phenoxyl, Poly(aryleneethynylene), Anthracene, High-spin polymer, 1291
π-Conjugated radical
Triplet, Organic radical, Magnetic properties, Metal complexes, Crystal structures, 1329
Contact shift
μSR, Dimensionality, Magnetic structure, Layer-structured copper compound, Hyperfine field, 1185
Controlled potential electrolysis
Magnetic properties, $[Mn_4O_3]$ complexes, 1273
Controlling-effect
Schiff base, Copper(II) complexes, Adduct, Crystal structure, IR, CV, 657
Coordination chemistry
Nitroprusside, Photomagnetism, Bimetallic complexes, 1615
Coordination chemistry
X-ray structure, Heterocycle, H-bonding, 125
4 + 1 Coordination
Metallophthalocyanines, Magnesium phthalocyanine, Crystal structures, Stability, Dimeric structures, 2901
Coordination modes
ESR, Copper(II) complexes, Glycyl-L-serine, L-Seryl-glycine, Formation constants, Isomerism, 995
Coordination modes
Silver complexes, Selenocyanate, Thiocyanate, Crystal structures, 2683
Coordination network
4-Amino-benzophenone, Guest molecules, 1925
Coordination polymer
Crystal structures, Hydrothermal synthesis, Zigzag chain, 2477
Co-ordination polymer
Manganese, Hydrothermal, 2293
Coordination polymer
Molecular magnets, Crystal structure, Manganese compounds, Dicyanamide, Pyrazine, 1423
Coordination polymer
Nickel(II), Cobalt(II), Dicyanamide, Crystal structures, Magnetic order, 1129
Coordination polymer
Organic radicals, Magnetic properties, Molecular bistability, 1517
Coordination polymers
Copper(I)chloride–pyrazine compounds, Synthesis, Reactivity, Thermal properties, Thermal decomposition, 1017
Coordination polymers
Crystal engineering, Pyrazole, Crystal structures, 887
Coordination polymers
Crystal structures, Potassium salt of magneson, Potassium complexes, 4-(4-Nitrophenylazo)resorcinolato, 2415
Coordination polymers
Oxalate, 2,2-Dipyridylamine, Cobalt, Nickel, Hydrogen bonds, 2445
Coordination polymers
Rectangular lattice, Copper(II), Magnetism, 1411
Coordination polymer
Zig-zag, Infinite chain, Monolayered, 4,4'-Bipyridine bridged, Supramolecule., 2105
Copper
Ambidentate, Chlorosulfonylisocyanate, Cyano, Diketonate, X-ray, 3113
Copper complexes
Carbaboranylchlorophosphines, Gold complexes, Molecular structures, 3007
Copper complexes
Crystal structures, Magnetic properties, 1097
Copper complexes
Crystal structures, Polypyrazolylborate complexes, Iron complexes, Cobalt complexes, Scorpionates, 2637
Copper complexes
Cyanide-bridge, Schiff base, 579
Copper
Complexes, Diketone, Crystal structure, 585
Copper complexes
Dinucleating ligands, Nickel complexes, Crystal structures, Electrochemistry, 3039
Copper complexes
Pyrazole complexes, Crystal structures, 2531
Copper complexes
Silver complexes, Azole complexes, Phenanthroline, Spectroscopy, 2755
Copper complexes
Thiosemicarbzone complexes, Crystal structures, 1045
Copper
2,2'-Dipyridyl(*N*-propenyl)amine, Zinc, Nitrates, Crystal structures, 2935
Copper
Hybrid ligands, Binuclear complexes, Silver, Palladium, 627
Copper hydroxonitrate
Density functional study, Plane-wave approach, 1305
Copper(I)
Bicyclic guanidine, Bridging cyanide, Polymeric chains, Zwitterions, 3027
Copper(I)chloride–pyrazine compounds
Coordination polymers, Synthesis, Reactivity, Thermal properties, Thermal decomposition, 1017
Copper(I) complexes
Metal thiolate, Bis(pyrazolyl)borate, Thiomolybdate, Molybdenum complexes, Crystal structure, 179
Copper(I) complexes
Synthesis, Pseudohalides, Crystal structures, Dimethylpyrimidinethione, NMR spectroscopy, 849
Copper(I) compounds
Quinaldic acid, Crystal structures, Electronic, IR and Raman spectra, Thermal decomposition, 2583
Copper(II)
Antiferromagnet, Linear chains, 2-Methylpyrazine, 1317
Copper(II) azide complexes
Pyridine and 4-ethylpyridine, X-ray structures, Electronic spectra, IR spectra, Magnetic measurements, 2971
Copper(II) carboxylate complexes
Pyridyl-substituted nitronyl nitroxides, Antiferromagnetic coupling, Spin polarization, 3057
Copper(II) chemistry
Molecular-based magnetism, Clusters and aggregates, Iron(III) chemistry, Supramolecular interactions, 1687

Copper(II)/cobalt(II) dicarboxylate
Layered magnets, Electron ligands, Long range magnetic ordering, 1677
Copper(II) complexes
Aminohydroxamic acids, Methanol/water solvent, Stability constants, Circular dichroism, ESI-MS, 2697
Copper(II) complexes
1,2,4,5-Benzenetetracarboxylate, Cadmium(II) complexes, Double-chain, Supramolecule, 3287
Copper(II) complexes
Chelating ligands, Crystal structures, Pyridinecarboxylate complexes, Dimeric complexes, 1867
Copper(II) complexes
Crystal structures, Di-*N*-acetamide tetraaza macrocycle, Nickel(II) complexes, 2003
Copper(II) complexes
Crystal structures, Triethanolamine, 4,4′-Bipyridine, Magnetic properties, 3033
Copper(II) complexes
ESR, Glycyl-L-serine, L-Seryl-glycine, Formation constants, Coordination modes, Isomerism, 995
Copper(II) complexes
Magnetism, Exchange interaction, Nitronyl nitroxide, Pyrimidine, Nitronyl-nitroxide-substituted pyrimidine, 1663
Copper(II) complexes
Mixed-ligand complexes, Five-co-ordinate complexes, Aminohydroxamic acids, EPR spectra, VIS spectra, 2627
Copper(II) complexes
Mixed-ligand coordination polymers, α-Hydroxycarboxylato ligands, 4,4′-Bipyridine ligand, Crystal structures, Supramolecular arrays, 899
Copper(II) complexes
Molecular complexes, Adenosine 5′-monophosphate, Cytidine 5′-monophosphate, Polyamines, 2305
Copper(II) complexes
Nickel(II) complexes, Cyano-bridged complexes, Magnetic properties, Crystal structures, 3301
Copper(II) complexes
Oligopeptides, Imidazole, Potentiometry, EPR, 937
Copper(II) complexes
Peptides, Chelate ring size, β-Alanine, Potentiometry, EPR, 3079
Copper(II) complexes
Polyazamacrocycles, Phosphinic acids, Cyclen and cyclam derivatives, Potentiometry, Kinetics, Stability constants, 47
Copper(II) complexes
Schiff base, Adduct, Controlling-effect, Crystal structure, IR, CV, 657
Copper(II) complexes
Schiff base, Methylpyruvate Schiff base, S-Methyldithiocarbazate, Square-planar copper(II) complexes, 1037
Copper(II) compound
Azide, Crystal structure, Magnetic properties, Terephthalate, 681
Copper(II)
Coordination polymers, Rectangular lattice, Magnetism, 1411
Copper(II)
Kinetics, Equilibrium, Nickel(II), Cryptand, 477
Copper(II)
Me_2octaen, Polyamines, Equilibria, Kinetics, Stopped-flow, 1953
Copper(II)
Molecular magnets, Magneto-structural correlations, Single crystals, Cobalt(II), Nitroxide, 1207
Copper(II)–nickel(II) complexes
Macrocyclic compound, Crystal structures, Magnetism, 923
Copper(II)
Nitroxide, Dimers, Polymorphous modifications, 1215
Copper(II) propionate
Methyl 3-pyridyl-*N*-carbamate, Crystal structures, Bond valences, 1933
Copper
Kinetics, Stability, Macrocycle, Dinuclear complexes, 75
Copper
Macrocyclic ligands, Crown compounds, S ligands, 2517
Copper
Nickel, Functional alkoxides, Carboxylates, Sol–gel, Heteronuclear, X-ray structures, 2163
Copper oxides
One-dimensional antiferromagnet, Singlet ground state, Haldane gap, Spin, Charge, 1735
Copper
2-Pyridineformamide, 3-Piperidylthiosemicarbazone, Iron, Cobalt, Zinc, Crystal structures, 3265
Copper
Schiff base, β-Ketoimine, X-ray determination, Thermolysis, Volatility, 2589
Copper
Stability, Equilibrium constants, Macrocycle, Kinetics, 297
Copper
Tripod ligand, PPN bridging ligand, Face-to-face type molecules, Silver, Palladium, 1071
Copper
X-ray structures, Halides, Cobalt, Spectroscopy, 2659
Counter ion effect
5-Methyl-2-(2,3-diaza-4-(5-methyl-2-thienyl)buta-1,3-dienyl)thiophene, Silver(I) complexes, Nitrate salt, Perchlorate salt, Crystal structures, 3275
Critical phenomena
Organic radical ferromagnet, TEMPO, μSR, 1223
Crotonate-bridged
Heterometal, Zinc(II)–Lanthanide(III), 1795
Crown compounds
Macrocyclic ligands, Copper, S ligands, 2517
Crown ether
Phosphine, Electrochemistry, ^{31}P NMR, 1023
Crown ether
Porphyrazine, Alkali metal extraction, Maleonitrile derivative, Phthalocyanines, 269
Crown ethers
Uranyl bis(β-diketonates), X-ray structures, Hydrogen bonding, Second sphere coordination compounds, 2145
Crown ether
Transition metal, Hydrogen bond, 12-Crown-4, 2979
Crown thioethers
Thioether complexes, Platinum complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Crystal structures, 3333
12-Crown-4
Transition metal, Crown ether, Hydrogen bond, 2979
Cryptand
Kinetics, Equilibrium, Nickel(II), Copper(II), 477
Crystal engineering
Coordination polymers, Pyrazole, Crystal structures, 887
Crystallization
Triammonium trisulfimide, Thermal analysis, IR spectrum, Crystal structures, NMR spectrum, 2439
Crystallographic structures
Furan thiosemicarbazone, 3d Metals complexes, 67
Crystal structure
Arene ruthenium, Transfer hydrogenation, Catalysis, Reduced Schiff base, 2735
Crystal structure
Azide, Copper(II) compound, Magnetic properties, Terephthalate, 681
Crystal structure
Chain complex, Manganese complex, Carboxylato complex, Antiferromagnetic coupling, Hydrogen bonding, 1947
Crystal structure
Copper, Complexes, Diketone, 585
Crystal structure determinations
Group 12 amides, Syntheses, 815
Crystal structure
Iron, Selenosulfonato, Carbonyl, Selenium, 2393
Crystal structure
Manganese, High nuclearity cluster, Single-molecule magnets, 1365
Crystal structure
Metal thiolate, Bis(pyrazolyl)borate, Copper(I) complexes, Thiomolybdate, Molybdenum complexes, 179
Crystal structure
Methylmercury(II) complex, Phenylmercury(II) complex, Rhodanine, ^{1}H, ^{13}C and ^{199}Hg NMR, 1845
Crystal structure
Molecular magnets, Coordination polymer, Manganese compounds, Dicyanamide, Pyrazine, 1423

Crystal structure
Nitroprusside, Rietveld method, Powder diffraction, Mössbauer spectra, Pentacyanide, 165
Crystal structure of Zn(II) complex
Zn(II) complexes, Cu(II) complexes, Cd(II) complexes, *S*-Benzyl-β-*N*-(2-pyridyl)methylenedithiocarbazate, Bioactivity of metal complexes, Bioactivity of NNS Schiff base, 2363
Crystal structures
Azopyridine, Azopyrimidine, Zinc(II) complexes, 2253
Crystal structures
Bimetallic complex salts, Halide/sulfur chelate cross transfer, 2951
Crystal structures
Binuclear copper(II) complex, Oxalato-bridged, ESR, Magnetic properties, 2113
Crystal structures
Bis(diphosphino)ethylenediamine derivatives, Disulfides and diselenides of bis(-phosphines), *N*,*N*′-substituted ethylenediamines, 2421
Crystal structures
Bismuth, Alkoxide, CVD precursors, Sol–gel precursors, 2451
Crystal structures
Bismuth, Dmit, 1,3-Dithiole-2-thione-4,5-dithiolates, 415
Crystal structures
Br and I analogues, Single crystal X-ray diffraction study, 773
Crystal structures
Chelate complexes, Pentafluorophenyl palladium derivatives, Iminophosphines, 571
Crystal structures
Chelate substitution, Dipivaloylmethane, Picolinic acid, Tetranuclear Mn cluster, Magnetic susceptibility, 1785
Crystal structures
Chelating ligands, Copper(II) complexes, Pyridinecarboxylate complexes, Dimeric complexes, 1867
Crystal structure
Schiff base, Cobalt(III), NMR, Morpholine, Pyrrolidine, Piperidine, 695
Crystal structure
Schiff base, Copper(II) complexes, Adduct, Controlling-effect, IR, CV, 657
Crystal structures
Chirality, Supramolecular chemistry, Nitrones, 747
Crystal structures
Chromate complexes, Zinc(II) complexes, 2,2′-Bipyridine, Low temperature electronic spectra, Gaussian analysis, Triplet states elucidation in the CrO_4^{2-} ion, 2063
Crystal structures
Cobalt, Molybdenum, Ruthenium, Cluster compound, 1107
Crystal structures
Cobalt, Silanethiolates, S ligands, N ligands, 2567
Crystal structures
π-Conjugated radical, Triplet, Organic radical, Magnetic properties, Metal complexes, 1329
Crystal structures
Coordination polymer, Hydrothermal synthesis, Zigzag chain, 2477
Crystal structures
Coordination polymer, Nickel(II), Cobalt(II), Dicyanamide, Magnetic order, 1129
Crystal structures
Coordination polymers, Crystal engineering, Pyrazole, 887
Crystal structures
Coordination polymers, Potassium salt of magneson, Potassium complexes, 4-(4-Nitrophenylazo)resorcinolato, 2415
Crystal structures
Copper complexes, Pyrazole complexes, 2531
Crystal structures
Copper(I) compounds, Quinaldic acid, Electronic, IR and Raman spectra, Thermal decomposition, 2583
Crystal structures
Copper(II) complexes, Nickel(II) complexes, Cyano-bridged complexes, Magnetic properties, 3301
Crystal structures
Copper(II) complexes, Triethanolamine, 4,4′-Bipyridine, Magnetic properties, 3033
Crystal structures
Copper(II) propionate, Methyl 3-pyridyl-*N*-carbamate, Bond valences, 1933
Crystal structures
Cu(II) complexes, Structure–activity relationship, Serum stability, Radiopharmaceuticals, 3155
Crystal structures
Cu(II)–N bonds, Cu(II) complexes, Piperazine and piperazin-1-ium ligands, 171
Crystal structures
Cu(II)–O and Na(I)–O bonds, Na(I) and Cu(II) complexes, Salicylic acid and 5-sulfosalicylic acid ligands, Biological activity of copper complexes, 1079
Crystal structures
Cyano-bridged complexes, One-dimensional chain, Betaine, Magnetochemistry, 591
Crystal structures
Cyano-bridge, Trinuclear complexes, Spectroscopic studies, 2473
Crystal structures
Diamines, Nickel(II) complexes, Isomerisation, Thermochromism, 2073
Crystal structures
1,5-Diazacyclooctane, Co(II) complexes, 3D network array, Electronic spectra, 3065
Crystal structures
Diiron(III) complexes, Magnetic properties, 669
Crystal structures
Di-*N*-acetamide tetraaza macrocycle, Nickel(II) complexes, Copper(II) complexes, 2003
Crystal structures
Dinuclear complexes, Reinecke's anion, Thiocyanato-bridged complexes, Magnetism, 2033
Crystal structures
Dinucleating ligands, Nickel complexes, Copper complexes, Electrochemistry, 3039
Crystal structures
Dioxo, Molybdenum(VI) compounds, Tripodal ligand, 337
Crystal structures
Dioxotetraamine ligands, Fluorenyl, Fluorescent sensor, 2807
Crystal structures
2,2′-Dipyridyl(*N*-propenyl)amine, Copper, Zinc, Nitrates, 2935
Crystal structures
Dirhenium complexes, Metal–metal multiple bonds, Isothiocyanate complexes, Dithioether complexes, Solvates, 783
Crystal structures
Dirhenium complexes, Phosphine complexes, Iodides, Metal–metal bonds, Edge-sharing bioctahedral complexes, 755
Crystal structures
Heteropolyoxometalates, Monocapped, Keggin anion, 2117
Crystal structures
Imidazole derivatives, Transition metal complexes, Spectra, Stability constants, 3307
Crystal structures
Indium(III) bromide, Adducts, Halides, 423
Crystal structures
Iron(II) pyrazolate, Iron(II) and cobalt(II) imidazolates, Mössbauer, Antiferromagnetism, Ferromagnetic ordering, 1577
Crystal structures
Iron(II), Spin crossover, Thermal trapping, Reverse LIESST, Reverse LITH, Mössbauer, 1699
Crystal structures
Isodiazene complexes, Amide complexes, N–N bond cleavage, 119
Crystal structures
Macrocycle complexes, Barium, NMR, ES MS, 2945
Crystal structures
Macrocycle, Pendant arm, Metal complexes, 3091
Crystal structures
Macrocyclic compound, Copper(II)–nickel(II) complexes, Magnetism, 923
Crystal structures
Macrocyclic ligands, Nickel(II) complexes, Bidentate ligands, 1,2-Diaminoethane folding, Thermodynamics, 307
Crystal structures
Magnetic properties, Copper complexes, 1097
Crystal structures
Magnetic properties, Nickel(II) complexes, Thiocyanato bridge complexes, 1D polymer, 651

Crystal structures
Magnetism, Cobalt complexes, Acetylacetone complexes, 1255
Crystal structures
Manganese-containing complexes, Synthesis, Characterization, SOD-like activity, 2813
Crystal structures
Mercury complexes, Tetraphosphine complexes, Diphosphine complexes, Bimetallic complexes, Tetrahedral coordination, 727
Crystal structures
Mercury(II) complexes, Triphenylphosphine, Pyrimidine-2-thione, 2179
Crystal structures
Metallophthalocyanines, Magnesium phthalocyanine, Stability, Dimeric structures, 4 + 1 Coordination, 2901
Crystal structures
5-Methyl-2-(2,3-diaza-4-(5-methyl-2-thienyl)buta-1,3-dienyl)thiophene, Silver(I) complexes, Nitrate salt, Perchlorate salt, Counter ion effect, 3275
Crystal structures
Mixed-ligand coordination polymers, α-Hydroxycarboxylato ligands, 4,4′-Bipyridine ligand, Copper(II) complexes, Supramolecular arrays, 899
Crystal structures
Molybdenum clusters, Tungsten clusters, Trinuclear complexes, Tungsten hydrides, Sulfides, 527
Crystal structures
Nickel bisdithiolenes, Molecular conductors, Tetrathiafulvalene, 537
Crystal structures
Nickel complexes, Pyrazole, 1029
Crystal structures
Nickel(II) complexes, Macrocycle, Organic ligands, Chain complexes, 57
Crystal structures
Nickel, Schiff base ligands, Azide, Thiocyanate, 135
Crystal structures
Nitrilotriacetato, Cobalt(III), Nta, Carbonato, Amino acids, 185
Crystal structures
Palladium, Fluorothiolate, Allyl, NMR spectroscopy, 3119
Crystal structures
Palladium(II) complex, Platinum(II) complex, Bridged small ring ligands, *cis*-Platin lile complexes, 2315
Crystal structures
Phosphito(1 −) bridges, Phosphite diolato(1 −) ligands, Oxo-rhenium(V) dimers, Spirophosphoranes, 2667
Crystal structures
Platinum(II) complexes, Tridentate chelating nitrogen ligands, Substitution reactions, 869
Crystal structures
Platinum(II), Pyridil, bis(Thiosemicarbazone), Binuclear complexes, 449
Crystal structures
Polypyrazolylborate complexes, Iron complexes, Copper complexes, Cobalt complexes, Scorpionates, 2637
Crystal structures
Pyrazolylborate, Metal complexes, Hydrogen bond, 291
Crystal structures
2-Pyridineformamide, 3-Piperidylthiosemicarbazone, Iron, Cobalt, Copper, Zinc, 3265
Crystal structures
Rare earth complexes, Dipicolinic acid, Luminescence, 2385
Crystal structures
Rhodium(II) complexes, Trifluoroacetate, Dinuclear complexes, One-dimensional polymers, 3073
Crystal structures
Ruthenium, Cluster, Carbonyl, Phosphido-bridged, 2011
Crystal structures
Siloxides, Cobalt(I), 3015
Crystal structures
Silver complexes, Selenocyanate, Thiocyanate, Coordination modes, 2683
Crystal structures
Silver complexes, Triazine ligands, Polydentate ligands, π−π Interactions, 2037
Crystal structures
Silver(I) complexes, Mixed P/O donor ligands, NMR spectroscopy, 2741
Crystal structures
Silver(I) nicotinic acid complexes, X-ray photoelectron spectroscopy, FTIR spectroscopy, 2747
Crystal structures
Single-molecule magnets, Magnetic characterization, 1279
Crystal structures
Square-pyramidal Cu(II) polydentate ligand complexes, Stereochemistry, 2523
Crystal structures
Strontium β-diketonates, Adducts, Spectroscopic data, 2397
Crystal structures
Syntheses, Mononuclear versus dinuclear, Zinc and cadmium complexes, 285
Crystal structures
Synthesis, Copper(I) complexes, Pseudohalides, Dimethylpyrimidinethione, NMR spectroscopy, 849
Crystal structures
Synthesis, Reactivity, Lanthanide, Aryloxide, Chloride, 3201
Crystal structures
Tellurium, Dihydrobenzotellurole, 1,1-Dithiolato, 203
Crystal structures
2,2′:6′,2″-Terpyridine, Ruthenium, Cobalt carbonyl, Cluster, 483
Crystal structures
Tetracoordinate copper complexes, Tetrahedral distortion, 703
Crystal structures
Thioether complexes, Platinum complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Crown thioethers, 3333
Crystal structures
Thiosemicarbazide based ligands, DFT calculations, Co(III) complexes, Preferential pyridine orientation, 2231
Crystal structures
Thiosemicarbzone complexes, Copper complexes, 1045
Crystal structures
Transition metals, Cluster complexes, Chiral, Enantiomeric separation, Diastereoisomers, 1859
Crystal structures
Triammonium trisulfimide, Crystallization, Thermal analysis, IR spectrum, NMR spectrum, 2439
Crystal structures
Triazine ligands, Silver complexes, 2321
Crystal structures
Trinuclear complexes, Cyano-bridged complexes, Octacyanomolybdate(IV, V), Platinum(II, IV), Metal–metal interactions, 685
Crystal structures
Trinuclear copper(II) complexes, Magnetic properties, 675
Crystal structures
Uranyl ion, Calixarenes, Homoazacalixarenes, Zwitterion, 3183
Crystal structures
Verdazyl radical, Tetracyanoquinodimethanide, Magnetism, Conductivity, Semiconductor, 1537
Crystal structures
Zinc, Cadmium, Tris(mercaptoimidazolyl)borate, Sulfur-donor ligands, Tripodal ligands, 3343
Crystal structures
Zinc complexes, Chiral *N*-substituted pyrazole, 1961
Crystal structures
Zinc complexes, S ligands, Silanethiolates, O ligands, Synthesis, 949
Crystal structures
Zinc(II) complexes, Zinc(II) carboxylates, Phthalate complexes, 831
Crystal structure
Tetraazamacrocycle, Cyclam, Nickel(II) complex, Electrochemistry, UV–Visible spectroscopy, 981
Crystal structure
Triphenylphosphine, 1,2-Bis(diphenylphosphino)ethane, Nickel(II) complexes, (1,1-Dithiolato)nickel(II) complexes, 395
Crystal water
Spin-crossover complexes, Magnetic local structures, Moisture-sensitive transition, Mobility of D_2O, Solid-state high-resolution deuterium NMR, 1263
$Cu(hfac)_2$
Magnetic property, Matrix, Heterospin system, Photolysis, Carbene, Hysteresis, 1387
Cu(II) complexes
Crystal structures, Structure–activity relationship, Serum stability, Radiopharmaceuticals, 3155

Cu(II) complexes
Cu(II)–N bonds, Crystal structures, Piperazine and piperazin-1-ium ligands, 171
Cu(II) complexes
Cyanide ligands, Interpenetration, Aurophilic interactions, Pyrazine, Magnetic properties, 1247
Cu(II) complexes
Prazosin, Vasodilator, X-ray data, 231
Cu(II) complexes
Schiff base complexes, *N*-Salicylidene derivatives, X-ray structures, 2877
Cu(II) complexes
Theoretical ab initio calculations, Schiff base complexes, *N*-Salicylidene derivatives, 2609
Cu(II) complexes
UV–Vis, EPR spectra, 2889
Cu(II) complexes
Zn(II) complexes, Cd(II) complexes, *S*-Benzyl-β-*N*-(2-pyridyl)methylenedithiocarbazate, Bioactivity of metal complexes, Bioactivity of NNS Schiff base, Crystal structure of Zn(II) complex, 2363
Cu(II)–N bonds
Crystal structures, Cu(II) complexes, Piperazine and piperazin-1-ium ligands, 171
Cu(II)–O and Na(I)–O bonds
Crystal structures, Na(I) and Cu(II) complexes, Salicylic acid and 5-sulfosalicylic acid ligands, Biological activity of copper complexes, 1079
CVD precursors
Bismuth, Alkoxide, Crystal structures, Sol–gel precursors, 2451
CVD
Tantalum, Niobium, Tantalum nitride, Pyrazolato, Imido, 805
CV
Schiff base, Copper(II) complexes, Adduct, Controlling-effect, Crystal structure, IR, 657
Cyanide-bridge
Copper complexes, Schiff base, 579
Cyanide clusters
Hexacyanometallates, Molecular magnetism, Single-molecule magnet, 1727
Cyanide complexes
Nitronyl nitroxide radicals, Bimetallic oxalato complexes, Molecular magnets, 1659
Cyanide ligands
Cu(II) complexes, Interpenetration, Aurophilic interactions, Pyrazine, Magnetic properties, 1247
Cyano
Ambidentate, Chlorosulfonylisocyanate, Diketonate, Copper, X-ray, 3113
Cyano-bridged complexes
Copper(II) complexes, Nickel(II) complexes, Magnetic properties, Crystal structures, 3301
Cyano-bridged complexes
One-dimensional chain, Crystal structures, Betaine, Magnetochemistry, 591
Cyano-bridged complexes
Trinuclear complexes, Octacyanomolybdate(IV, V), Platinum(II, IV), Metal–metal interactions, Crystal structures, 685
Cyano-bridged
Polynuclear complexes, IR spectra, Crystal structures, 607
Cyano-bridge
Trinuclear complexes, Crystal structures, Spectroscopic studies, 2473
Cyano complexes
Cobalt(III), Facial and meridional isomerism, X-ray structure analysis, Infrared, Raman, 2597
Cyanometallate
Interfacial oxidation, Decamethylferrocene, Molecular magnets, 2467
Cyclam
Crystal structure, Tetraazamacrocycle, Nickel(II) complex, Electrochemistry, UV–Visible spectroscopy, 981
Cyclen and cyclam derivatives
Polyazamacrocycles, Phosphinic acids, Copper(II) complexes, Potentiometry, Kinetics, Stability constants, 47
Cyclic voltammetry
2,6-Bis(pyrazol-1-ylmethyl)pyridine and its 3,5-dimethyl-substituted derivatives, Anion-bound copper(II) complexes, X-ray structures, Absorption and EPR spectra, 2545
Cyclic voltammetry
Dicarbonyliron complexes, Chalcone, Sorbic acid, X-ray structures, 1011
Cyclic voltammetry
Dicopper(II) complexes, d–d spectra, Electron paramagnetic resonance, 541
Cyclic voltammetry
Iron(III) complexes, High-spin, Unsaturated macrocyclic ligand, ESR, Mössbauer, Powder XRD, 2019
Cyclic voltammetry
Pt(II), Dithiolate, Dppf, X-ray crystal structures, ^{31}P NMR, 1939
Cyclic voltammetry
Ruthenium complexes, Linear oligoazines, Density functional theory, 507
Cycloauration
Cyclopalladation, Cyclorhodation, 3-Phenyl-6-*p*-toluidinopyridazine, 3019
Cyclohexylcyclam
Macrocycles, 1,4,8,11-Tetraazacyclotetradecane, Isomers, Nickel(II) complexes, 409
Cyclometallation
Palladium(II), Benzyl-benzylidene-amine, 3225
Cyclopalladation
Cycloauration, Cyclorhodation, 3-Phenyl-6-*p*-toluidinopyridazine, 3019
Cyclopalladation
Ferrocenyl Schiff bases, Lability of Pd–N bonds, Metallation, 987
Cyclopentadienyl
Molybdenum, Tungsten, Tin, X-ray crystal structure, 403
Cyclorhodation
Cycloauration, Cyclopalladation, 3-Phenyl-6-*p*-toluidinopyridazine, 3019
Cytidine 5′-monophosphate
Molecular complexes, Copper(II) complexes, Adenosine 5′-monophosphate, Polyamines, 2305

DAC
Organic ferromagnetism, Transition temperature, Pressure, 1505
Dangling amine
Ruthenium(II)-bisbipyridine-diamine complexes, Stereochemistry, NMR spectroscopy, Emission, 37
d–d spectra
Dicopper(II) complexes, Electron paramagnetic resonance, Cyclic voltammetry, 541
Decamethylferrocene
Interfacial oxidation, Cyanometallate, Molecular magnets, 2467
Density functional calculations
Polynuclear transition-metal complexes, Magnetic properties, Magneto-structural correlations, 1323
Density functional method
Molecular magnetism, Effective exchange integral, Ab initio method, Hybrid DFT method, 1235
Density functional study
Copper hydroxonitrate, Plane-wave approach, 1305
Density-functional theory
Main group, Transition metals, Oxoanions, Bonding, 2269
Density functional theory
Ruthenium complexes, Linear oligoazines, Cyclic voltammetry, 507
Deprotonated 2-carbamoylpyridine derivatives
Mixed ligand complexes, Trivalent ruthenium, 2027
DFT calculations
Crystal structures, Thiosemicarbazide based ligands, Co(III) complexes, Preferential pyridine orientation, 2231
DFT calculations
$Mn(hfac)_2$, bis(Aminoxyl), 2-Methyltetrahydrofuran, 1669
dft
Polyoxometalates, Structure, Bonding, Valency, 3101
DFT study
Group 13 compounds, Multiple bonding, Non-classical bonding, 2841
3D hexagonal architecture
Organophosphonic acids, Polymeric crown ether assemblies, 2095
Diabetes
Chromium, Chromodulin, Propionate, Rat, 2241
2,6-Diacetylpyridine
Calcium complexes, Strontium complexes, Macrocyclic ligands, 1,2-Diaminopropane, 3143

Dialkoxo-bridged binuclear Cu(II) complexes
Diethanolamine, Triethanolamine, Thiocyanate, Single crystal structures, Thermal analysis, 635
Diamines
Nickel(II) complexes, Crystal structures, Isomerisation, Thermochromism, 2073
Diaminocarbene homologues
Diaminogermylenes, Diazagermoline-2-ylidene, Anellation influence, Molecular structures, 2215
1,2-Diaminoethane folding
Crystal structures, Macrocyclic ligands, Nickel(II) complexes, Bidentate ligands, Thermodynamics, 307
Diaminogermylenes
Diaminocarbene homologues, Diazagermoline-2-ylidene, Anellation influence, Molecular structures, 2215
1,2-Diaminopropane
Calcium complexes, Strontium complexes, Macrocyclic ligands, 2,6-Diacetylpyridine, 3143
Diarylethene
ESR spectroscopy, Photochromic reaction, Intramolecular magnetic interaction, 1391
Diastereoisomers
Transition metals, Cluster complexes, Chiral, Crystal structures, Enantiomeric separation, 1859
Diazabutadiene
Zinc, Cadmium, Mercury, Lithium, 823
1,5-Diazacyclooctane
Crystal structures, Co(II) complexes, 3D network array, Electronic spectra, 3065
Diazadiphosphetidine
Four-membered heterocycle, Five-membered heterocycle, Chlorodithiophosphoric acid pyridiniumbetaine, 2823
Diazagermoline-2-ylidene
Diaminogermylenes, Diaminocarbene homologues, Anellation influence, Molecular structures, 2215
2,11-Diaza[3.3](2,6)pyridinophane
Protonation, Complexation, X-ray structures, Iron, Cobalt, Nickel, 2705
Dibenzotetraaza[14]annulenes
Macrocyclic Ni(II) complexes, Peripheral functionalization, Pendant substituents, 143
Dicarbonyliron complexes
Chalcone, Sorbic acid, X-ray structures, Cyclic voltammetry, 1011
Dicarboxylate ligand
m-Phenylenedipropionate, Mn/O clusters, Acetate analogs, 1375
Dicarboxylic acids
Complex formation reaction, *N,N'*-Dimethylethylenediamine, Amino acids, Peptides, DNA constituents, 343
Dichalcogenide complexes
Platinum, Phosphino–thioether complexes, Dimethylplatinum(IV) complexes, Reductive elimination reaction, 3127
Dicopper(II) complexes
d–d spectra, Electron paramagnetic resonance, Cyclic voltammetry, 541
Dicyanamide
Coordination polymer, Nickel(II), Cobalt(II), Crystal structures, Magnetic order, 1129
Dicyanamide
Molecular magnets, Crystal structure, Coordination polymer, Manganese compounds, Pyrazine, 1423
Diene complexes
Cationic dienes, η^2-Dienes, Olefinic complexes, Iron-dienes, 467
η^2-Dienes
Diene complexes, Cationic dienes, Olefinic complexes, Iron-dienes, 467
Diethanolamine
Ethanolamine, Saccharin complexes, Single crystal structures, Thermal analysis, 3209
Diethanolamine
Triethanolamine, Thiocyanate, Dialkoxo-bridged binuclear Cu(II) complexes, Single crystal structures, Thermal analysis, 635
Dihydrobenzotellurole
Tellurium, 1,1-Dithiolato, Crystal structures, 203
2,3-Dihydro-thiazol-2-ylidenemanganese complexes
Carbene compounds, Manganese(0) pentacarbonyl compounds, Thiazolylmanganese complexes, 1089
Diimine function
Redox properties, Spectroscopic properties, 1851
Diiodine
Tertiary phosphine sulfide, Bis(diphenylphosphino)methane disulfide, Bis(diphenylphosphino)ethane disulfide, Charge-transfer complexes, 1907
Diironhexacarbonyl complexes
N-(2-Thienylmethylidene)benzylamine, *endo* Cyclometalation, *exo* Cyclometalation, 1,3-Hydrogen shift, 1,5-Hydrogen shift, 353
Diiron(III) complexes
Crystal structures, Magnetic properties, 669
Diketonate
Ambidentate, Chlorosulfonylisocyanate, Cyano, Copper, X-ray, 3113
β-Diketonates
MOCVD, Calcium, Adduct, X-ray structure, 1065
Diketone
Copper, Complexes, Crystal structure, 585
Dimensionality
μSR, Magnetic structure, Layer-structured copper compound, Hyperfine field, Contact shift, 1185
Dimeric associations
Tetraorganodichalcogenoimidodiphosphinates, Li_2O_2 cycle, 1101
Dimeric complexes
Chelating ligands, Crystal structures, Copper(II) complexes, Pyridinecarboxylate complexes, 1867
Dimeric iron(III) complexes
Salicylaldimine ligands, H_2O_2 disproportionation, 515
Dimeric structures
Metallophthalocyanines, Magnesium phthalocyanine, Crystal structures, Stability, 4 + 1 Coordination, 2901
Dimers
Copper(II), Nitroxide, Polymorphous modifications, 1215
Dimer
Vanadium(III), Adenine, Complexes, Stability constants, Aqueous solutions, Uracil, 2353
Dimethylplatinum(IV) complexes
Platinum, Phosphino–thioether complexes, Reductive elimination reaction, Dichalcogenide complexes, 3127
Dimethylpyrimidinethione
Synthesis, Copper(I) complexes, Pseudohalides, Crystal structures, NMR spectroscopy, 849
Di-*N*-acetamide tetraaza macrocycle
Crystal structures, Nickel(II) complexes, Copper(II) complexes, 2003
π–d interaction
Organic superconductors, Magnetic phase transitions, Superconducting phase transitions, Antiferromagnetic molecular superconductor, Antiferromagnetic molecular metal, 1587
Dinuclear complexes
Crystal structures, Reinecke's anion, Thiocyanato-bridged complexes, Magnetism, 2033
Dinuclear complexes
Kinetics, Stability, Macrocycle, Copper, 75
Dinuclear complexes
Rhodium(II) complexes, Trifluoroacetate, One-dimensional polymers, Crystal structures, 3073
Dinuclear ligands
Structure–property relationships, Building blocks, Metal complexes, Biradicals, 1627
Dinuclear manganese(III) complexes
Molecular structure, Schiff base ligands, Hydrogen peroxide, Catalase-like function, 191
Dinucleating ligands
Nickel complexes, Copper complexes, Crystal structures, Electrochemistry, 3039
Dioxime ligands
Ruthenium, Syntheses, Structures, Reactivities, 327
Dioxo
Crystal structures, Molybdenum(VI) compounds, Tripodal ligand, 337
Dioxomolybdenum(VI) bromide
Polyether adducts, Outer-sphere complexes, 2781

Dioxotetraamine ligands
Fluorenyl, Fluorescent sensor, Crystal structures, 2807
Dioxouranium(VI) bromides
Actinides, Isomers, Uranyl bromides, Triphenylarsine oxide, 3295
Dioxygen
Manganese complexes, Schiff bases, Photolysis, Oxo bridges, 711
Diperoxo complexes
Niobium peroxo complexes, ^{93}Nb NMR, 8-Quinolinol, Niobium, Heteroligands, 2647
Diphenyltin(IV) anions
Palladium, Platinum, Triphosphine complexes, X-ray structures, NMR spectroscopy, 855
Diphosphine complexes
Crystal structures, Mercury complexes, Tetraphosphine complexes, Bimetallic complexes, Tetrahedral coordination, 727
Diphosphine
Pamoic acid, Amide, NMR, X-ray structures, 3355
Diphosphine
Ruthenium, Carbonyl, Clusters, Hydroformylation, 2771
Diphosphino ligands
Chalcogens, Ferrocene, X-ray crystallography, 741
Diphosphonopropanoic acid, protonation of
Propanetetraphosphonic acid, protonation of, Ethanetriphosphonic acid, protonation of, Propanediphosphonodicarboxylic acid, protonation of, Ethanediphosphonodicarboxylic acid, protonation of, Ethanephosphonodicarboxylic acid, protonation of, Propanephosphonotricarboxylic acid, protonation of, 1809
Dipicolinic acid
Rare earth complexes, Crystal structures, Luminescence, 2385
Dipivaloylmethane
Crystal structures, Chelate substitution, Picolinic acid, Tetranuclear Mn cluster, Magnetic susceptibility, 1785
2,6-Dipyrazol-1-ylpyridine complexes
Electronic structures, Molecular structures, Donor ligands, 2829
2,2-Dipyridylamine
Coordination polymers, Oxalate, Cobalt, Nickel, Hydrogen bonds, 2445
Di-2-pyridylketone Schiff base
Nickel(II) complexes, Schiff bases, *S*-Methyldithiocarbazate, Four- and six-coordinate nickel(II) complexes, 2431
2,2′-Dipyridyl(*N*-propenyl)amine
Copper, Zinc, Nitrates, Crystal structures, 2935
Diradical
cis, *trans*, Supramolecular, Hydrogen-bond, EPR spectroscopy, 1643
Dirhenium complexes
Metal–metal bonds, Formamidinate ligands, 767
Dirhenium complexes
Metal–metal multiple bonds, Crystal structures, Isothiocyanate complexes, Dithioether complexes, Solvates, 783
Dirhenium complexes
Phosphine complexes, Iodides, Crystal structures, Metal–metal bonds, Edge-sharing bioctahedral complexes, 755
Diruthenium compounds
Metal–metal bonds, Amidate complexes, Multiple bonds, Ruthenium complexes, Magnetic properties, 2537
Diselenadiazolyl
Dithiadiazolyl, Substitution, Thiaselenadiazolyl, 523
Disordered magnetism
Nano-graphite, Spin-glass, π-Electron system, Edge-state, Mesoscopic magnetism, 1311
Disulfides and diselenides of bis(phosphines)
Bis(diphosphino)ethylenediamine derivatives, *N*,*N*′-substituted ethylenediamines, Crystal structures, 2421
Dithiadiazolyl
Diselenadiazolyl, Substitution, Thiaselenadiazolyl, 523
Dithiadiphosphetane
Heterocycles, NMR, X-ray crystal structures, 2577
Dithiocarbamates
Tin, Thin film, APCVD, X-ray structures, 2989
Dithioether complexes
Dirhenium complexes, Metal–metal multiple bonds, Crystal structures, Isothiocyanate complexes, Solvates, 783
Dithiolate
Iron carbonyl, X-ray structures, Triphenylphosphine, 97
Dithiolate
Pt(II), Dppf, X-ray crystal structures, Cyclic voltammetry, ^{31}P NMR, 1939
(1,1-Dithiolato)nickel(II) complexes
Triphenylphosphine, 1,2-Bis(diphenylphosphino)ethane, Nickel(II) complexes, Crystal structure, 395
1,1-Dithiolato
Tellurium, Dihydrobenzotellurole, Crystal structures, 203
Dithiolene ligand
Niobium, Sulfide ligand, Trithiocarbonate ligand, 2279
1,3-Dithiole-2-thione-4,5-dithiolates
Bismuth, Dmit, Crystal structures, 415
Divalent
Bis(trimethylsilyl)amide, Lanthanide, Inverse sandwich, Heterometallic, 2483
3d Metals complexes
Furan thiosemicarbazone, Crystallographic structures, 67
Dmit
Bismuth, 1,3-Dithiole-2-thione-4,5-dithiolates, Crystal structures, 415
DMSO adducts
Salicylaldoxime ligands, Cobalt(II) complexes, X-ray crystal structures, 3239
DNA-binding
Synthesis, Cobalt(III) complexes, Cleavage, 3049
DNA constituents
Complex formation reaction, *N*,*N*′-Dimethylethylenediamine, Amino acids, Dicarboxylic acids, Peptides, 343
3D network array
1,5-Diazacyclooctane, Crystal structures, Co(II) complexes, Electronic spectra, 3065
2D NMR
Polymetallic bridged systems, Ruthenium cluster, Electrochemistry, 253
Donor ligands
2,6-Dipyrazol-1-ylpyridine complexes, Electronic structures, Molecular structures, 2829
Double-chain
1,2,4,5-Benzenetetracarboxylate, Copper(II) complexes, Cadmium(II) complexes, Supramolecule, 3287
1D polymer
Crystal structures, Magnetic properties, Nickel(II) complexes, Thiocyanato bridge complexes, 651
Dppf
Pt(II), Dithiolate, X-ray crystal structures, Cyclic voltammetry, ^{31}P NMR, 1939
3d-Transition metals
Rhenium, Clusters, Solid-state structures, 969
DV-Xα molecular orbital calculations
Haldane gap, Electronic structure, 1297
Dynamic NMR
Rhenium, Platinum, Pyridine diketones and diesters, Fluxionality, 1973
Dzyaloshinsky–Moriya interaction
Organic weak-ferromagnetism, Transition temperature, Pressure, 1509

Edge-sharing bioctahedral complexes
Dirhenium complexes, Phosphine complexes, Iodides, Crystal structures, Metal–metal bonds, 755
Edge-state
Nano-graphite, Disordered magnetism, Spin-glass, π-Electron system, Mesoscopic magnetism, 1311
Effective exchange integral
Molecular magnetism, Ab initio method, Density functional method, Hybrid DFT method, 1235
Effective exchange integrals
Hybrid density functional theory methods, Metal–acetate complex, Instability value, 1189
Effective exchange integrals
Hybrid-DFT, Superexchange interaction, Metal oxides, 1177
Effective exchange interaction
Molecular magnetism, Metal-organic compound, Nanoporous cavity, Adsorption, Spin arrangement, 1197
EHMO calculations
FeMo-cofactor, Nitrogenase, 27
Electrical conductivity
High-spin polymer, Polyradical, Polythiophene, π-Conjugated polymer, 1157

Electrochemical and spectroscopic studies
Ruthenium(II) complexes, Triphenylphosphine, N-donor ligands, 2123
Electrochemical synthesis
Cobalt(II) complexes, Oxazolines, Sulfonamide complexes, X-ray structures, 2329
Electrochemistry
Aryldichalcogenide complexes, Synthesis, Molecular structures, 3189
Electrochemistry
Azopyridine, Catechols, Platinum(II), Structure, 363
Electrochemistry
Cobalt(II) complexes, Molecular structures, 1885
Electrochemistry
Crystal structure, Tetraazamacrocycle, Cyclam, Nickel(II) complex, UV–Visible spectroscopy, 981
Electrochemistry
Dinucleating ligands, Nickel complexes, Copper complexes, Crystal structures, 3039
Electrochemistry
Ferrocenes, NLO, Bimetallic complexes, 2083
Electrochemistry
Naphthylazoimidazoles, Isomers, Ruthenium(II) complexes, X-ray structure, 905
Electrochemistry
Phosphine, Crown ether, ^{31}P NMR, 1023
Electrochemistry
Polymetallic bridged systems, Ruthenium cluster, 2D NMR, 253
Electrochemistry
Ruthenium(II) complexes, α-*N* heterocyclic carboxylic acid, X-ray structures, 3349
Electrochemistry
Template synthesis, Tetraazamacrocyclic ligands, Bis(macrocyclic) complexes, Nickel^{III,II} couple, 1837
Electronic, IR and Raman spectra
Copper(I) compounds, Quinaldic acid, Crystal structures, Thermal decomposition, 2583
Electronic spectra
Copper(II) azide complexes, Pyridine and 4-ethylpyridine, X-ray structures, IR spectra, Magnetic measurements, 2971
Electronic spectra
1,5-Diazacyclooctane, Crystal structures, Co(II) complexes, 3D network array, 3065
Electronic structure
Haldane gap, DV-Xα molecular orbital calculations, 1297
Electronic structure
Magnetic circular dichroism, Prussian Blue, Charge transfer, Optical, Ferrimagnet, 1741
Electronic structure
Molecular oxygen, Insulator–metal transition, Antiferromagnetic state, Charge density, Spin density, 1381
Electronic structures
2,6-Dipyrazol-1-ylpyridine complexes, Molecular structures, Donor ligands, 2829
Electron ligands
Layered magnets, Long range magnetic ordering, Copper(II)/cobalt(II) dicarboxylate, 1677
Electron paramagnetic resonance
Dicopper(II) complexes, d–d spectra, Cyclic voltammetry, 541
π-Electron system
Nano-graphite, Disordered magnetism, Spin-glass, Edge-state, Mesoscopic magnetism, 1311
emf–NMR
Equilibrium analysis, Pt complexes, Phosphine, 1903
Emission
Ruthenium(II)-bisbipyridine-diamine complexes, Dangling amine, Stereochemistry, NMR spectroscopy, 37
Enantiomeric separation
Transition metals, Cluster complexes, Chiral, Crystal structures, Diastereoisomers, 1859
endo Cyclometalation
N-(2-Thienylmethylidene)benzylamine, Diironhexacarbonyl complexes, *exo* Cyclometalation, 1,3-Hydrogen shift, 1,5-Hydrogen shift, 353
EPR
Copper(II) complexes, Oligopeptides, Imidazole, Potentiometry, 937
EPR
Copper(II) complexes, Peptides, Chelate ring size, β-Alanine, Potentiometry, 3079
EPR spectra
Copper(II) complexes, Mixed-ligand complexes, Five-co-ordinate complexes, Aminohydroxamic acids, VIS spectra, 2627
EPR spectra
Cu(II) complexes, UV–Vis, 2889
EPR spectroscopy
cis, *trans*, Supramolecular, Hydrogen-bond, Diradical, 1643
EPR spectroscopy
Iron clusters, Molecular clusters, Molecular magnets, 1441
EPR spectroscopy
Pyrazole, Hydrogen bonds, Magnetic interactions, Nitroxide, 1563
Equilibria
Me_2octaen, Polyamines, Copper(II), Kinetics, Stopped-flow, 1953
Equilibrium analysis
Pt complexes, Phosphine, emf–NMR, 1903
Equilibrium constants
Stability, Macrocycle, Copper, Kinetics, 297
Equilibrium
Kinetics, Nickel(II), Copper(II), Cryptand, 477
ESI-MS
Aminohydroxamic acids, Methanol/water solvent, Copper(II) complexes, Stability constants, Circular dichroism, 2697
ES MS
Macrocycle complexes, Barium, Crystal structures, NMR, 2945
ESR
Binuclear copper(II) complex, Oxalato-bridged, Crystal structures, Magnetic properties, 2113
ESR
Copper(II) complexes, Glycyl-L-serine, L-Seryl-glycine, Formation constants, Co-ordination modes, Isomerism, 995
ESR
Iron(III) complexes, High-spin, Unsaturated macrocyclic ligand, Mössbauer, Powder XRD, Cyclic voltammetry, 2019
ESR spectra
Charged biradical, Nitronyl nitroxide, Organic salt ferrimagnet, Phenoxide, Magnetic susceptibility, 1403
ESR spectroscopy
Diarylethene, Photochromic reaction, Intramolecular magnetic interaction, 1391
ESR
Thioaminyl, SQUID, Ferromagnetic interaction, 1355
Ethanediphosphonodicarboxylic acid, protonation of
Propanetetraphosphonic acid, protonation of, Ethanetriphosphonic acid, protonation of, Diphosphonopropanoic acid, protonation of, Propanediphosphonodicarboxylic acid, protonation of, Ethanephosphonodicarboxylic acid, protonation of, Propanephosphonotricarboxylic acid, protonation of, 1809
Ethanephosphonodicarboxylic acid, protonation of
Propanetetraphosphonic acid, protonation of, Ethanetriphosphonic acid, protonation of, Diphosphonopropanoic acid, protonation of, Propanediphosphonodicarboxylic acid, protonation of, Ethanediphosphonodicarboxylic acid, protonation of, Propanephosphonotricarboxylic acid, protonation of, 1809
Ethanetriphosphonic acid, protonation of
Propanetetraphosphonic acid, protonation of, Diphosphonopropanoic acid, protonation of, Propanediphosphonodicarboxylic acid, protonation of, Ethanediphosphonodicarboxylic acid, protonation of, Ethanephosphonodicarboxylic acid, protonation of, Propanephosphonotricarboxylic acid, protonation of, 1809
Ethanolamine
Diethanolamine, Saccharin complexes, Single crystal structures, Thermal analysis, 3209
Ethylenediamine
Macrocyclic nickel(II) complexes, Structures, Oxalate, Magnetic property, 313
Ethylenesulfide
Immobilization, Sol–gel process, Calorimetric titration, Thermodynamic data, 929

Exchange interaction
Hydrogen bonding, *tert*-Butylnitroxides, Antiferromagnetism, 1465
Exchange interaction
Magnetism, Copper(II) complexes, Nitronyl nitroxide, Pyrimidine, Nitronyl-nitroxide-substituted pyrimidine, 1663
Exchange interaction
Magnetism, Organic–inorganic composite material, Spin–spin interaction, $Mn(hfac)_2$, Nitroxide, 1653
Exchange interaction
Molecular magnetism materials, Ferromagnetic interaction, Antiferromagnetic interaction, Spin cross over, Ferrimagnetic chains, Magnetic Prussian Blues, 1115
Exchange
Molecular ferromagnet, Spin density, McConnell mechanism, Ab-initio calculations, Polarized neutron diffraction, 1771
Excited quartet state
Photo-induced spin alignment, Excited quintet state, Time-resolved ESR, 1163
Excited quintet state
Photo-induced spin alignment, Excited quartet state, Time-resolved ESR, 1163
exo Cyclometalation
N-(2-Thienylmethylidene)benzylamine, Diironhexacarbonyl complexes, *endo* Cyclometalation, 1,3-Hydrogen shift, 1,5-Hydrogen shift, 353
Extended X-ray absorption fine structure
Leather, Chromium(III), Tanning, 461
E–*Z* isomerization
2-Formylpyridinethiosemicarbazone, Alkali and alkaline earth complexes, Raman, NMR, 3133

Face-to-face type molecules
Tripod ligand, PPN bridging ligand, Copper, Silver, Palladium, 1071
Facial and meridional isomerism
Cobalt(III), Cyano complexes, X-ray structure analysis, Infrared, Raman, 2597
Factor analysis
Aluminum complexes, Thiocyanate complexes, Raman spectra, Complex equilibria, Aqueous solution, 839
f Element
Lanthanide ion, Aminoxyl radical, Analytical model, Ligand field effect, Uranium, 1593
FeMo-cofactor
EHMO calculations, Nitrogenase, 27
Fe(0)
Mono- and trinuclear complexes, Monohydrazones derivatives, 215
$[Fe(ptz)_6](BF_4)_2$
Light induced thermal hysteresis, Spin-transition solid, 1599
Ferrimagnetic chains
Molecular magnetism materials, Exchange interaction, Ferromagnetic interaction, Antiferromagnetic interaction, Spin cross over, Magnetic Prussian Blues, 1115
Ferrimagnetic complexes
Manganese(II), Nitroxide triradical, Synthesis, 1495
Ferrimagnet
Magnetic circular dichroism, Prussian Blue, Electronic structure, Charge transfer, Optical, 1741
Ferrocene
Diphosphino ligands, Chalcogens, X-ray crystallography, 741
Ferrocenes
NLO, Bimetallic complexes, Electrochemistry, 2083
Ferrocenyl Schiff bases
Cyclopalladation, Lability of Pd–N bonds, Metallation, 987
Ferromagnetic conducting crystal
Theoretical calculation, Tetrathiafulvalene–nitronyl nitroxide, Spin-polarized donor, Charge-transfer complexes, 1169
Ferromagnetic interaction
Magnetic phase transition, Organic ferromagnet, Antiferromagnet, Free radical, 1545
Ferromagnetic interaction
Molecular magnetism materials, Exchange interaction, Antiferromagnetic interaction, Spin cross over, Ferrimagnetic chains, Magnetic Prussian Blues, 1115
Ferromagnetic interactions
Metal complexes, Imino nitroxides, Magnetic properties, 1621
Ferromagnetic interaction
Supramolecule, Channel, Nitroxide, Ligand, Free radical, 1557
Ferromagnetic interaction
Thioaminyl, ESR, SQUID, 1355
Ferromagnetic
Magnetic phase transitions, Organic radicals, 5-Carboxy-2-thienyl nitronyl nitroxide, 1285
Ferromagnetic ordering
Iron(II) pyrazolate, Iron(II) and cobalt(II) imidazolates, Mössbauer, Antiferromagnetism, Crystal structures, 1577
Ferromagnetic ordering
Magnetic characterisation, Oxine complexes, Transition metals, 1499
Ferromagnetism
Nitronyl nitroxide, Silver–dicyanide, Manganese, 1371
Five-co-ordinate complexes
Copper(II) complexes, Mixed-ligand complexes, Aminohydroxamic acids, EPR spectra, VIS spectra, 2627
Five-membered heterocycle
Four-membered heterocycle, Diazadiphosphetidine, Chlorodithiophosphoric acid pyridiniumbetaine, 2823
Fluorenyl
Dioxotetraamine ligands, Fluorescent sensor, Crystal structures, 2807
Fluorescent sensor
Dioxotetraamine ligands, Fluorenyl, Crystal structures, 2807
Fluorides
X-ray structures, NMR spectroscopy, Lanthanum, Titanium, Lutidine, 1967
Fluorothiolate
Palladium, Allyl, NMR spectroscopy, Crystal structures, 3119
Fluorous biphase
Phosphine, Platinum group metals, Single crystal X-ray study, 321
Fluxionality
Rhenium, Platinum, Pyridine diketones and diesters, Dynamic NMR, 1973
Formamidinate ligands
Metal–metal bonds, Dirhenium complexes, 767
Formation constants
ESR, Copper(II) complexes, Glycyl-L-serine, L-Seryl-glycine, Coordination modes, Isomerism, 995
2-Formylpyridinethiosemicarbazone
E–*Z* isomerization, Alkali and alkaline earth complexes, Raman, NMR, 3133
2-Formylpyrrole thiosemicarbazone
2-Acetylpyrrole thiosemicarbazone, Group 12 metal(II) complexes, X-ray structures, 441
Four- and six-coordinate nickel(II) complexes
Nickel(II) complexes, Schiff bases, *S*-Methyldithiocarbazate, Di-2-pyridylketone Schiff base, 2431
Four-membered heterocycle
Five-membered heterocycle, Diazadiphosphetidine, Chlorodithiophosphoric acid pyridiniumbetaine, 2823
Free radical
Ferromagnetic interaction, Supramolecule, Channel, Nitroxide, Ligand, 1557
Free radical
Magnetic phase transition, Organic ferromagnet, Antiferromagnet, Ferromagnetic interaction, 1545
FTIR spectroscopy
Silver(I) nicotinic acid complexes, Crystal structures, X-ray photoelectron spectroscopy, 2747
Functional alkoxides
Nickel, Copper, Carboxylates, Sol–gel, Heteronuclear, X-ray structures, 2163
Furan thiosemicarbazone
3d Metals complexes, Crystallographic structures, 67

Galactose and arabinose complexes
Cobalt(III) complexes, Carbohydrate cobalt complexes, Circular dichroism, Stereoselective reactions, Sugar complexes, ^1H NMR, 2223
Gallium
Hydride, Thiolate, 2425
Gaseous metal complexes
Solvation, Ligand basicity, Thermodynamic cycle, Cobalt(II)chloride, 4-Methyl-pyridine, 387

Gaussian analysis
Chromate complexes, Zinc(II) complexes, 2,2′-Bipyridine, Crystal structures, Low temperature electronic spectra, Triplet states elucidation in the CrO_4^{2-} ion, 2063
g-Factor alternation
Iron(II) thioimidazolate, Weak ferromagnetism, ac-Susceptometry, Mössbauer spectroscopy, 1243
Glucose tolerence factor
Chromium(III), Chromodulin, Insulin, 1
Glutathione
Oxovanadium(IV) complexes, Potentiometric and spectrophotometric studies, Stability constants, 799
Glycyl-alanine
Nickel-dipeptide complexes, Glycyl-lysine, Histidyl-alanine, Histidyl-lysine, β-Alanyl-alanine, β-Alanyl-lysine, 615
Glycyl-lysine
Nickel-dipeptide complexes, Glycyl-alanine, Histidyl-alanine, Histidyl-lysine, β-Alanyl-alanine, β-Alanyl-lysine, 615
Glycyl-L-serine
ESR, Copper(II) complexes, L-Seryl-glycine, Formation constants, Coordination modes, Isomerism, 995
Glyphosate
Phosphonates, Iron, Complexes, Methylphosphonic acid, Aminomethylphosphonic acid, 1821
Gold complexes
Carbaboranylchlorophosphines, Copper complexes, Molecular structures, 3007
Grids
Clusters, Self assembly, Supramolecular chemistry, Structures, Magnetic properties, 1359
Group 3A elements
Trisubstituted tungstosilicate or tungstogermanate, ^{183}W NMR, 881
Group 12 amides
Syntheses, Crystal structure determinations, 815
Group 13 compounds
DFT study, Multiple bonding, Non-classical bonding, 2841
Group 12 metal(II) complexes
2-Formylpyrrole thiosemicarbazone, 2-Acetylpyrrole thiosemicarbazone, X-ray structures, 441
Group 7 metals
Rhenium(I) complexes, Lewis acid, NMR, 2371
Guest molecules
4-Amino-benzophenone, Coordination network, 1925

Haldane gap
Electronic structure, DV-Xα molecular orbital calculations, 1297
Haldane gap
One-dimensional antiferromagnet, Singlet ground state, Spin, Charge, Copper oxides, 1735
Halides
Indium(III) bromide, Adducts, Crystal structures, 423
Halide/sulfur chelate cross transfer
Bimetallic complex salts, Crystal structures, 2951
Halides
X-ray structures, Copper, Cobalt, Spectroscopy, 2659
Hall-effect magnetometry
Single molecule magnets, High-spin clusters, Quantum tunneling, Hysteresis, 1717
Hartree–Fock
Silylene, Ruthenium, Base-stabilized, 209
H-bonding
Coordination chemistry, X-ray structure, Heterocycle, 125
^{1}H, ^{13}C and ^{199}Hg NMR
Methylmercury(II) complex, Phenylmercury(II) complex, Rhodanine, Crystal structure, 1845
Heat capacity
Large-spin clusters, Manganese clusters, One-dimensional magnet, Short-range order, 1607
Helical chains
Silver(I) complexes, Syntheses, Chain structures, Macrocyclic, 2619
Heptadentate
Schiff base, Samarium, Neodymium, Amide, 373
Heptafluorobutyrate Ag(I)
Pentafluoropropionate Ag(I), Thermal decomposition processes, Temperature variable IR and MS spectra, 2853
Heterobidentate
Phosphinoamide, Solvatochromism, Complexes, X-ray, 1803
Heterocycle
Coordination chemistry, X-ray structure, H-bonding, 125
Heterocycles
Dithiadiphosphetane, NMR, X-ray crystal structures, 2577
Heterocyclic ligands
Zigzag chains, Lamellar structures, Silver(I) complexes, 3165
Heterodinuclear molybdenum phosphine complexes
Phosphinoalkoxide, Zirconium complexes, 2171
Heteroligands
Niobium peroxo complexes, ^{93}Nb NMR, 8-Quinolinol, Diperoxo complexes, Niobium, 2647
Heterometal
Crotonate-bridged, Zinc(II)–Lanthanide(III), 1795
Heterometallic
Bis(trimethylsilyl)amide, Lanthanide, Inverse sandwich, Divalent, 2483
Heteronuclear
Nickel, Copper, Functional alkoxides, Carboxylates, Sol–gel, X-ray structures, 2163
Heteropolyoxometalates
Crystal structures, Monocapped, Keggin anion, 2117
Heteropolyoxometalate
Vanadium, Voltammetry, Raman spectroscopy, 83
Heteroscorpionate tris(3-*R*-pyrazolyl)borate cobalt(II) complexes
Structure, NMR, 2551
Heteroscorpionate tris(3-*R*-pyrazolyl)borate cobalt(II) complexes
Structures, NMR, 237
Heterospin exchange
High spin molecules, Nitrenes, Quartet state, Zero-field splitting, 1647
Heterospin system
Magnetic property, Matrix, Photolysis, Carbene, $Cu(hfac)_2$, Hysteresis, 1387
Hexaaza macrocyclic ligands
Stability constants, Hydrogen bonding, Host–guest complexes, 2457
Hexacyanometallates
Cyanide clusters, Molecular magnetism, Single-molecule magnet, 1727
High coercivity
Molecule-based magnets, Magnetic properties, Mössbauer spectroscopy, 1431
High nuclearity cluster
Manganese, Crystal structure, Single-molecule magnets, 1365
High potential Ru(II) complexes
Azopyrimidines, Phosphine, Isomer, Structures, 599
High-spin clusters
Single molecule magnets, Quantum tunneling, Hysteresis, Hall-effect magnetometry, 1717
High-spin
Iron(III) complexes, Unsaturated macrocyclic ligand, ESR, Mössbauer, Powder XRD, Cyclic voltammetry, 2019
High-spin molecule
Magnetism, Carbene, Nitroxide, Phenyleneethynylene, Polymer, 1475
High spin molecules
Nitrenes, Quartet state, Heterospin exchange, Zero-field splitting, 1647
High-spin polymer
Conjugated polymer, Polyradical, Phenoxyl, Poly(aryleneethynylene), Anthracene, 1291
High-spin polymer
Polyradical, Electrical conductivity, Polythiophene, π-Conjugated polymer, 1157
Histidyl-alanine
Nickel-dipeptide complexes, Glycyl-alanine, Glycyl-lysine, Histidyl-lysine, β-Alanyl-alanine, β-Alanyl-lysine, 615
Histidyl-lysine
Nickel-dipeptide complexes, Glycyl-alanine, Glycyl-lysine, Histidyl-alanine, β-Alanyl-alanine, β-Alanyl-lysine, 615
^{1}H NMR
Cobalt(III) complexes, Carbohydrate cobalt complexes, Circular dichroism, Galactose and arabinose complexes, Stereoselective reactions, Sugar complexes, 2223

H_2O_2 disproportionation
Dimeric iron(III) complexes, Salicylaldimine ligands, 515
Homoazacalixarenes
Uranyl ion, Calixarenes, Zwitterion, Crystal structures, 3183
Homogeneous catalysis
Platinum complexes, Carbonylation reactions, Allylic substitution, Oxidative addition, 151
Honeycomb layer
Manganese(II), Chloranilic acid, 2,2′:6′,2″-Terpyridine, 2,2′-Bipyrimidine, Magnetism, 1417
Host–guest complexes
Hexaaza macrocyclic ligands, Stability constants, Hydrogen bonding, 2457
Host/guest
Volume, Ionic radius, *p-tert*-Butylcalix[4]arene tetra-acetamide, X-ray, Pseudo-cavity, 1897
HPLC
Nickel(II), α-Amineoxime, Ligand-exchange, Kinetics, 2505
HPLC
Nickel(II), α-Amineoxime, DL-meso, Isomerization, Racemization, 431
Hybrid density functional theory methods
Effective exchange integrals, Metal–acetate complex, Instability value, 1189
Hybrid DFT method
Molecular magnetism, Effective exchange integral, Ab initio method, Density functional method, 1235
Hybrid-DFT
Superexchange interaction, Metal oxides, Effective exchange integrals, 1177
Hybrid Group 12, 14, 15 metals–Mo (W) cluster compound
Spectral characterization, Structural elucidation, Synthesis design, Third-order nonlinear optical property, 2339
Hybrid ligands
Amino acids, Phosphines, Phosphinophenol ethers, Phosphorus heterocycles, 3321
Hybrid ligands
Binuclear complexes, Copper, Silver, Palladium, 627
Hydride
Gallium, Thiolate, 2425
Hydroformylation
Ruthenium, Carbonyl, Clusters, Diphosphine, 2771
Hydrogen-bond
cis, *trans*, Supramolecular, Diradical, EPR spectroscopy, 1643
Hydrogen bonding
Crown ethers, Uranyl bis(β-diketonates), X-ray structures, Second sphere coordination compounds, 2145
Hydrogen bonding
Crystal structure, Chain complex, Manganese complex, Carboxylato complex, Antiferromagnetic coupling, 1947
Hydrogen bonding
Exchange interaction, *tert*-Butylnitroxides, Antiferromagnetism, 1465
Hydrogen bonding
Hexaaza macrocyclic ligands, Stability constants, Host–guest complexes, 2457
Hydrogen bond
Molecule-based magnetism, Nitronyl nitroxide, Purine, Magnetic interaction, 1151
Hydrogen bond
Pyrazolylborate, Crystal structures, Metal complexes, 291
Hydrogen bonds
Coordination polymers, Oxalate, 2,2-Dipyridylamine, Cobalt, Nickel, 2445
Hydrogen bonds
Pyrazole, EPR spectroscopy, Magnetic interactions, Nitroxide, 1563
Hydrogen bond
Transition metal, Crown ether, 12-Crown-4, 2979
Hydrogen peroxide
Dinuclear manganese(III) complexes, Molecular structure, Schiff base ligands, Catalase-like function, 191
1,5-Hydrogen shift
N-(2-Thienylmethylidene)benzylamine, Diironhexacarbonyl complexes, *endo* Cyclometalation, *exo* Cyclometalation, 1,3-Hydrogen shift, 353
1,3-Hydrogen shift
N-(2-Thienylmethylidene)benzylamine, Diironhexacarbonyl complexes, *endo* Cyclometalation, *exo* Cyclometalation, 1,5-Hydrogen shift, 353
Hydrophosphonylation
Phospho-transfer, Zinc complexes, Catalysis, X-ray crystallography, 2151
Hydrothermal
Manganese, Co-ordination polymer, 2293
Hydrothermal synthesis
Coordination polymer, Crystal structures, Zigzag chain, 2477
α-Hydroxycarboxylato ligands
Mixed-ligand coordination polymers, 4,4′-Bipyridine ligand, Copper(II) complexes, Crystal structures, Supramolecular arrays, 899
Hyperfine coupling
Single-component organic ferrimagnet, Nitronyl nitroxide, Nitroxide, Solution ESR, Triradical, 1397
Hyperfine field
μSR, Dimensionality, Magnetic structure, Layer-structured copper compound, Contact shift, 1185
Hysteresis
Magnetic property, Matrix, Heterospin system, Photolysis, Carbene, $Cu(hfac)_2$, 1387
Hysteresis
Single-molecule magnet, $[Mn_{12}]^-$ complex anion, Quantum tunneling of magnetization, ac and dc magnetic susceptibility, Metallocene cation, 1529
Hysteresis
Single molecule magnets, High-spin clusters, Quantum tunneling, Hall-effect magnetometry, 1717
I_2Cl_6
Seven-coordinate complexes, Molybdenum(II), Tungsten(II), Acetonitrile, 2559
Imidazole
Copper(II) complexes, Oligopeptides, Potentiometry, EPR, 937
Imidazole derivatives
Transition metal complexes, Crystal structures, Spectra, Stability constants, 3307
Imides
Niobium, Tantalum, Amides, X-ray structures, Catalysts, 2405
Imido complexes
Molybdenum complexes, Metathesis, Sulfinyl amines, 379
Imido
Tantalum, Niobium, Tantalum nitride, CVD, Pyrazolato, 805
Imino nitroxides
Ferromagnetic interactions, Metal complexes, Magnetic properties, 1621
Iminophosphines
Chelate complexes, Pentafluorophenyl palladium derivatives, Crystal structures, 571
Immobilization
Ethylenesulfide, Sol–gel process, Calorimetric titration, Thermodynamic data, 929
Indium(III) bromide
Adducts, Crystal structures, Halides, 423
Infinite chain
Coordination polymer, Zig-zag, Monolayered, 4,4′-Bipyridine bridged, Supramolecule., 2105
Infrared
Cobalt(III), Cyano complexes, Facial and meridional isomerism, X-ray structure analysis, Raman, 2597
Infrared spectra
Cobalt(II) complexes, Schiff base ligands, Thermogravimetry, Synthesis, Tetradentate ligands, 261
Infrared spectra
N-Salicylidenearoylhydrazine copper(II) complexes, Pyrazole and pyrazolate ternary complexes, X-ray crystal and molecular structures, Magnetic properties, 2787
Infrared spectroscopy
Quinolinic acid, Aluminum, ^{27}Al NMR spectroscopy, Ligand–metal complexes, Solutions, 1983
Instability value
Hybrid density functional theory methods, Effective exchange integrals, Metal–acetate complex, 1189
Insulator–metal transition
Molecular oxygen, Electronic structure, Antiferromagnetic state, Charge density, Spin density, 1381
Insulin
Chromium(III), Chromodulin, Glucose tolerence factor, 1

Interaction of iron carbonyls with Lewis bases
Iron carbonyls, Iron carbonyl radical anions, Chain-radical mechanisms, One-electron redox-initiation, 2765
$\pi-\pi$ Interactions
Crystal structures, Silver complexes, Triazine ligands, Polydentate ligands, 2037
Intercalative mode
Tetrapyrido[3,2-a:2′,3′-c:3″,2″-h:2‴,3‴-j]-phenazine, Co(III), Calf thymus DNA, Plasmid DNA, Spectra, 501
Interfacial oxidation
Decamethylferrocene, Cyanometallate, Molecular magnets, 2467
Interlocked structure
Magnetic pole reversal, Thermal hysteresis, Molecule-based magnets, 1761
Intermolecular exchange
Piano stool, Seven-coordinate, Bidentate, 3257
Interpenetration
Cyanide ligands, Cu(II) complexes, Aurophilic interactions, Pyrazine, Magnetic properties, 1247
Intramolecular magnetic interaction
ESR spectroscopy, Diarylethene, Photochromic reaction, 1391
Inverse sandwich
Bis(trimethylsilyl)amide, Lanthanide, Heterometallic, Divalent, 2483
Iodides
Dirhenium complexes, Phosphine complexes, Crystal structures, Metal–metal bonds, Edge-sharing bioctahedral complexes, 755
Ionic radius
Volume, *p-tert*-Butylcalix[4]arene tetraacetamide, X-ray, Pseudo-cavity, Host/guest, 1897
Iron carbonyl
Dithiolate, X-ray structures, Triphenylphosphine, 97
Iron carbonyl radical anions
Iron carbonyls, Interaction of iron carbonyls with Lewis bases, Chain-radical mechanisms, One-electron redox-initiation, 2765
Iron carbonyls
Interaction of iron carbonyls with Lewis bases, Iron carbonyl radical anions, Chain-radical mechanisms, One-electron redox-initiation, 2765
Iron clusters
EPR spectroscopy, Molecular clusters, Molecular magnets, 1441
Iron complexes
Crystal structures, Polypyrazolylborate complexes, Copper complexes, Cobalt complexes, Scorpionates, 2637
Iron–cyclam
Quinone-related species, 2-Aminophenol, 1,4,8,11-Tetraazacyclotetradecane, Macrocycle, X-ray structures, 493
Iron
2,11-Diaza[3.3](2,6)pyridinophane, Protonation, Complexation, X-ray structures, Cobalt, Nickel, 2705
Iron-dienes
Diene complexes, Cationic dienes, η^2-Dienes, Olefinic complexes, 467
Iron(II) and cobalt(II) imidazolates
Iron(II) pyrazolate, Mössbauer, Antiferromagnetism, Ferromagnetic ordering, Crystal structures, 1577
Iron(III) chemistry
Molecular-based magnetism, Clusters and aggregates, Copper(II) chemistry, Supramolecular interactions, 1687
Iron(III) complexes
High-spin, Unsaturated macrocyclic ligand, ESR, Mössbauer, Powder XRD, Cyclic voltammetry, 2019
Iron(III) oxide
Magnetic characterization, Nano-particles, Synthesis, 1489
Iron(II) nitrato complexes
N,N′-bis(2-pyridyl)urea complexes, Spectroscopic characterisation, Substituted urea complexes, X-ray crystal structures, 2203
Iron(II) pyrazolate
Iron(II) and cobalt(II) imidazolates, Mössbauer, Antiferromagnetism, Ferromagnetic ordering, Crystal structures, 1577
Iron(II)
Spin crossover, Thermal trapping, Reverse LIESST, Reverse LITH, Crystal structures, Mössbauer, 1699
Iron(II)
Tetrazole, Spin-crossover, Spin state trapping, Mössbauer, Relaxation, 1709
Iron(II) thioimidazolate
Weak ferromagnetism, ac-Susceptometry, Mössbauer spectroscopy, *g*-Factor alternation, 1243
Iron
Manganese, Molecular magnetic clusters, Specific heat, Tunnel splitting, 1451
Iron
Phosphonates, Complexes, Glyphosate, Methylphosphonic acid, Aminomethylphosphonic acid, 1821
Iron
Polyimidazole, Tripodal ligands, Superoxide scavenger, Manganese, 223
Iron
2-Pyridineformamide, 3-Piperidylthiosemicarbazone, Cobalt, Copper, Zinc, Crystal structures, 3265
Iron Schiff base complexes
Nitrite, Nitric oxide, Acetonitrile, 623
Iron
Selenosulfonato, Carbonyl, Selenium, Crystal structure, 2393
IR
Schiff base, Copper(II) complexes, Adduct, Controlling-effect, Crystal structure, CV, 657
IR spectra
Copper(II) azide complexes, Pyridine and 4-ethylpyridine, X-ray structures, Electronic spectra, Magnetic measurements, 2971
IR spectra, Crystal structures
Cyano-bridged, Polynuclear complexes, 607
IR spectrum
Triammonium trisulfimide, Crystallization, Thermal analysis, Crystal structures, NMR spectrum, 2439
Isodiazene complexes
Crystal structures, Amide complexes, N–N bond cleavage, 119
Isomer
Azopyrimidines, High potential Ru(II) complexes, Phosphine, Structures, 599
Isomerisation
Diamines, Nickel(II) complexes, Crystal structures, Thermochromism, 2073
Isomerism
ESR, Copper(II) complexes, Glycyl-L-serine, L-Seryl-glycine, Formation constants, Coordination modes, 995
Isomerization
Nickel(II), α-Amineoxime, HPLC, DL-meso, Racemization, 431
Isomers
Actinides, Dioxouranium(VI) bromides, Uranyl bromides, Triphenylarsine oxide, 3295
Isomers
Macrocycles, Cyclohexylcyclam, 1,4,8,11-Tetraazacyclotetradecane, Nickel(II) complexes, 409
Isomers
Naphthylazoimidazoles, Ruthenium(II) complexes, Electrochemistry, X-ray structure, 905
Isothiocyanate complexes
Dirhenium complexes, Metal–metal multiple bonds, Crystal structures, Dithioether complexes, Solvates, 783
Isothiocyanato complexes
1,4,8,11-Tetraazacyclotetradecane, β/α-Ni(*C-meso/rac*-1,7-CTH)$(ClO_4)_2$, Aquo complexes, Spectra, X-ray structures, 3149
Isoxazolidines
Complexes, X-ray data, NMR data, 957

Jahn–Teller distortion
Manganese(III) complex, Magnetic susceptibility, Spectroscopy, X-ray crystallography, 2195

Keggin anion
Crystal structures, Heteropolyoxometalates, Monocapped, 2117
β-Ketoimine
Schiff base, Copper, X-ray determination, Thermolysis, Volatility, 2589
Kinetics
Catalytic hydrolysis, Carboxyester, Zinc(II) complexes, Phenanthroline, Metalloenzyme, 91
Kinetics
Equilibrium, Nickel(II), Copper(II), Cryptand, 477

Kinetics
Me$_2$octaen, Polyamines, Copper(II), Equilibria, Stopped-flow, 1953
Kinetics
Nickel(II), α-Amineoxime, Ligand-exchange, HPLC, 2505
Kinetics
Polyazamacrocycles, Phosphinic acids, Cyclen and cyclam derivatives, Copper(II) complexes, Potentiometry, Stability constants, 47
Kinetics
Stability, Equilibrium constants, Macrocycle, Copper, 297
Kinetics
Stability, Macrocycle, Copper, Dinuclear complexes, 75

Lability of Pd–N bonds
Cyclopalladation, Ferrocenyl Schiff bases, Metallation, 987
Lamellar structures
Zigzag chains, Heterocyclic ligands, Silver(I) complexes, 3165
Lanthanide
Bis(trimethylsilyl)amide, Inverse sandwich, Heterometallic, Divalent, 2483
Lanthanide(III) complexes
Bis(pyrazolyl)borate, Tris(pyrazolyl)-borate, 2045
Lanthanide ion
Aminoxyl radical, Analytical model, Ligand field effect, f Element, Uranium, 1593
Lanthanide
Phosphine oxide, X-ray structure, 2055
Lanthanide
Synthesis, Crystal structures, Reactivity, Aryloxide, Chloride, 3201
Lanthanide–trifluoroacetate
2-Azacyclononanone, Synthesis, Structures, 2651
Lanthanum
Fluorides, X-ray structures, NMR spectroscopy, Titanium, Lutidine, 1967
Lanthanum
Scandium, Yttrium, NMR spectroscopy, X-ray structures, 2711
Large-spin clusters
Manganese clusters, One-dimensional magnet, Heat capacity, Short-range order, 1607
Layered magnets
Electron ligands, Long range magnetic ordering, Copper(II)/cobalt(II) dicarboxylate, 1677
Layer-structured copper compound
μSR, Dimensionality, Magnetic structure, Hyperfine field, Contact shift, 1185
Lead(II)
Porphyrin, Optical limiter, 3219
Leather
Extended X-ray absorption fine structure, Chromium(III), Tanning, 461
Lewis acid
Rhenium(I) complexes, Group 7 metals, NMR, 2371
Ligand basicity
Gaseous metal complexes, Solvation, Thermodynamic cycle, Cobalt(II)-chloride, 4-Methyl-pyridine, 387
Ligand-exchange
Nickel(II), α-Amineoxime, HPLC, Kinetics, 2505
Ligand
Ferromagnetic interaction, Supramolecule, Channel, Nitroxide, Free radical, 1557
Ligand field effect
Lanthanide ion, Aminoxyl radical, Analytical model, f Element, Uranium, 1593
Ligand–metal complexes
Quinolinic acid, Aluminum, Infrared spectroscopy, ^{27}Al NMR spectroscopy, Solutions, 1983
Ligands
Tetradentate chelate, Pyrazolyl–phenol, Spectroelectrochemical, 3231
Light induced thermal hysteresis
$[Fe(ptz)_6](BF_4)_2$, Spin-transition solid, 1599
Linear chains
Antiferromagnet, Copper(II), 2-Methylpyrazine, 1317
Linear oligoazines
Ruthenium complexes, Cyclic voltammetry, Density functional theory, 507
Linear solvation energy relationship
Chirality, Circular dichroism, Nitroxide radicals, 1633
Linkage isomers
Ru complexes, Amide ligands, 1815
Li_2O_2 cycle
Tetraorganodichalcogenoimidodiphosphinates, Dimeric associations, 1101
Liquid–liquid extraction
Tripodal ionophores, Syntheses, Cation transport, 3281
Lithium
Zinc, Cadmium, Mercury, Diazabutadiene, 823
Long range magnetic ordering
Layered magnets, Electron ligands, Copper(II)/cobalt(II) dicarboxylate, 1677
Low temperature electronic spectra
Chromate complexes, Zinc(II) complexes, 2,2′-Bipyridine, Crystal structures, Gaussian analysis, Triplet states elucidation in the CrO_4^{2-} ion, 2063
Luminescence
Rare earth complexes, Dipicolinic acid, Crystal structures, 2385
Luminescence
Terbium(III) aryloxide complexes, X-ray crystal structures, Aryloxide, 277
Lutidine
Fluorides, X-ray structures, NMR spectroscopy, Lanthanum, Titanium, 1967

Macrocycle complexes
Barium, Crystal structures, NMR, ES MS, 2945
Macrocycle
Crystal structures, Nickel(II) complexes, Organic ligands, Chain complexes, 57
Macrocycle
Iron–cyclam, Quinone-related species, 2-Aminophenol, 1,4,8,11-Tetraazacyclotetradecane, X-ray structures, 493
Macrocycle
Kinetics, Stability, Copper, Dinuclear complexes, 75
Macrocycle
Pendant arm, Metal complexes, Crystal structures, 3091
Macrocycles
Cyclohexylcyclam, 1,4,8,11-Tetraazacyclotetradecane, Isomers, Nickel(II) complexes, 409
Macrocycles
Synthesis, X-ray diffraction, Phase transition, Mössbauer spectroscopy, 2721
Macrocycle
Stability, Equilibrium constants, Copper, Kinetics, 297
Macrocyclic complexes
Template synthesis, Condensation reactions, 455
Macrocyclic compound
Copper(II)–nickel(II) complexes, Crystal structures, Magnetism, 923
Macrocyclic ligands
Calcium complexes, Strontium complexes, 2,6-Diacetylpyridine, 1,2-Diaminopropane, 3143
Macrocyclic ligands
Crown compounds, Copper, S ligands, 2517
Macrocyclic ligands
Crystal structures, Nickel(II) complexes, Bidentate ligands, 1,2-Diaminoethane folding, Thermodynamics, 307
Macrocyclic nickel(II) complexes
Structures, Ethylenediamine, Oxalate, Magnetic property, 313
Macrocyclic Ni(II) complexes
Dibenzotetraaza[14]annulenes, Peripheral functionalization, Pendant substituents, 143
Macrocyclic
Silver(I) complexes, Syntheses, Chain structures, Helical chains, 2619
Magnesium phthalocyanine
Metallophthalocyanines, Crystal structures, Stability, Dimeric structures, 4 + 1 Coordination, 2901
Magnetic characterisation
Ferromagnetic ordering, Oxine complexes, Transition metals, 1499
Magnetic characterization
Iron(III) oxide, Nano-particles, Synthesis, 1489
Magnetic characterization
Single-molecule magnets, Crystal structures, 1279
Magnetic circular dichroism
Prussian Blue, Electronic structure, Charge transfer, Optical, Ferrimagnet, 1741

Magnetic interaction
Molecule-based magnetism, Hydrogen bond, Nitronyl nitroxide, Purine, 1151
Magnetic interactions
Pyrazole, Hydrogen bonds, EPR spectroscopy, Nitroxide, 1563
Magnetic local structures
Spin-crossover complexes, Moisture-sensitive transition, Crystal water, Mobility of D_2O, Solid-state high-resolution deuterium NMR, 1263
Magnetic measurements
Copper(II) azide complexes, Pyridine and 4-ethylpyridine, X-ray structures, Electronic spectra, IR spectra, 2971
magnetic moments
Photo-induced magnetic structures, Prussian Blue analogue, 1347
Magnetic order
Coordination polymer, Nickel(II), Cobalt(II), Dicyanamide, Crystal structures, 1129
Magnetic ordering
Manganese complexes, Molecular magnets, 1521
Magnetic ordering
Molecule-based systems, 1723
Magnetic order
Spin ladder, Molecular magnet, Specific heat, 1447
Magnetic phase transition
Organic ferromagnet, Antiferromagnet, Ferromagnetic interaction, Free radical, 1545
Magnetic phase transitions
Ferromagnetic, Organic radicals, 5-Carboxy-2-thienyl nitronyl nitroxide, 1285
Magnetic phase transitions
Organic superconductors, Superconducting phase transitions, π–d interaction, Antiferromagnetic molecular superconductor, Antiferromagnetic molecular metal, 1587
Magnetic pole reversal
Thermal hysteresis, Molecule-based magnets, Interlocked structure, 1761
Magnetic properties
Azide, Copper(II) compound, Crystal structure, Terephthalate, 681
Magnetic properties
Binuclear copper(II) complex, Oxalato-bridged, Crystal structures, ESR, 2113
Magnetic properties
π-Conjugated radical, Triplet, Organic radical, Metal complexes, Crystal structures, 1329
Magnetic properties
Controlled potential electrolysis, $[Mn_4O_3]$ complexes, 1273
Magnetic properties
Copper(II) complexes, Nickel(II) complexes, Cyano-bridged complexes, Crystal structures, 3301
Magnetic properties
Crystal structures, Copper complexes, 1097
Magnetic properties
Crystal structures, Copper(II) complexes, Triethanolamine, 4,4′-Bipyridine, 3033
Magnetic properties
Crystal structures, Nickel(II) complexes, Thiocyanato bridge complexes, 1D polymer, 651
Magnetic properties
Cyanide ligands, Cu(II) complexes, Interpenetration, Aurophilic interactions, Pyrazine, 1247
Magnetic properties
Diiron(III) complexes, Crystal structures, 669
Magnetic properties
Diruthenium compounds, Metal–metal bonds, Amidate complexes, Multiple bonds, Ruthenium complexes, 2537
Magnetic properties
Ferromagnetic interactions, Metal complexes, Imino nitroxides, 1621
Magnetic properties
Grids, Clusters, Self assembly, Supramolecular chemistry, Structures, 1359
Magnetic properties
Molecule-based magnets, High coercivity, Mössbauer spectroscopy, 1431
Magnetic properties
Nitroxide, Organic ferromagnets, Specific heat, 1513
Magnetic properties
N-Salicylidenearoylhydrazine copper(II) complexes, Pyrazole and pyrazolate ternary complexes, X-ray crystal and molecular structures, Infrared spectra, 2787
Magnetic properties
Organic radicals, Molecular bistability, Coordination polymer, 1517
Magnetic properties
Polynuclear transition-metal complexes, Density functional calculations, Magneto-structural correlations, 1323
Magnetic properties
Trinuclear copper(II) complexes, Crystal structures, 675
Magnetic property
Anthracene, Stable radical, TEMPO radical, Photo-functionality, $Mn(hfac)_2$ complex, 1335
Magnetic property
Macrocyclic nickel(II) complexes, Structures, Ethylenediamine, Oxalate, 313
Magnetic property
Matrix, Heterospin system, Photolysis, Carbene, $Cu(hfac)_2$, Hysteresis, 1387
Magnetic Prussian Blues
Molecular magnetism materials, Exchange interaction, Ferromagnetic interaction, Antiferromagnetic interaction, Spin cross over, Ferrimagnetic chains, 1115
Magnetic refrigeration
Quantum coherence, Quantum tunneling, Quantum computer, 1751
Magnetic relaxation
Manganese, Molecular magnetic clusters, Specific heat, 1459
Magnetic structure
μSR, Dimensionality, Layer-structured copper compound, Hyperfine field, Contact shift, 1185
Magnetic susceptibility
Charged biradical, Nitronyl nitroxide, Organic salt ferrimagnet, Phenoxide, ESR spectra, 1403
Magnetic susceptibility
Crystal structures, Chelate substitution, Dipivaloylmethane, Picolinic acid, Tetranuclear Mn cluster, 1785
Magnetic susceptibility
Manganese(III) complex, Jahn–Teller distortion, Spectroscopy, X-ray crystallography, 2195
Magnetic susceptibility
Nickel(II) ion, One-dimensional structure, Quinoline, TCNQ, 1551
Magnetism
Coordination polymers, Rectangular lattice, Copper(II), 1411
Magnetism
Crystal structures, Cobalt complexes, Acetylacetone complexes, 1255
Magnetism
Crystal structures, Dinuclear complexes, Reinecke's anion, Thiocyanato-bridged complexes, 2033
Magnetism
Exchange interaction, Copper(II) complexes, Nitronyl nitroxide, Pyrimidine, Nitronyl-nitroxide-substituted pyrimidine, 1663
Magnetism
High-spin molecule, Carbene, Nitroxide, Phenyleneethynylene, Polymer, 1475
Magnetism
Macrocyclic compound, Copper(II)–nickel(II) complexes, Crystal structures, 923
Magnetism
Manganese(II), Chloranilic acid, 2,2′:6′,2″-Terpyridine, 2,2′-Bipyrimidine, Honeycomb layer, 1417
Magnetism
Organic–inorganic composite material, Exchange interaction, Spin–spin interaction, $Mn(hfac)_2$, Nitroxide, 1653
Magnetism
Verdazyl radical, Tetracyanoquinodimethanide, Conductivity, Semiconductor, Crystal structures, 1537
Magnetization tunneling
Nanomagnet, Single-molecule magnet, Superparamagnet, 1479
Magnetization tunneling
Nanomagnets, Single-molecule magnets, 1139
Magnetochemistry
Cyano-bridged complexes, One-dimensional chain, Crystal structures, Betaine, 591

Magneto-structural correlations
Molecular magnets, Single crystals, Copper(II), Cobalt(II), Nitroxide, 1207
Magneto-structural correlations
Polynuclear transition-metal complexes, Density functional calculations, Magnetic properties, 1323
Main group
Transition metals, Oxoanions, Bonding, Density-functional theory, 2269
Maleonitrile derivative
Porphyrazine, Crown ether, Alkali metal extraction, Phthalocyanines, 269
Manganese catalase
Binuclear Mn(III) complexes, Mimic, 2285
Manganese clusters
Large-spin clusters, One-dimensional magnet, Heat capacity, Short-range order, 1607
Manganese complex
Crystal structure, Chain complex, Carboxylato complex, Antiferromagnetic coupling, Hydrogen bonding, 1947
Manganese complexes
Magnetic ordering, Molecular magnets, 1521
Manganese complexes
Schiff bases, Photolysis, Dioxygen, Oxo bridges, 711
Manganese compounds
Molecular magnets, Crystal structure, Coordination polymer, Dicyanamide, Pyrazine, 1423
Manganese-containing complexes
Synthesis, Characterization, Crystal structures, SOD-like activity, 2813
Manganese
Crystal structure, High nuclearity cluster, Single-molecule magnets, 1365
Manganese
Ferromagnetism, Nitronyl nitroxide, Silver–dicyanide, 1371
Manganese
Hydrothermal, Co-ordination polymer, 2293
Manganese(II)
Chloranilic acid, 2,2′:6′,2″-Terpyridine, 2,2′-Bipyrimidine, Honeycomb layer, Magnetism, 1417
Manganese(II)
Ferrimagnetic complexes, Nitroxide triradical, Synthesis, 1495
Manganese(III) complex
Jahn–Teller distortion, Magnetic susceptibility, Spectroscopy, X-ray crystallography, 2195
Manganese
Iron, Molecular magnetic clusters, Specific heat, Tunnel splitting, 1451
Manganese
Magnetic relaxation, Molecular magnetic clusters, Specific heat, 1459
Manganese(0) pentacarbonyl compounds
Carbene compounds, Thiazolylmanganese complexes, 2,3-Dihydro-thiazol-2-ylidenemanganese complexes, 1089
Manganese
Polyimidazole, Tripodal ligands, Superoxide scavenger, Iron, 223
Manganese
Tetranuclear complexes, 1,2-Bis(-bipyridine-6′-yl)ethane, Single molecule magnets, Photosystem II, 1269
Matrix
Magnetic property, Heterospin system, Photolysis, Carbene, $Cu(hfac)_2$, Hysteresis, 1387
McConnell mechanism
Molecular ferromagnet, Spin density, Exchange, Ab-initio calculations, Polarized neutron diffraction, 1771
Me_2octaen
Polyamines, Copper(II), Equilibria, Kinetics, Stopped-flow, 1953
Mercury complexes
Crystal structures, Tetraphosphine complexes, Diphosphine complexes, Bimetallic complexes, Tetrahedral coordination, 727
Mercury(II) complexes
Triphenylphosphine, Pyrimidine-2-thione, Crystal structures, 2179
Mercury
Zinc, Cadmium, Lithium, Diazabutadiene, 823
DL-meso
Nickel(II), α-Amineoxime, HPLC, Isomerization, Racemization, 431
Mesoscopic magnetism
Nano-graphite, Disordered magnetism, Spin-glass, π-Electron system, Edge-state, 1311
Metal–acetate complex
Hybrid density functional theory methods, Effective exchange integrals, Instability value, 1189
Metal complexes
π-Conjugated radical, Triplet, Organic radical, Magnetic properties, Crystal structures, 1329
Metal complexes
Ferromagnetic interactions, Imino nitroxides, Magnetic properties, 1621
Metal complexes
Macrocycle, Pendant arm, Crystal structures, 3091
Metal complexes
Pyrazolylborate, Crystal structures, Hydrogen bond, 291
Metal complexes
Structure–property relationships, Dinuclear ligands, Building blocks, Biradicals, 1627
Metal ion promoted hydrolysis
Acid promoted hydrolysis, Chromium(III) complexes, Resonance interactions, 2917
Metallation
Cyclopalladation, Ferrocenyl Schiff bases, Lability of Pd–N bonds, 987
Metallocene cation
Single-molecule magnet, $[Mn_{12}]^-$ complex anion, Hysteresis, Quantum tunneling of magnetization, ac and dc magnetic susceptibility, 1529
Metallocyclodextrins
Chirality, 2,2′-Bipyridine, Palladium, Silver, 663
Metalloenzyme
Kinetics, Catalytic hydrolysis, Carboxyester, Zinc(II) complexes, Phenanthroline, 91
Metallophthalocyanines
Magnesium phthalocyanine, Crystal structures, Stability, Dimeric structures, 4 + 1 Coordination, 2901
Metal–metal bonds
Dirhenium complexes, Phosphine complexes, Iodides, Crystal structures, Edge-sharing bioctahedral complexes, 755
Metal–metal bonds
Diruthenium compounds, Amidate complexes, Multiple bonds, Ruthenium complexes, Magnetic properties, 2537
Metal–metal bonds
Formamidinate ligands, Dirhenium complexes, 767
Metal–metal interactions
Trinuclear complexes, Cyano-bridged complexes, Octacyanomolybdate(IV, V), Platinum(II, IV), Crystal structures, 685
Metal–metal multiple bonds
Dirhenium complexes, Crystal structures, Isothiocyanate complexes, Dithioether complexes, Solvates, 783
Metal-organic compound
Molecular magnetism, Effective exchange interaction, Nanoporous cavity, Adsorption, Spin arrangement, 1197
Metal oxides
Hybrid-DFT, Superexchange interaction, Effective exchange integrals, 1177
Metal thiolate
Bis(pyrazolyl)borate, Copper(I) complexes, Thiomolybdate, Molybdenum complexes, Crystal structure, 179
Metathesis
Molybdenum complexes, Imido complexes, Sulfinyl amines, 379
Methanol/water solvent
Aminohydroxamic acids, Copper(II) complexes, Stability constants, Circular dichroism, ESI-MS, 2697
1-Methoxy-2-propanol
Oxovanadium(V)alkoxide, ^{51}V NMR, Vanadium–magnesium heterometallic alkoxide, Sol–gel, Vanadium–magnesium oxide catalyst, 2261
5-Methyl-2-(2,3-diaza-4-(5-methyl-2-thienyl)-buta-1,3-dienyl)thiophene
Silver(I) complexes, Nitrate salt, Perchlorate salt, Crystal structures, Counter ion effect, 3275
Methylmercury(II) complex
Phenylmercury(II) complex, Rhodanine, Crystal structure, ^1H, ^{13}C and ^{199}Hg NMR, 1845

Methylphosphonic acid
Phosphonates, Iron, Complexes, Glyphosate, Aminomethylphosphonic acid, 1821
2-Methylpyrazine
Antiferromagnet, Linear chains, Copper(II), 1317
4-Methyl-pyridine
Gaseous metal complexes, Solvation, Ligand basicity, Thermodynamic cycle, Cobalt(II)chloride, 387
Methyl 3-pyridyl-*N*-carbamate
Copper(II) propionate, Crystal structures, Bond valences, 1933
Methylpyruvate Schiff base
Copper(II) complexes, Schiff base, S-Methyldithiocarbazate, Square-planar copper(II) complexes, 1037
2-Methyltetrahydrofuran
$Mn(hfac)_2$, bis(Aminoxyl), DFT calculations, 1669
Mimic
Binuclear Mn(III) complexes, Manganese catalase, 2285
Mixed-ligand complexes
Copper(II) complexes, Five-co-ordinate complexes, Aminohydroxamic acids, EPR spectra, VIS spectra, 2627
Mixed ligand complexes
Trivalent ruthenium, Deprotonated 2-carbamoylpyridine derivatives, 2027
Mixed-ligand coordination polymers
α-Hydroxycarboxylato ligands, 4,4′-Bipyridine ligand, Copper(II) complexes, Crystal structures, Supramolecular arrays, 899
Mixed P/O donor ligands
Silver(I) complexes, Crystal structures, NMR spectroscopy, 2741
$[Mn_{12}]^-$ complex anion
Single-molecule magnet, Hysteresis, Quantum tunneling of magnetization, ac and dc magnetic susceptibility, Metallocene cation, 1529
$Mn(hfac)_2$
bis(Aminoxyl), 2-Methyltetrahydrofuran, DFT calculations, 1669
$Mn(hfac)_2$ complex
Anthracene, Stable radical, TEMPO radical, Magnetic property, Photo-functionality, 1335
$Mn(hfac)_2$
Magnetism, Organic–inorganic composite material, Exchange interaction, Spin–spin interaction, Nitroxide, 1653
Mn_{12}
Nanomagnet, Quantum tunneling of magnetization, 1745
Mn/O clusters
m-Phenylenedipropionate, Dicarboxylate ligand, Acetate analogs, 1375
$[Mn_4O_3]$ complexes
Magnetic properties, Controlled potential electrolysis, 1273
Mobility of D_2O
Spin-crossover complexes, Magnetic local structures, Moisture-sensitive transition, Crystal water, Solid-state high-resolution deuterium NMR, 1263
MOCVD
Calcium, β-Diketonates, Adduct, X-ray structure, 1065
Moisture-sensitive transition
Spin-crossover complexes, Magnetic local structures, Crystal water, Mobility of D_2O, Solid-state high-resolution deuterium NMR, 1263
Molecular-based magnetism
Clusters and aggregates, Iron(III) chemistry, Copper(II) chemistry, Supramolecular interactions, 1687
Molecular bistability
Organic radicals, Magnetic properties, Coordination polymer, 1517
Molecular clusters
EPR spectroscopy, Iron clusters, Molecular magnets, 1441
Molecular complexes
Copper(II) complexes, Adenosine 5′-monophosphate, Cytidine 5′-monophosphate, Polyamines, 2305
Molecular conductors
Nickel bisdithiolenes, Crystal structures, Tetrathiafulvalene, 537
Molecular ferromagnet
Spin density, McConnell mechanism, Exchange, Ab-initio calculations, Polarized neutron diffraction, 1771
Molecular magnetic clusters
Iron, Manganese, Specific heat, Tunnel splitting, 1451
Molecular magnetic clusters
Magnetic relaxation, Manganese, Specific heat, 1459
Molecular magnetism
Cyanide clusters, Hexacyanometallates, Single-molecule magnet, 1727
Molecular magnetism
Effective exchange integral, Ab initio method, Density functional method, Hybrid DFT method, 1235
Molecular magnetism
Effective exchange interaction, Metal-organic compound, Nanoporous cavity, Adsorption, Spin arrangement, 1197
Molecular magnetism materials
Exchange interaction, Ferromagnetic interaction, Antiferromagnetic interaction, Spin cross over, Ferrimagnetic chains, Magnetic Prussian Blues, 1115
Molecular magnets
Compensated ferrimagnet, Monte Carlo study, 1525
Molecular magnets
Crystal structure, Coordination polymer, Manganese compounds, Dicyanamide, Pyrazine, 1423
Molecular magnets
EPR spectroscopy, Iron clusters, Molecular clusters, 1441
Molecular magnets
Interfacial oxidation, Decamethylferrocene, Cyanometallate, 2467
Molecular magnets
Magnetic ordering, Manganese complexes, 1521
Molecular magnets
Magneto-structural correlations, Single crystals, Copper(II), Cobalt(II), Nitroxide, 1207
Molecular magnets
Nickel(II), Cobalt(II), Nitroxide, Solid solutions, 1229
Molecular magnets
Nitronyl nitroxide radicals, Bimetallic oxalato complexes, Cyanide complexes, 1659
Molecular magnet
Spin ladder, Magnetic order, Specific heat, 1447
Molecular oxygen
Electronic structure, Insulator–metal transition, Antiferromagnetic state, Charge density, Spin density, 1381
Molecular structure
Dinuclear manganese(III) complexes, Schiff base ligands, Hydrogen peroxide, Catalase-like function, 191
Molecular structures
Aryldichalcogenide complexes, Synthesis, Electrochemistry, 3189
Molecular structures
Aryloxyborane derivatives, VT ^1H NMR spectroscopy, 1053
Molecular structures
Carbaboranylchlorophosphines, Gold complexes, Copper complexes, 3007
Molecular structures
Cobalt(II) complexes, Electrochemistry, 1885
Molecular structures
Diaminogermylenes, Diaminocarbene homologues, Diazagermoline-2-ylidene, Anellation influence, 2215
Molecular structures
2,6-Dipyrazol-1-ylpyridine complexes, Electronic structures, Donor ligands, 2829
Molecular structures
Molybdenum, Aminophosphine ligands, *cis* Isomers, 111
Molecule-based magnetism
Hydrogen bond, Nitronyl nitroxide, Purine, Magnetic interaction, 1151
Molecule-based magnets
Magnetic pole reversal, Thermal hysteresis, Interlocked structure, 1761
Molecule-based magnets
Magnetic properties, High coercivity, Mössbauer spectroscopy, 1431
Molecule-based magnets
Photoinduced magnetization, Prussian blue, Cluster glass, Tetracyanoethylene, 1435
Molecule-based systems
Magnetic ordering, 1723
Molybdenum
Aminophosphine ligands, *cis* Isomers, Molecular structures, 111

Molybdenum
Bis(pyrazol-1-yl)alkane, Tungsten, Tin, X-ray crystal structures, 3249
Molybdenum clusters
Tungsten clusters, Trinuclear complexes, Tungsten hydrides, Sulfides, Crystal structures, 527
Molybdenum complexes
Imido complexes, Metathesis, Sulfinyl amines, 379
Molybdenum complexes
Metal thiolate, Bis(pyrazolyl)borate, Copper(I) complexes, Thiomolybdate, Crystal structure, 179
Molybdenum
Crystal structures, Cobalt, Ruthenium, Cluster compound, 1107
Molybdenum
Cyclopentadienyl, Tungsten, Tin, X-ray crystal structure, 403
Molybdenum(II)
Seven-coordinate complexes, I_2Cl_6, Tungsten(II), Acetonitrile, 2559
Molybdenum
Multiple bonds, Polymers, Rhenium, Rhodium, 791
Molybdenum
Trispyrazolylborate, Arylamide ligands, Bowl-shaped molecules, 2997
Molybdenum(VI) compounds
Crystal structures, Dioxo, Tripodal ligand, 337
Mono- and dinuclear complexes
Pyrazole, Platinum(II), N-ligands, P-ligands, X-ray crystal structures, 2869
Mono- and trinuclear complexes
Fe(0), Monohydrazones derivatives, 215
Monocapped
Crystal structures, Heteropolyoxometalates, Keggin anion, 2117
Monohydrazones derivatives
Fe(0), Mono- and trinuclear complexes, 215
Monolayered
Coordination polymer, Zig-zag, Infinite chain, 4,4′-Bipyridine bridged, Supramolecule., 2105
Mononuclear versus dinuclear
Crystal structures, Syntheses, Zinc and cadmium complexes, 285
Monte Carlo study
Molecular magnets, Compensated ferrimagnet, 1525
Morpholine
Schiff base, Cobalt(III), NMR, Crystal structure, Pyrrolidine, Piperidine, 695
Mössbauer
Iron(III) complexes, High-spin, Unsaturated macrocyclic ligand, ESR, Powder XRD, Cyclic voltammetry, 2019
Mössbauer
Iron(II) pyrazolate, Iron(II) and cobalt(II) imidazolates, Antiferromagnetism, Ferromagnetic ordering, Crystal structures, 1577
Mössbauer
Iron(II), Spin crossover, Thermal trapping, Reverse LIESST, Reverse LITH, Crystal structures, 1699
Mössbauer
Iron(II), Tetrazole, Spin-crossover, Spin state trapping, Relaxation, 1709
Mössbauer
Orgaontin, Organosilicon, Thiophene, Pyrazole, X-ray, 1995
Mössbauer spectra
Nitroprusside, Rietveld method, Crystal structure, Powder diffraction, Pentacyanide, 165
Mössbauer spectroscopy
Iron(II) thioimidazolate, Weak ferromagnetism, ac-Susceptometry, *g*-Factor alternation, 1243
Mössbauer spectroscopy
Molecule-based magnets, Magnetic properties, High coercivity, 1431
Mössbauer spectroscopy
Synthesis, Macrocycles, X-ray diffraction, Phase transition, 2721
m-Phenylenedipropionate
Dicarboxylate ligand, Mn/O clusters, Acetate analogs, 1375
Multiple bonding
DFT study, Group 13 compounds, Nonclassical bonding, 2841
Multiple bonds
Diruthenium compounds, Metal–metal bonds, Amidate complexes, Ruthenium complexes, Magnetic properties, 2537
Multiple bonds
Molybdenum, Polymers, Rhenium, Rhodium, 791

Na(I) and Cu(II) complexes
Cu(II)–O and Na(I)–O bonds, Crystal structures, Salicylic acid and 5-sulfosalicylic acid ligands, Biological activity of copper complexes, 1079
Nano-graphite
Disordered magnetism, Spin-glass, π-Electron system, Edge-state, Mesoscopic magnetism, 1311
Nanomagnet
Quantum tunneling of magnetization, Mn_{12}, 1745
Nanomagnet
Single-molecule magnet, Magnetization tunneling, Superparamagnet, 1479
Nanomagnets
Magnetization tunneling, Single-molecule magnets, 1139
Nano-particles
Iron(III) oxide, Magnetic characterization, Synthesis, 1489
Nanoporous cavity
Molecular magnetism, Effective exchange interaction, Metal-organic compound, Adsorption, Spin arrangement, 1197
Naphthalocyanine
Raman spectroscopic characteristics, Phthalocyanine, Rare earth sandwich complexes, 557
Naphthylazoimidazoles
Isomers, Ruthenium(II) complexes, Electrochemistry, X-ray structure, 905
^{93}Nb NMR
Niobium peroxo complexes, 8-Quinolinol, Diperoxo complexes, Niobium, Heteroligands, 2647
N-donor ligands
Ruthenium(II) complexes, Triphenylphosphine, Electrochemical and spectroscopic studies, 2123
Neodymium
Schiff base, Samarium, Amide, Heptadentate, 373
α-*N* heterocyclic carboxylic acid
Ruthenium(II) complexes, X-ray structures, Electrochemistry, 3349
Nickel bisdithiolenes
Crystal structures, Molecular conductors, Tetrathiafulvalene, 537
Nickel complexes
Dinucleating ligands, Copper complexes, Crystal structures, Electrochemistry, 3039
Nickel complexes
Pyrazole, Crystal structures, 1029
Nickel
Coordination polymers, Oxalate, 2,2-Dipyridylamine, Cobalt, Hydrogen bonds, 2445
Nickel
Copper, Functional alkoxides, Carboxylates, Sol–gel, Heteronuclear, X-ray structures, 2163
Nickel
2,11-Diaza[3.3](2,6)pyridinophane, Protonation, Complexation, X-ray structures, Iron, Cobalt, 2705
Nickel-dipeptide complexes
Glycyl-alanine, Glycyl-lysine, Histidyl-alanine, Histidyl-lysine, β-Alanyl-alanine, β-Alanyl-lysine, 615
Nickel(II)
α-Amineoxime, HPLC, DL-meso, Isomerization, Racemization, 431
Nickel(II)
α-Amineoxime, Ligand-exchange, HPLC, Kinetics, 2505
Nickel(II) complex
Crystal structure, Tetraazamacrocycle, Cyclam, Electrochemistry, UV–Visible spectroscopy, 981
Nickel(II) complexes
Copper(II) complexes, Cyano-bridged complexes, Magnetic properties, Crystal structures, 3301
Nickel(II) complexes
Crystal structures, Di-*N*-acetamide tetraaza macrocycle, Copper(II) complexes, 2003
Nickel(II) complexes
Crystal structures, Macrocycle, Organic ligands, Chain complexes, 57
Nickel(II) complexes
Crystal structures, Macrocyclic ligands, Bidentate ligands, 1,2-Diaminoethane folding, Thermodynamics, 307

Nickel(II) complexes
Crystal structures, Magnetic properties, Thiocyanato bridge complexes, 1D polymer, 651
Nickel(II) complexes
Diamines, Crystal structures, Isomerisation, Thermochromism, 2073
Nickel(II) complexes
Macrocycles, Cyclohexylcyclam, 1,4,8,11-Tetraazacyclotetradecane, Isomers, 409
Nickel(II) complexes
Schiff bases, *S*-Methyldithiocarbazate, Di-2-pyridylketone Schiff base, Four- and six-coordinate nickel(II) complexes, 2431
Nickel(II) complexes
Triphenylphosphine, 1,2-Bis(diphenylphosphino)ethane, (1,1-Dithiolato)-nickel(II) complexes, Crystal structure, 395
Nickel(II)
Coordination polymer, Cobalt(II), Dicyanamide, Crystal structures, Magnetic order, 1129
$Nickel^{III/II}$ couple
Template synthesis, Tetraazamacrocyclic ligands, Bis(macrocyclic) complexes, Electrochemistry, 1837
Nickel(II) ion
Magnetic susceptibility, One-dimensional structure, Quinoline, TCNQ, 1551
Nickel(II)
Kinetics, Equilibrium, Copper(II), Cryptand, 477
Nickel(II)
Molecular magnets, Cobalt(II), Nitroxide, Solid solutions, 1229
Nickel
Schiff base ligands, Azide, Thiocyanate, Crystal structures, 135
Nickel
Zinc, Cadmium, Saccarinate, Bipyridine, 721
β/α-Ni(*C-meso*/*rac*-1,7-CTH)$(ClO_4)_2$
1,4,8,11-Tetraazacyclotetradecane, Aquo complexes, Isothiocyanato complexes, Spectra, X-ray structures, 3149
Ni(II) complexes
Amino acid Schiff base, Binuclear complexes, Tetraglycol aldehyde, Catalytic activity, Polymerization reaction, 281
Niobium
Niobium peroxo complexes, ^{93}Nb NMR, 8-Quinolinol, Diperoxo complexes, Heteroligands, 2647
Niobium peroxo complexes
^{93}Nb NMR, 8-Quinolinol, Diperoxo complexes, Niobium, Heteroligands, 2647
Niobium
Sulfide ligand, Dithiolene ligand, Trithiocarbonate ligand, 2279
Niobium
Tantalum, Amides, Imides, X-ray structures, Catalysts, 2405
Niobium
Tantalum, Tantalum nitride, CVD, Pyrazolato, Imido, 805
Nitrate salt
5-Methyl-2-(2,3-diaza-4-(5-methyl-2-thienyl)buta-1,3-dienyl)thiophene, Silver(I) complexes, Perchlorate salt, Crystal structures, Counter ion effect, 3275
Nitrates
2,2′-Dipyridyl(*N*-propenyl)amine, Copper, Zinc, Crystal structures, 2935
Nitrenes
High spin molecules, Quartet state, Heterospin exchange, Zero-field splitting, 1647
Nitric oxide
Nitrite, Iron Schiff base complexes, Acetonitrile, 623
Nitrilotriacetato
Crystal structures, Cobalt(III), Nta, Carbonato, Amino acids, 185
Nitrite
Nitric oxide, Iron Schiff base complexes, Acetonitrile, 623
Nitrogenase
FeMo-cofactor, EHMO calculations, 27
Nitrones
Chirality, Supramolecular chemistry, Crystal structures, 747
Nitronyl nitroxide
Charged biradical, Organic salt ferrimagnet, Phenoxide, ESR spectra, Magnetic susceptibility, 1403
Nitronyl nitroxide
Ferromagnetism, Silver–dicyanide, Manganese, 1371
Nitronyl nitroxide
Magnetism, Exchange interaction, Copper(II) complexes, Pyrimidine, Nitronyl-nitroxide-substituted pyrimidine, 1663
Nitronyl nitroxide
Molecule-based magnetism, Hydrogen bond, Purine, Magnetic interaction, 1151
Nitronyl nitroxide radicals
Bimetallic oxalato complexes, Cyanide complexes, Molecular magnets, 1659
Nitronyl nitroxide
Single-component organic ferrimagnet, Nitroxide, Solution ESR, Hyperfine coupling, Triradical, 1397
Nitronyl-nitroxide-substituted pyrimidine
Magnetism, Exchange interaction, Copper(II) complexes, Nitronyl nitroxide, Pyrimidine, 1663
4-(4-Nitrophenylazo)resorcinolato
Coordination polymers, Crystal structures, Potassium salt of magneson, Potassium complexes, 2415
Nitroprusside
Photomagnetism, Coordination chemistry, Bimetallic complexes, 1615
Nitroprusside
Rietveld method, Crystal structure, Powder diffraction, Mössbauer spectra, Pentacyanide, 165
Nitroxide
Copper(II), Dimers, Polymorphous modifications, 1215
Nitroxide
Ferromagnetic interaction, Supramolecule, Channel, Ligand, Free radical, 1557
Nitroxide
High-spin molecule, Magnetism, Carbene, Phenyleneethynylene, Polymer, 1475
Nitroxide
Magnetic properties, Organic ferromagnets, Specific heat, 1513
Nitroxide
Magnetism, Organic–inorganic composite material, Exchange interaction, Spin–spin interaction, $Mn(hfac)_2$, 1653
Nitroxide
Molecular magnets, Magneto-structural correlations, Single crystals, Copper(II), Cobalt(II), 1207
Nitroxide
Molecular magnets, Nickel(II), Cobalt(II), Solid solutions, 1229
Nitroxide
Pyrazole, Hydrogen bonds, EPR spectroscopy, Magnetic interactions, 1563
Nitroxide radicals
Chirality, Circular dichroism, Linear solvation energy relationship, 1633
Nitroxide
Single-component organic ferrimagnet, Nitronyl nitroxide, Solution ESR, Hyperfine coupling, Triradical, 1397
Nitroxide triradical
Ferrimagnetic complexes, Manganese(II), Synthesis, 1495
N ligands
Cobalt, Silanethiolates, S ligands, Crystal structures, 2567
N-ligands
Pyrazole, Mono- and dinuclear complexes, Platinum(II), P-ligands, X-ray crystal structures, 2869
NLO
Ferrocenes, Bimetallic complexes, Electrochemistry, 2083
NLO properties
Ruthenium(II) complexes, Polypyridine ligands, 2187
NMR data
Isoxazolidines, Complexes, X-ray data, 957
NMR
Dithiadiphosphetane, Heterocycles, X-ray crystal structures, 2577
NMR
2-Formylpyridinethiosemicarbazone, *E*–*Z* isomerization, Alkali and alkaline earth complexes, Raman, 3133
NMR
Heteroscorpionate tris(3-*R*-pyrazolyl)borate cobalt(II) complexes, Structure, 2551
NMR
Heteroscorpionate tris(3-*R*-pyrazolyl)-borate cobalt(II) complexes, Structures, 237
NMR
Macrocycle complexes, Barium, Crystal structures, ES MS, 2945

NMR
Organomercury, X-ray structures, 2885
NMR
Pamoic acid, Amide, Diphosphine, X-ray structures, 3355
NMR
Poly(3-Rpyrazolyl)borate cobalt(II) complexes, Structures, 2965
NMR
Rhenium(I) complexes, Lewis acid, Group 7 metals, 2371
NMR
Schiff base, Cobalt(III), Crystal structure, Morpholine, Pyrrolidine, Piperidine, 695
NMR spectroscopy
Fluorides, X-ray structures, Lanthanum, Titanium, Lutidine, 1967
NMR spectroscopy
Palladium, Fluorothiolate, Allyl, Crystal structures, 3119
NMR spectroscopy
Palladium, Platinum, Triphosphine complexes, Diphenyltin(IV) anions, X-ray structures, 855
NMR spectroscopy
Ruthenium(II)-bisbipyridine-diamine complexes, Dangling amine, Stereochemistry, Emission, 37
NMR spectroscopy
Scandium, Yttrium, Lanthanum, X-ray structures, 2711
NMR spectroscopy
Silver(I) complexes, Mixed P/O donor ligands, Crystal structures, 2741
NMR spectroscopy
Synthesis, Copper(I) complexes, Pseudohalides, Crystal structures, Dimethylpyrimidinethione, 849
NMR spectrum
Triammonium trisulfimide, Crystallization, Thermal analysis, IR spectrum, Crystal structures, 2439
N,*N*′-bis(2-pyridyl)urea complexes
Iron(II) nitrato complexes, Spectroscopic characterisation, Substituted urea complexes, X-ray crystal structures, 2203
N–N bond cleavage
Isodiazene complexes, Crystal structures, Amide complexes, 119
N,*N*′-Dimethylethylenediamine
Complex formation reaction, Amino acids, Dicarboxylic acids, Peptides, DNA constituents, 343
N,*N*′-substituted ethylenediamines
Bis(diphosphino)ethylenediamine derivatives, Disulfides and diselenides of bis(-phosphines), Crystal structures, 2421
Non-classical bonding
DFT study, Group 13 compounds, Multiple bonding, 2841
Non-Kekulé molecule
Cationic biradical, Stilbene, Triphenylamine, Spin-exchange interaction, 1147
N-Salicylidenearoylhydrazine copper(II) complexes
Pyrazole and pyrazolate ternary complexes, X-ray crystal and molecular structures, Magnetic properties, Infrared spectra, 2787
N-Salicylidene derivatives
Schiff base complexes, Cu(II) complexes, X-ray structures, 2877
N-Salicylidene derivatives
Theoretical ab initio calculations, Schiff base complexes, Cu(II) complexes, 2609
Nta
Nitrilotriacetato, Crystal structures, Cobalt(III), Carbonato, Amino acids, 185
N-(2-Thienylmethylidene)benzylamine
Diironhexacarbonyl complexes, *endo* Cyclometalation, *exo* Cyclometalation, 1,3-Hydrogen shift, 1,5-Hydrogen shift, 353

Octacyanomolybdate(IV, V)
Trinuclear complexes, Cyano-bridged complexes, Platinum(II, IV), Metal–metal interactions, Crystal structures, 685
Olefinic complexes
Diene complexes, Cationic dienes, η^2-Dienes, Iron-dienes, 467
O ligands
Zinc complexes, S ligands, Silanethiolates, Synthesis, Crystal structures, 949
Oligopeptides
Copper(II) complexes, Imidazole, Potentiometry, EPR, 937
One-dimensional antiferromagnet
Singlet ground state, Haldane gap, Spin, Charge, Copper oxides, 1735
One-dimensional chain
Cyano-bridged complexes, Crystal structures, Betaine, Magnetochemistry, 591
One-dimensional magnet
Large-spin clusters, Manganese clusters, Heat capacity, Short-range order, 1607
One-dimensional polymers
Rhodium(II) complexes, Trifluoroacetate, Dinuclear complexes, Crystal structures, 3073
One-dimensional structure
Nickel(II) ion, Magnetic susceptibility, Quinoline, TCNQ, 1551
One-electron redox-initiation
Iron carbonyls, Interaction of iron carbonyls with Lewis bases, Iron carbonyl radical anions, Chain-radical mechanisms, 2765
Optical limiter
Porphyrin, Lead(II), 3219
Optical
Magnetic circular dichroism, Prussian Blue, Electronic structure, Charge transfer, Ferrimagnet, 1741
Organic ferromagnetism
Transition temperature, Pressure, DAC, 1505
Organic ferromagnet
Magnetic phase transition, Antiferromagnet, Ferromagnetic interaction, Free radical, 1545
Organic ferromagnets
Nitroxide, Magnetic properties, Specific heat, 1513
Organic–inorganic composite material
Magnetism, Exchange interaction, Spin–spin interaction, $Mn(hfac)_2$, Nitroxide, 1653
Organic ligands
Crystal structures, Nickel(II) complexes, Macrocycle, Chain complexes, 57
Organic radical
π-Conjugated radical, Triplet, Magnetic properties, Metal complexes, Crystal structures, 1329
Organic radical ferromagnet
TEMPO, μSR, Critical phenomena, 1223
Organic radicals
Ferromagnetic, Magnetic phase transitions, 5-Carboxy-2-thienyl nitronyl nitroxide, 1285
Organic radicals
Magnetic properties, Molecular bistability, Coordination polymer, 1517
Organic salt ferrimagnet
Charged biradical, Nitronyl nitroxide, Phenoxide, ESR spectra, Magnetic susceptibility, 1403
Organic superconductors
Magnetic phase transitions, Superconducting phase transitions, π–d interaction, Antiferromagnetic molecular superconductor, Antiferromagnetic molecular metal, 1587
Organic weak-ferromagnetism
Transition temperature, Pressure, Dzyaloshinsky–Moriya interaction, 1509
Organomercury
X-ray structures, NMR, 2885
Organophosphonic acids
Polymeric crown ether assemblies, 3D hexagonal architecture, 2095
Organosilicon
Orgaontin, Thiophene, Pyrazole, X-ray, Mössbauer, 1995
Organotin(II) compounds
Terphenyl, Bulky ligands, Stannanediyls, 551
Orgaontin
Organosilicon, Thiophene, Pyrazole, X-ray, Mössbauer, 1995
Osmium dithiophosphates
X-ray crystal structures, Spectroscopic properties, 245
Outer-sphere complexes
Dioxomolybdenum(VI) bromide, Polyether adducts, 2781
Oxalate
Coordination polymers, 2,2-Dipyridylamine, Cobalt, Nickel, Hydrogen bonds, 2445
Oxalate
Macrocyclic nickel(II) complexes, Structures, Ethylenediamine, Magnetic property, 313
Oxalates
Oxidative degradation, Platinum, Palladium, 2495
Oxalato-bridged
Binuclear copper(II) complex, Crystal structures, ESR, Magnetic properties, 2113

Oxazolines
Electrochemical synthesis, Cobalt(II) complexes, Sulfonamide complexes, X-ray structures, 2329
Oxidative addition
Homogeneous catalysis, Platinum complexes, Carbonylation reactions, Allylic substitution, 151
Oxidative degradation
Platinum, Palladium, Oxalates, 2495
Oxine complexes
Ferromagnetic ordering, Magnetic characterisation, Transition metals, 1499
Oxo-alkyl
Rhenium(V), 2,2′-Bipyridine, *Cis–trans* isomerization, 2129
Oxoanions
Main group, Transition metals, Bonding, Density-functional theory, 2269
Oxo bridges
Manganese complexes, Schiff bases, Photolysis, Dioxygen, 711
Oxo-rhenium(V) dimers
Phosphito(1 −) bridges, Phosphite diolato(1 −) ligands, Spirophosphoranes, Crystal structures, 2667
Oxovanadium(IV) complexes
Glutathione, Potentiometric and spectrophotometric studies, Stability constants, 799
Oxovanadium(V)alkoxide
1-Methoxy-2-propanol, ^{51}V NMR, Vanadium–magnesium heterometallic alkoxide, Sol–gel, Vanadium–magnesium oxide catalyst, 2261

Palladium
C–H activation, Phosphorus ligands, Schiff base, 2925
Palladium
Fluorothiolate, Allyl, NMR spectroscopy, Crystal structures, 3119
Palladium
Hybrid ligands, Binuclear complexes, Copper, Silver, 627
Palladium(II) complex
Crystal structures, Platinum(II) complex, Bridged small ring ligands, *cis*-Platin lile complexes, 2315
Palladium(II)
Cyclometallation, Benzyl-benzylideneamine, 3225
Palladium
Metallocyclodextrins, Chirality, 2,2′-Bipyridine, Silver, 663
Palladium
Oxidative degradation, Platinum, Oxalates, 2495
Palladium
Platinum, Triphosphine complexes, Diphenyltin(IV) anions, X-ray structures, NMR spectroscopy, 855
Palladium
Rhodium, Thiophosphoryl guanidines, X-ray crystal structure, 1831
Palladium
Tripod ligand, PPN bridging ligand, Face-to-face type molecules, Copper, Silver, 1071
Pamoic acid
Amide, Diphosphine, NMR, X-ray structures, 3355
Pendant arm
Macrocycle, Metal complexes, Crystal structures, 3091
Pendant substituents
Dibenzotetraaza[14]annulenes, Macrocyclic Ni(II) complexes, Peripheral functionalization, 143
Pentacyanide
Nitroprusside, Rietveld method, Crystal structure, Powder diffraction, Mössbauer spectra, 165
Pentafluorophenyl palladium derivatives
Chelate complexes, Iminophosphines, Crystal structures, 571
Pentafluoropropionate Ag(I)
Heptafluorobutyrate Ag(I), Thermal decomposition processes, Temperature variable IR and MS spectra, 2853
Peptides
Complex formation reaction, *N,N′*-Dimethylethylenediamine, Amino acids, Dicarboxylic acids, DNA constituents, 343
Peptides
Copper(II) complexes, Chelate ring size, β-Alanine, Potentiometry, EPR, 3079
Perchlorate salt
5-Methyl-2-(2,3-diaza-4-(5-methyl-2-thienyl)buta-1,3-dienyl)thiophene, Silver(I) complexes, Nitrate salt, Crystal structures, Counter ion effect, 3275
Peripheral functionalization
Dibenzotetraaza[14]annulenes, Macrocyclic Ni(II) complexes, Pendant substituents, 143
Phase transition
Synthesis, Macrocycles, X-ray diffraction, Mössbauer spectroscopy, 2721
Phenanthroline
Copper complexes, Silver complexes, Azole complexes, Spectroscopy, 2755
Phenanthroline
Kinetics, Catalytic hydrolysis, Carboxyester, Zinc(II) complexes, Metalloenzyme, 91
Phenoldiazenyl
Azo ligand, Transition metal complexes, Zn and Cd extraction, 2689
Phenoxide
Charged biradical, Nitronyl nitroxide, Organic salt ferrimagnet, ESR spectra, Magnetic susceptibility, 1403
Phenoxyl
Conjugated polymer, Polyradical, Poly(aryleneethynylene), Anthracene, High-spin polymer, 1291
Phenyleneethynylene
High-spin molecule, Magnetism, Carbene, Nitroxide, Polymer, 1475
Phenylmercury(II) complex
Methylmercury(II) complex, Rhodanine, Crystal structure, ^{1}H, ^{13}C and ^{199}Hg NMR, 1845
3-Phenyl-6-*p*-toluidinopyridazine
Cycloauration, Cyclopalladation, Cyclorhodation, 3019
Phosphido-bridged
Ruthenium, Cluster, Carbonyl, Crystal structures, 2011
Phosphine
Azopyrimidines, High potential Ru(II) complexes, Isomer, Structures, 599
Phosphine complexes
Dirhenium complexes, Iodides, Crystal structures, Metal–metal bonds, Edge-sharing bioctahedral complexes, 755
Phosphine
Crown ether, Electrochemistry, ^{31}P NMR, 1023
Phosphine
Equilibrium analysis, Pt complexes, emf–NMR, 1903
Phosphine
Fluorous biphase, Platinum group metals, Single crystal X-ray study, 321
Phosphine oxide
Lanthanide, X-ray structure, 2055
Phosphine oxide
Phosphinothiolate derivatives, Tin complexes, 2863
Phosphine pendant arms
p-tert-Butylcalix[4]arene, Complex, Transition metal, 1881
Phosphines
Amino acids, Phosphinophenol ethers, Phosphorus heterocycles, Hybrid ligands, 3321
Phosphinic acids
Polyazamacrocycles, Cyclen and cyclam derivatives, Copper(II) complexes, Potentiometry, Kinetics, Stability constants, 47
Phosphinite complexes
Rhenium(I), Phosphite complexes, Phosphonite complexes, 2675
Phosphinoalkoxide
Zirconium complexes, Heterodinuclear molybdenum phosphine complexes, 2171
Phosphinoamide
Heterobidentate, Solvatochromism, Complexes, X-ray, 1803
Phosphinophenol ethers
Amino acids, Phosphines, Phosphorus heterocycles, Hybrid ligands, 3321
Phosphino–thioether complexes
Platinum, Dimethylplatinum(IV) complexes, Reductive elimination reaction, Dichalcogenide complexes, 3127
Phosphinothiolate derivatives
Tin complexes, Phosphine oxide, 2863
Phosphite complexes
Rhenium(I), Phosphinite complexes, Phosphonite complexes, 2675
Phosphite diolato(1 −) ligands
Phosphito(1 −) bridges, Oxo-rhenium(V) dimers, Spirophosphoranes, Crystal structures, 2667

Phosphito(1 –) bridges
Phosphite diolato(1 –) ligands, Oxo-rhenium(V) dimers, Spirophosphoranes, Crystal structures, 2667
Phosphonates
Iron, Complexes, Glyphosate, Methylphosphonic acid, Aminomethylphosphonic acid, 1821
Phosphonite complexes
Rhenium(I), Phosphite complexes, Phosphinite complexes, 2675
Phosphorus heterocycles
Amino acids, Phosphines, Phosphinophenol ethers, Hybrid ligands, 3321
Phosphorus ligands
C–H activation, Palladium, Schiff base, 2925
Phospho-transfer
Hydrophosphonylation, Zinc complexes, Catalysis, X-ray crystallography, 2151
Photochromic reaction
ESR spectroscopy, Diarylethene, Intramolecular magnetic interaction, 1391
Photo-chromism
Thermo-chromism, Prussian blue analogue, Tautomeric conversion, 1339
Photo-functionality
Anthracene, Stable radical, TEMPO radical, Magnetic property, $Mn(hfac)_2$ complex, 1335
Photo-induced magnetic structures
Prussian Blue analogue, magnetic moments, 1347
Photoinduced magnetization
Molecule-based magnets, Prussian blue, Cluster glass, Tetracyanoethylene, 1435
Photo-induced spin alignment
Excited quartet state, Excited quintet state, Time-resolved ESR, 1163
Photolysis
Magnetic property, Matrix, Heterospin system, Carbene, $Cu(hfac)_2$, Hysteresis, 1387
Photolysis
Manganese complexes, Schiff bases, Dioxygen, Oxo bridges, 711
Photomagnetism
Nitroprusside, Coordination chemistry, Bimetallic complexes, 1615
Photosystem II
Manganese, Tetranuclear complexes, 1,2-Bis(bipyridine-6′-yl)ethane, Single molecule magnets, 1269
Phthalate complexes
Zinc(II) complexes, Zinc(II) carboxylates, Crystal structures, 831
Phthalocyanine
Raman spectroscopic characteristics, Naphthalocyanine, Rare earth sandwich complexes, 557
Phthalocyanines
Porphyrazine, Crown ether, Alkali metal extraction, Maleonitrile derivative, 269
Piano stool
Intermolecular exchange, Seven-coordinate, Bidentate, 3257
Picolinic acid
Crystal structures, Chelate substitution, Dipivaloylmethane, Tetranuclear Mn cluster, Magnetic susceptibility, 1785
Piperazine and piperazin-1-ium ligands
Cu(II)–N bonds, Crystal structures, Cu(II) complexes, 171
Piperidine
Schiff base, Cobalt(III), NMR, Crystal structure, Morpholine, Pyrrolidine, 695
3-Piperidylthiosemicarbazone
2-Pyridineformamide, Iron, Cobalt, Copper, Zinc, Crystal structures, 3265
Plane-wave approach
Density functional study, Copper hydroxonitrate, 1305
Plasmid DNA
Tetrapyrido[3,2-a:2′,3′-c:3″,2″-h:2‴,3‴-j]-phenazine, Co(III), Calf thymus DNA, Intercalative mode, Spectra, 501
Platinum complexes
Homogeneous catalysis, Carbonylation reactions, Allylic substitution, Oxidative addition, 151
Platinum complexes
Thioether complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Crystal structures, Crown thioethers, 3333
Platinum group metals
Fluorous biphase, Phosphine, Single crystal X-ray study, 321
Platinum(II)
Azopyridine, Catechols, Structure, Electrochemistry, 363
Platinum(II) complex
Crystal structures, Palladium(II) complex, Bridged small ring ligands, *cis*-Platin lile complexes, 2315
Platinum(II) complexes
Tridentate chelating nitrogen ligands, Substitution reactions, Crystal structures, 869
Platinum(II, IV)
Trinuclear complexes, Cyano-bridged complexes, Octacyanomolybdate(IV, V), Metal–metal interactions, Crystal structures, 685
Platinum(II)
Pyrazole, Mono- and dinuclear complexes, N-ligands, P-ligands, X-ray crystal structures, 2869
Platinum(II)
Pyridil, bis(Thiosemicarbazone), Crystal structures, Binuclear complexes, 449
Platinum nuclear magnetic resonance
Thioether complexes, Platinum complexes, Trithiacyclononane, Crystal structures, Crown thioethers, 3333
Platinum
Oxidative degradation, Palladium, Oxalates, 2495
Platinum
Palladium, Triphosphine complexes, Diphenyltin(IV) anions, X-ray structures, NMR spectroscopy, 855
Platinum
Phosphino–thioether complexes, Dimethylplatinum(IV) complexes, Reductive elimination reaction, Dichalcogenide complexes, 3127
Platinum
Rhenium, Pyridine diketones and diesters, Fluxionality, Dynamic NMR, 1973
P-ligands
Pyrazole, Mono- and dinuclear complexes, Platinum(II), N-ligands, X-ray crystal structures, 2869
^{31}P NMR
Phosphine, Crown ether, Electrochemistry, 1023
^{31}P NMR
Pt(II), Dithiolate, Dppf, X-ray crystal structures, Cyclic voltammetry, 1939
^{31}P NMR spectra
Trinuclear molybdenum cluster, Substitution reaction, X-ray crystal structures, 2911
Polarized neutron diffraction
Molecular ferromagnet, Spin density, McConnell mechanism, Exchange, Ab-initio calculations, 1771
Polyamines
Me_2octaen, Copper(II), Equilibria, Kinetics, Stopped-flow, 1953
Polyamines
Molecular complexes, Copper(II) complexes, Adenosine 5′-monophosphate, Cytidine 5′-monophosphate, 2305
Poly(aryleneethynylene)
Conjugated polymer, Polyradical, Phenoxyl, Anthracene, High-spin polymer, 1291
Polyazamacrocycles
Phosphinic acids, Cyclen and cyclam derivatives, Copper(II) complexes, Potentiometry, Kinetics, Stability constants, 47
Polydentate ligands
Crystal structures, Silver complexes, Triazine ligands, π–π Interactions, 2037
Polyether adducts
Dioxomolybdenum(VI) bromide, Outer-sphere complexes, 2781
Polyimidazole
Tripodal ligands, Superoxide scavenger, Manganese, Iron, 223
Polymer
High-spin molecule, Magnetism, Carbene, Nitroxide, Phenyleneethynylene, 1475
Polymeric chains
Copper(I), Bicyclic guanidine, Bridging cyanide, Zwitterions, 3027
Polymeric crown ether assemblies
Organophosphonic acids, 3D hexagonal architecture, 2095
Polymerization reaction
Ni(II) complexes, Amino acid Schiff base, Binuclear complexes, Tetraglycol aldehyde, Catalytic activity, 281
Polymers
Molybdenum, Multiple bonds, Rhenium, Rhodium, 791

Polymetallic bridged systems
Ruthenium cluster, 2D NMR, Electrochemistry, 253
Polymorphous modifications
Copper(II), Nitroxide, Dimers, 1215
Polynuclear complexes
Cyano-bridged, IR spectra, Crystal structures, 607
Polynuclear transition-metal complexes
Density functional calculations, Magnetic properties, Magneto-structural correlations, 1323
Polyoxometalates
Structure, Bonding, Valency, dft, 3101
Polypyrazolylborate complexes
Crystal structures, Iron complexes, Copper complexes, Cobalt complexes, Scorpionates, 2637
Polypyridine ligands
Ruthenium(II) complexes, NLO properties, 2187
Polyradical
Conjugated polymer, Phenoxyl, Poly(aryleneethynylene), Anthracene, High-spin polymer, 1291
Polyradical
High-spin polymer, Electrical conductivity, Polythiophene, π-Conjugated polymer, 1157
Poly(3-Rpyrazolyl)borate cobalt(II) complexes
Structures, NMR, 2965
Polythiophene
High-spin polymer, Polyradical, Electrical conductivity, π-Conjugated polymer, 1157
Porphyrazine
Crown ether, Alkali metal extraction, Maleonitrile derivative, Phthalocyanines, 269
Porphyrin
Lead(II), Optical limiter, 3219
Potassium complexes
Coordination polymers, Crystal structures, Potassium salt of magneson, 4-(4-Nitrophenylazo)resorcinolato, 2415
Potassium salt of magneson
Coordination polymers, Crystal structures, Potassium complexes, 4-(4-Nitrophenylazo)resorcinolato, 2415
Potentiometric and spectrophotometric studies
Oxovanadium(IV) complexes, Glutathione, Stability constants, 799
Potentiometry
Copper(II) complexes, Oligopeptides, Imidazole, EPR, 937
Potentiometry
Copper(II) complexes, Peptides, Chelate ring size, β-Alanine, EPR, 3079
Potentiometry
Polyazamacrocycles, Phosphinic acids, Cyclen and cyclam derivatives, Copper(II) complexes, Kinetics, Stability constants, 47
Powder diffraction
Nitroprusside, Rietveld method, Crystal structure, Mössbauer spectra, Pentacyanide, 165
Powder XRD
Iron(III) complexes, High-spin, Unsaturated macrocyclic ligand, ESR, Mössbauer, Cyclic voltammetry, 2019
PPN bridging ligand
Tripod ligand, Face-to-face type molecules, Copper, Silver, Palladium, 1071
Prazosin
Cu(II) complexes, Vasodilator, X-ray data, 231
Preferential pyridine orientation
Crystal structures, Thiosemicarbazide based ligands, DFT calculations, Co(III) complexes, 2231
Pressure
Organic ferromagnetism, Transition temperature, DAC, 1505
Pressure
Organic weak-ferromagnetism, Transition temperature, Dzyaloshinsky–Moriya interaction, 1509
Propanediphosphonodicarboxylic acid, protonation of
Propanetetraphosphonic acid, protonation of, Ethanetriphosphonic acid, protonation of, Diphosphonopropanoic acid, protonation of, Ethanediphosphonodicarboxylic acid, protonation of, Ethanephosphonodicarboxylic acid, protonation of, Propanephosphonotricarboxylic acid, protonation of, 1809
Propanephosphonotricarboxylic acid, protonation of Propanetetraphosphonic acid, protonation of, Ethanetriphosphonic acid, protonation of, Diphosphonopropanoic acid, protonation of, Propanediphosphonodicarboxylic acid, protonation of, Ethanediphosphonodicarboxylic acid, protonation of, Ethanephosphonodicarboxylic acid, protonation of, 1809
Propanetetraphosphonic acid, protonation of Ethanetriphosphonic acid, protonation of, Diphosphonopropanoic acid, protonation of, Propanediphosphonodicarboxylic acid, protonation of, Ethanediphosphonodicarboxylic acid, protonation of, Ethanephosphonodicarboxylic acid, protonation of, Propanephosphonotricarboxylic acid, protonation of, 1809
Propionate
Chromium, Chromodulin, Diabetes, Rat, 2241
Protonation
2,11-Diaza[3.3](2,6)pyridinophane, Complexation, X-ray structures, Iron, Cobalt, Nickel, 2705
Prussian Blue analogue
Photo-induced magnetic structures, magnetic moments, 1347
Prussian blue analogue
Thermo-chromism, Photo-chromism, Tautomeric conversion, 1339
Prussian Blue
Magnetic circular dichroism, Electronic structure, Charge transfer, Optical, Ferrimagnet, 1741
Prussian blue
Molecule-based magnets, Photoinduced magnetization, Cluster glass, Tetracyanoethylene, 1435
Pseudo-cavity
Volume, Ionic radius, *p-tert*-Butylcalix[4]arene tetra-acetamide, X-ray, Host/guest, 1897
Pseudohalides
Synthesis, Copper(I) complexes, Crystal structures, Dimethylpyrimidinethione, NMR spectroscopy, 849
Pt complexes
Equilibrium analysis, Phosphine, emf–NMR, 1903
p-tert-Butylcalix[4]arene
Phosphine pendant arms, Complex, Transition metal, 1881
p-tert-Butylcalix[4]arene tetra-acetamide
Volume, Ionic radius, X-ray, Pseudo-cavity, Host/guest, 1897
Pt(II)
Dithiolate, Dppf, X-ray crystal structures, Cyclic voltammetry, ^{31}P NMR, 1939
Purine
Molecule-based magnetism, Hydrogen bond, Nitronyl nitroxide, Magnetic interaction, 1151
Pyrazine
Cyanide ligands, Cu(II) complexes, Interpenetration, Aurophilic interactions, Magnetic properties, 1247
Pyrazine
Molecular magnets, Crystal structure, Coordination polymer, Manganese compounds, Dicyanamide, 1423
Pyrazolato
Tantalum, Niobium, Tantalum nitride, CVD, Imido, 805
Pyrazole and pyrazolate ternary complexes
N-Salicylidenearoylhydrazine copper(II) complexes, X-ray crystal and molecular structures, Magnetic properties, Infrared spectra, 2787
Pyrazole complexes
Copper complexes, Crystal structures, 2531
Pyrazole
Coordination polymers, Crystal engineering, Crystal structures, 887
Pyrazole
Hydrogen bonds, EPR spectroscopy, Magnetic interactions, Nitroxide, 1563
Pyrazole
Mono- and dinuclear complexes, Platinum(II), N-ligands, P-ligands, X-ray crystal structures, 2869
Pyrazole
Nickel complexes, Crystal structures, 1029

Pyrazole
Orgaontin, Organosilicon, Thiophene, X-ray, Mössbauer, 1995
Pyrazolylborate
Crystal structures, Metal complexes, Hydrogen bond, 291
Pyrazolyl–phenol
Tetradentate chelate, Ligands, Spectroelectrochemical, 3231
Pyridil
Platinum(II), bis(Thiosemicarbazone), Crystal structures, Binuclear complexes, 449
Pyridine and 4-ethylpyridine
Copper(II) azide complexes, X-ray structures, Electronic spectra, IR spectra, Magnetic measurements, 2971
Pyridinecarboxylate complexes
Chelating ligands, Crystal structures, Copper(II) complexes, Dimeric complexes, 1867
Pyridine–chalcogen ethers
Allylpalladium, Bidentate ligands, Allyl amination mechanism, Solution behaviour, 3171
Pyridine
Cobalt(II) complexes, Zinc(II) complexes, Thiazoline, Thiazolidine, 3315
Pyridine dicarboxylic acids
Ruthenium complexes, X-ray structures, Antibacterial activity, 975
Pyridine diketones and diesters
Rhenium, Platinum, Fluxionality, Dynamic NMR, 1973
2-Pyridineformamide
3-Piperidylthiosemicarbazone, Iron, Cobalt, Copper, Zinc, Crystal structures, 3265
Pyridyl-substituted nitronyl nitroxides
Copper(II) carboxylate complexes, Antiferromagnetic coupling, Spin polarization, 3057
Pyrimidine
Magnetism, Exchange interaction, Copper(II) complexes, Nitronyl nitroxide, Nitronyl-nitroxide-substituted pyrimidine, 1663
Pyrimidine-2-thione
Mercury(II) complexes, Triphenylphosphine, Crystal structures, 2179
Pyrrolidine
Schiff base, Cobalt(III), NMR, Crystal structure, Morpholine, Piperidine, 695

Quantum coherence
Quantum tunneling, Magnetic refrigeration, Quantum computer, 1751
Quantum computer
Quantum coherence, Quantum tunneling, Magnetic refrigeration, 1751
Quantum tunneling of magnetization
Nanomagnet, Mn_{12}, 1745
Quantum tunneling of magnetization
Single-molecule magnet, $[Mn_{12}]^-$ complex anion, Hysteresis, ac and dc magnetic susceptibility, Metallocene cation, 1529
Quantum tunneling
Quantum coherence, Magnetic refrigeration, Quantum computer, 1751
Quantum tunneling
Single molecule magnets, High-spin clusters, Hysteresis, Hall-effect magnetometry, 1717
Quartet state
High spin molecules, Nitrenes, Heterospin exchange, Zero-field splitting, 1647
Quinaldic acid
Copper(I) compounds, Crystal structures, Electronic, IR and Raman spectra, Thermal decomposition, 2583
Quinoline
Nickel(II) ion, Magnetic susceptibility, One-dimensional structure, TCNQ, 1551
Quinolinic acid
Aluminum, Infrared spectroscopy, ^{27}Al NMR spectroscopy, Ligand–metal complexes, Solutions, 1983
8-Quinolinol
Niobium peroxo complexes, ^{93}Nb NMR, Diperoxo complexes, Niobium, Heteroligands, 2647
Quinone-related species
Iron–cyclam, 2-Aminophenol, 1,4,8,11-Tetraazacyclotetradecane, Macrocycle, X-ray structures, 493

Racemization
Nickel(II), α-Amineoxime, HPLC, DL-meso, Isomerization, 431
Radiopharmaceuticals
Cu(II) complexes, Crystal structures, Structure–activity relationship, Serum stability, 3155
Raman
Cobalt(III), Cyano complexes, Facial and meridional isomerism, X-ray structure analysis, Infrared, 2597
Raman
2-Formylpyridinethiosemicarbazone, *E–Z* isomerization, Alkali and alkaline earth complexes, NMR, 3133
Raman spectra
Aluminum complexes, Thiocyanate complexes, Factor analysis, Complex equilibria, Aqueous solution, 839
Raman spectroscopic characteristics
Phthalocyanine, Naphthalocyanine, Rare earth sandwich complexes, 557
Raman spectroscopy
Heteropolyoxometalate, Vanadium, Voltammetry, 83
Rare earth complexes
Dipicolinic acid, Crystal structures, Luminescence, 2385
Rare earth sandwich complexes
Raman spectroscopic characteristics, Phthalocyanine, Naphthalocyanine, 557
Rat
Chromium, Chromodulin, Propionate, Diabetes, 2241

Reactivities
Ruthenium, Dioxime ligands, Syntheses, Structures, 327
Reactivity
Copper(I)chloride–pyrazine compounds, Coordination polymers, Synthesis, Thermal properties, Thermal decomposition, 1017
Reactivity
Synthesis, Crystal structures, Lanthanide, Aryloxide, Chloride, 3201
Rectangular lattice
Coordination polymers, Copper(II), Magnetism, 1411
Redox properties
Diimine function, Spectroscopic properties, 1851
Reduced Schiff base
Arene ruthenium, Crystal structure, Transfer hydrogenation, Catalysis, 2735
Reductive elimination reaction
Platinum, Phosphino–thioether complexes, Dimethylplatinum(IV) complexes, Dichalcogenide complexes, 3127
Reinecke's anion
Crystal structures, Dinuclear complexes, Thiocyanato-bridged complexes, Magnetism, 2033
Relaxation
Iron(II), Tetrazole, Spin-crossover, Spin state trapping, Mössbauer, 1709
Resonance interactions
Acid promoted hydrolysis, Metal ion promoted hydrolysis, Chromium(III) complexes, 2917
Reverse LIESST
Iron(II), Spin crossover, Thermal trapping, Reverse LITH, Crystal structures, Mössbauer, 1699
Reverse LITH
Iron(II), Spin crossover, Thermal trapping, Reverse LIESST, Crystal structures, Mössbauer, 1699
Rhenium
Clusters, 3d-Transition metals, Solid-state structures, 969
Rhenium(I) complexes
Lewis acid, Group 7 metals, NMR, 2371
Rhenium(I)
Phosphite complexes, Phosphinite complexes, Phosphonite complexes, 2675
Rhenium
Molybdenum, Multiple bonds, Polymers, Rhodium, 791
Rhenium
Platinum, Pyridine diketones and diesters, Fluxionality, Dynamic NMR, 1973
Rhenium(V)
Oxo-alkyl, 2,2′-Bipyridine, *Cis–trans* isomerization, 2129
Rhodanine
Methylmercury(II) complex, Phenylmercury(II) complex, Crystal structure, ^{1}H, ^{13}C and ^{199}Hg NMR, 1845

Rhodium(II) complexes
Trifluoroacetate, Dinuclear complexes, One-dimensional polymers, Crystal structures, 3073
Rhodium
Molybdenum, Multiple bonds, Polymers, Rhenium, 791
Rhodium
Palladium, Thiophosphoryl guanidines, X-ray crystal structure, 1831
Rietveld method
Nitroprusside, Crystal structure, Powder diffraction, Mössbauer spectra, Pentacyanide, 165
Ru complexes
Linkage isomers, Amide ligands, 1815
Ruthenium
Amidinate, Triazenide, X-ray crystal structure, 1875
Ruthenium
Carbonyl, Clusters, Diphosphine, Hydroformylation, 2771
Ruthenium
Cluster, Carbonyl, Phosphido-bridged, Crystal structures, 2011
Ruthenium cluster
Polymetallic bridged systems, 2D NMR, Electrochemistry, 253
Ruthenium complexes
Diruthenium compounds, Metal–metal bonds, Amidate complexes, Multiple bonds, Magnetic properties, 2537
Ruthenium complexes
Linear oligoazines, Cyclic voltammetry, Density functional theory, 507
Ruthenium complexes
Pyridine dicarboxylic acids, X-ray structures, Antibacterial activity, 975
Ruthenium
Crystal structures, Cobalt, Molybdenum, Cluster compound, 1107
Ruthenium
Dioxime ligands, Syntheses, Structures, Reactivities, 327
Ruthenium
Hartree–Fock, Silylene, Base-stabilized, 209
Ruthenium(II)-bisbipyridine-diamine complexes
Dangling amine, Stereochemistry, NMR spectroscopy, Emission, 37
Ruthenium(II) complexes
Naphthylazoimidazoles, Isomers, Electrochemistry, X-ray structure, 905
Ruthenium(II) complexes
α-*N* heterocyclic carboxylic acid, X-ray structures, Electrochemistry, 3349
Ruthenium(II) complexes
Polypyridine ligands, NLO properties, 2187
Ruthenium(II) complexes
Triphenylphosphine, N-donor ligands, Electrochemical and spectroscopic studies, 2123
Ruthenium
2,2′:6′,2″-Terpyridine, Cobalt carbonyl, Cluster, Crystal structures, 483
Saccarinate
Nickel, Zinc, Cadmium, Bipyridine, 721
Saccharin complexes
Ethanolamine, Diethanolamine, Single crystal structures, Thermal analysis, 3209
Salicylaldimine ligands
Dimeric iron(III) complexes, H_2O_2 disproportionation, 515
Salicylaldoxime ligands
Cobalt(II) complexes, X-ray crystal structures, DMSO adducts, 3239
Salicylic acid and 5-sulfosalicylic acid ligands
Cu(II)–O and Na(I)–O bonds, Crystal structures, Na(I) and Cu(II) complexes, Biological activity of copper complexes, 1079
Samarium
Schiff base, Neodymium, Amide, Heptadentate, 373
Sandwich complexes
Complexes of cobalt and iron, Structural characterization, 1891
S-Benzyl-β-*N*-(2-pyridyl) methylenedithiocarbazate
Zn(II) complexes, Cu(II) complexes, Cd(II) complexes, Bioactivity of metal complexes, Bioactivity of NNS Schiff base, Crystal structure of Zn(II) complex, 2363
Scandium
Yttrium, Lanthanum, NMR spectroscopy, X-ray structures, 2711
Schiff base
C–H activation, Phosphorus ligands, Palladium, 2925
Schiff base
Cobalt(III), NMR, Crystal structure, Morpholine, Pyrrolidine, Piperidine, 695
Schiff base complexes
Cu(II) complexes, *N*-Salicylidene derivatives, X-ray structures, 2877
Schiff base complexes
Theoretical ab initio calculations, Cu(II) complexes, *N*-Salicylidene derivatives, 2609
Schiff base complexes
trans-(±)-1,2-Diaminocyclohexane, Acetylacetone, Cobalt(II) salts, 2799
Schiff base
Copper(II) complexes, Adduct, Controlling-effect, Crystal structure, IR, CV, 657
Schiff base
Copper(II) complexes, Methylpyruvate Schiff base, S-Methyldithiocarbazate, Square-planar copper(II) complexes, 1037
Schiff base
Cyanide-bridge, Copper complexes, 579
Schiff base
β-Ketoimine, Copper, X-ray determination, Thermolysis, Volatility, 2589
Schiff base ligands
Cobalt(II) complexes, Thermogravimetry, Infrared spectra, Synthesis, Tetradentate ligands, 261
Schiff base ligands
Dinuclear manganese(III) complexes, Molecular structure, Hydrogen peroxide, Catalase-like function, 191
Schiff base ligands
Nickel, Azide, Thiocyanate, Crystal structures, 135
Schiff base
Samarium, Neodymium, Amide, Heptadentate, 373
Schiff bases
Manganese complexes, Photolysis, Dioxygen, Oxo bridges, 711
Schiff bases
Nickel(II) complexes, *S*-Methyldithiocarbazate, Di-2-pyridylketone Schiff base, Four- and six-coordinate nickel(II) complexes, 2431
Scorpionates
Crystal structures, Polypyrazolylborate complexes, Iron complexes, Copper complexes, Cobalt complexes, 2637
Second sphere coordination compounds
Crown ethers, Uranyl bis(β-diketonates), X-ray structures, Hydrogen bonding, 2145
Selenium
Iron, Selenosulfonato, Carbonyl, Crystal structure, 2393
Selenocyanate
Silver complexes, Thiocyanate, Coordination modes, Crystal structures, 2683
Selenosulfonato
Iron, Carbonyl, Selenium, Crystal structure, 2393
Self assembly
Grids, Clusters, Supramolecular chemistry, Structures, Magnetic properties, 1359
Semiconductor
Verdazyl radical, Tetracyanoquinodimethanide, Magnetism, Conductivity, Crystal structures, 1537
Serum stability
Cu(II) complexes, Crystal structures, Structure–activity relationship, Radiopharmaceuticals, 3155
L-Seryl-glycine
ESR, Copper(II) complexes, Glycyl-L-serine, Formation constants, Coordination modes, Isomerism, 995
Seven-coordinate complexes
I_2Cl_6, Molybdenum(II), Tungsten(II), Acetonitrile, 2559
Seven-coordinate
Piano stool, Intermolecular exchange, Bidentate, 3257
Short-range order
Large-spin clusters, Manganese clusters, One-dimensional magnet, Heat capacity, 1607
Silanethiolates
Cobalt, S ligands, N ligands, Crystal structures, 2567
Silanethiolates
Zinc complexes, S ligands, O ligands, Synthesis, Crystal structures, 949
Siloxides
Cobalt(I), Crystal structures, 3015

Silver complexes
Copper complexes, Azole complexes, Phenanthroline, Spectroscopy, 2755
Silver complexes
Crystal structures, Triazine ligands, 2321
Silver complexes
Crystal structures, Triazine ligands, Polydentate ligands, π–π Interactions, 2037
Silver complexes
Selenocyanate, Thiocyanate, Coordination modes, Crystal structures, 2683
Silver–dicyanide
Ferromagnetism, Nitronyl nitroxide, Manganese, 1371
Silver
Hybrid ligands, Binuclear complexes, Copper, Palladium, 627
Silver(I) complexes
5-Methyl-2-(2,3-diaza-4-(5-methyl-2-thienyl)buta-1,3-dienyl)thiophene, Nitrate salt, Perchlorate salt, Crystal structures, Counter ion effect, 3275
Silver(I) complexes
Mixed P/O donor ligands, Crystal structures, NMR spectroscopy, 2741
Silver(I) complexes
Syntheses, Chain structures, Macrocyclic, Helical chains, 2619
Silver(I) complexes
Zigzag chains, Lamellar structures, Heterocyclic ligands, 3165
Silver(I) nicotinic acid complexes
Crystal structures, X-ray photoelectron spectroscopy, FTIR spectroscopy, 2747
Silver
Metallocyclodextrins, Chirality, 2,2′-Bipyridine, Palladium, 663
Silver
Tripod ligand, PPN bridging ligand, Face-to-face type molecules, Copper, Palladium, 1071
Silylene
Hartree–Fock, Ruthenium, Base-stabilized, 209
Single-component organic ferrimagnet
Nitronyl nitroxide, Nitroxide, Solution ESR, Hyperfine coupling, Triradical, 1397
Single crystals
Molecular magnets, Magneto-structural correlations, Copper(II), Cobalt(II), Nitroxide, 1207
Single crystal structures
Diethanolamine, Triethanolamine, Thiocyanate, Dialkoxo-bridged binuclear Cu(II) complexes, Thermal analysis, 635
Single crystal structures
Ethanolamine, Diethanolamine, Saccharin complexes, Thermal analysis, 3209
Single crystal X-ray diffraction study
Br and I analogues, Crystal structures, 773
Single crystal X-ray study
Fluorous biphase, Phosphine, Platinum group metals, 321
Single-molecule magnet
Cyanide clusters, Hexacyanometallates, Molecular magnetism, 1727
Single-molecule magnet
$[Mn_{12}]^-$ complex anion, Hysteresis, Quantum tunneling of magnetization, ac and dc magnetic susceptibility, Metallocene cation, 1529
Single-molecule magnet
Nanomagnet, Magnetization tunneling, Superparamagnet, 1479
Single-molecule magnets
Crystal structures, Magnetic characterization, 1279
Single molecule magnets
High-spin clusters, Quantum tunneling, Hysteresis, Hall-effect magnetometry, 1717
Single-molecule magnets
Manganese, Crystal structure, High nuclearity cluster, 1365
Single molecule magnets
Manganese, Tetranuclear complexes, 1,2-Bis(bipyridine-6′-yl)ethane, Photosystem II, 1269
Single-molecule magnets
Nanomagnets, Magnetization tunneling, 1139
Singlet ground state
One-dimensional antiferromagnet, Haldane gap, Spin, Charge, Copper oxides, 1735
S ligands
Cobalt, Silanethiolates, N ligands, Crystal structures, 2567
S ligands
Macrocyclic ligands, Crown compounds, Copper, 2517
S ligands
Zinc complexes, Silanethiolates, O ligands, Synthesis, Crystal structures, 949
S-Methyldithiocarbazate
Copper(II) complexes, Schiff base, Methylpyruvate Schiff base, Square-planar copper(II) complexes, 1037
S-Methyldithiocarbazate
Nickel(II) complexes, Schiff bases, Di-2-pyridylketone Schiff base, Four- and six-coordinate nickel(II) complexes, 2431
Sodium tetrahydridoborate complexes
Tris(pyrazolyl)methane ligands, 2491
SOD-like activity
Manganese-containing complexes, Synthesis, Characterization, Crystal structures, 2813
Sol–gel
Nickel, Copper, Functional alkoxides, Carboxylates, Heteronuclear, X-ray structures, 2163
Sol–gel
Oxovanadium(V)alkoxide, 1-Methoxy-2-propanol, ^{51}V NMR, Vanadium–magnesium heterometallic alkoxide, Vanadium–magnesium oxide catalyst, 2261
Sol–gel precursors
Bismuth, Alkoxide, Crystal structures, CVD precursors, 2451
Sol–gel process
Immobilization, Ethylenesulfide, Calorimetric titration, Thermodynamic data, 929
Solid catalysts
Alkoxide-β-diketonate complexes, Application, X-ray single crystal study, 915
Solid solutions
Molecular magnets, Nickel(II), Cobalt(II), Nitroxide, 1229
Solid-state high-resolution deuterium NMR
Spin-crossover complexes, Magnetic local structures, Moisture-sensitive transition, Crystal water, Mobility of D_2O, 1263
Solid-state structures
Rhenium, Clusters, 3d-Transition metals, 969
Solution behaviour
Allylpalladium, Bidentate ligands, Pyridine–chalcogen ethers, Allyl amination mechanism, 3171
Solution equilibria
Tryptophanhydroxamic acid, Amino acids, Ternary complexes, Stereoselectivity, Competing ligand, 103
Solution ESR
Single-component organic ferrimagnet, Nitronyl nitroxide, Nitroxide, Hyperfine coupling, Triradical, 1397
Solutions
Quinolinic acid, Aluminum, Infrared spectroscopy, ^{27}Al NMR spectroscopy, Ligand–metal complexes, 1983
Solvates
Dirhenium complexes, Metal–metal multiple bonds, Crystal structures, Isothiocyanate complexes, Dithioether complexes, 783
Solvation
Gaseous metal complexes, Ligand basicity, Thermodynamic cycle, Cobalt(II)-chloride, 4-Methyl-pyridine, 387
Solvatochromism
Phosphinoamide, Heterobidentate, Complexes, X-ray, 1803
Sorbic acid
Dicarbonyliron complexes, Chalcone, X-ray structures, Cyclic voltammetry, 1011
Specific heat
Iron, Manganese, Molecular magnetic clusters, Tunnel splitting, 1451
Specific heat
Magnetic relaxation, Manganese, Molecular magnetic clusters, 1459
Specific heat
Nitroxide, Magnetic properties, Organic ferromagnets, 1513
Specific heat
Spin ladder, Molecular magnet, Magnetic order, 1447
Spectra
Imidazole derivatives, Transition metal complexes, Crystal structures, Stability constants, 3307
Spectral characterization
Hybrid Group 12, 14, 15 metals–Mo (W) cluster compound, Structural elucidation,

Synthesis design, Third-order nonlinear optical property, 2339
Spectra
1,4,8,11-Tetraazacyclotetradecane, β/α-Ni(*C-meso/rac*-1,7-CTH)$(ClO_4)_2$, Aquo complexes, Isothiocyanato complexes, X-ray structures, 3149
Spectra
Tetrapyrido[3,2-a:2′,3′-c:3″,2″-h:2‴,3‴-j]-phenazine, Co(III), Calf thymus DNA, Plasmid DNA, Intercalative mode, 501
Spectroelectrochemical
Tetradentate chelate, Pyrazolyl–phenol, Ligands, 3231
Spectroscopic characterisation
Iron(II) nitrato complexes, *N,N′*-bis(2-pyridyl)urea complexes, Substituted urea complexes, X-ray crystal structures, 2203
Spectroscopic data
Strontium β-diketonates, Adducts, Crystal structures, 2397
Spectroscopic properties
Diimine function, Redox properties, 1851
Spectroscopic properties
Osmium dithiophosphates, X-ray crystal structures, 245
Spectroscopic studies
Cyano-bridge, Trinuclear complexes, Crystal structures, 2473
Spectroscopy
Copper complexes, Silver complexes, Azole complexes, Phenanthroline, 2755
Spectroscopy
Manganese(III) complex, Jahn–Teller distortion, Magnetic susceptibility, X-ray crystallography, 2195
Spectroscopy
X-ray structures, Halides, Copper, Cobalt, 2659
Spin arrangement
Molecular magnetism, Effective exchange interaction, Metal-organic compound, Nanoporous cavity, Adsorption, 1197
Spin-crossover complexes
Magnetic local structures, Moisture-sensitive transition, Crystal water, Mobility of D_2O, Solid-state high-resolution deuterium NMR, 1263
Spin-crossover
Iron(II), Tetrazole, Spin state trapping, Mössbauer, Relaxation, 1709
Spin crossover
Iron(II), Thermal trapping, Reverse LIESST, Reverse LITH, Crystal structures, Mössbauer, 1699
Spin cross over
Molecular magnetism materials, Exchange interaction, Ferromagnetic interaction, Antiferromagnetic interaction, Ferrimagnetic chains, Magnetic Prussian Blues, 1115
Spin density
Molecular ferromagnet, McConnell mechanism, Exchange, Ab-initio calculations, Polarized neutron diffraction, 1771
Spin density
Molecular oxygen, Electronic structure, Insulator–metal transition, Antiferromagnetic state, Charge density, 1381
Spin-exchange interaction
Cationic biradical, Stilbene, Triphenylamine, Non-Kekulé molecule, 1147
Spin-glass
Nano-graphite, Disordered magnetism, π-Electron system, Edge-state, Mesoscopic magnetism, 1311
Spin ladder
Molecular magnet, Magnetic order, Specific heat, 1447
Spin
One-dimensional antiferromagnet, Singlet ground state, Haldane gap, Charge, Copper oxides, 1735
Spin polarization
Copper(II) carboxylate complexes, Pyridyl-substituted nitronyl nitroxides, Antiferromagnetic coupling, 3057
Spin-polarized donor
Ferromagnetic conducting crystal, Theoretical calculation, Tetrathiafulvalene–nitronyl nitroxide, Charge-transfer complexes, 1169
Spin–spin interaction
Magnetism, Organic–inorganic composite material, Exchange interaction, $Mn(hfac)_2$, Nitroxide, 1653
Spin state trapping
Iron(II), Tetrazole, Spin-crossover, Mössbauer, Relaxation, 1709
Spin-transition solid
Light induced thermal hysteresis, $[Fe(ptz)_6](BF_4)_2$, 1599
Spirophosphoranes
Phosphito(1 −) bridges, Phosphite diolato(1 −) ligands, Oxo-rhenium(V) dimers, Crystal structures, 2667
Square-planar copper(II) complexes
Copper(II) complexes, Schiff base, Methylpyruvate Schiff base, S-Methyldithiocarbazate, 1037
Square-pyramidal Cu(II) polydentate ligand complexes
Crystal structures, Stereochemistry, 2523
Square-pyramidal iridium(I)
2-(Arylazo)pyridine chelation, 2089
SQUID
Thioaminyl, ESR, Ferromagnetic interaction, 1355
μSR
Dimensionality, Magnetic structure, Layer-structured copper compound, Hyperfine field, Contact shift, 1185
μSR
Organic radical ferromagnet, TEMPO, Critical phenomena, 1223
Stability constants
Aminohydroxamic acids, Methanol/water solvent, Copper(II) complexes, Circular dichroism, ESI-MS, 2697
Stability constants
Hexaaza macrocyclic ligands, Hydrogen bonding, Host–guest complexes, 2457
Stability constants
Imidazole derivatives, Transition metal complexes, Crystal structures, Spectra, 3307
Stability constants
Oxovanadium(IV) complexes, Glutathione, Potentiometric and spectrophotometric studies, 799
Stability constants
Polyazamacrocycles, Phosphinic acids, Cyclen and cyclam derivatives, Copper(II) complexes, Potentiometry, Kinetics, 47
Stability constants
Vanadium(III), Adenine, Dimer, Complexes, Aqueous solutions, Uracil, 2353
Stability
Equilibrium constants, Macrocycle, Copper, Kinetics, 297
Stability
Kinetics, Macrocycle, Copper, Dinuclear complexes, 75
Stability
Metallophthalocyanines, Magnesium phthalocyanine, Crystal structures, Dimeric structures, 4 + 1 Coordination, 2901
Stable radical
Anthracene, TEMPO radical, Magnetic property, Photo-functionality, $Mn(hfac)_2$ complex, 1335
Stannanediyls
Terphenyl, Organotin(II) compounds, Bulky ligands, 551
Stereochemistry
Ruthenium(II)-bisbipyridine-diamine complexes, Dangling amine, NMR spectroscopy, Emission, 37
Stereochemistry
Square-pyramidal Cu(II) polydentate ligand complexes, Crystal structures, 2523
Stereoselective reactions
Cobalt(III) complexes, Carbohydrate cobalt complexes, Circular dichroism, Galactose and arabinose complexes, Sugar complexes, ^1H NMR, 2223
Stereoselectivity
Tryptophanhydroxamic acid, Amino acids, Ternary complexes, Competing ligand, Solution equilibria, 103
Stilbene
Cationic biradical, Triphenylamine, Non-Kekulé molecule, Spin-exchange interaction, 1147
Stopped-flow
Me_2octaen, Polyamines, Copper(II), Equilibria, Kinetics, 1953
Strontium complexes
Calcium complexes, Macrocyclic ligands, 2,6-Diacetylpyridine, 1,2-Diaminopropane, 3143
Strontium β-diketonates
Adducts, Spectroscopic data, Crystal structures, 2397
Structural characterization
Complexes of cobalt and iron, Sandwich complexes, 1891

Structural elucidation
Hybrid Group 12, 14, 15 metals–Mo (W) cluster compound, Spectral characterization, Synthesis design, Third-order nonlinear optical property, 2339
Structure–activity relationship
Cu(II) complexes, Crystal structures, Serum stability, Radiopharmaceuticals, 3155
Structure
Azopyridine, Catechols, Platinum(II), Electrochemistry, 363
Structure
Heteroscorpionate tris(3-*R*-pyrazolyl)-borate cobalt(II) complexes, NMR, 2551
Structure
Polyoxometalates, Bonding, Valency, dft, 3101
Structure–property relationships
Dinuclear ligands, Building blocks, Metal complexes, Biradicals, 1627
Structures
Azopyrimidines, High potential Ru(II) complexes, Phosphine, Isomer, 599
Structures
Grids, Clusters, Self assembly, Supramolecular chemistry, Magnetic properties, 1359
Structures
Heteroscorpionate tris(3-*R*-pyrazolyl)-borate cobalt(II) complexes, NMR, 237
Structures
Lanthanide–trifluoroacetate, 2-Azacyclononanone, Synthesis, 2651
Structures
Macrocyclic nickel(II) complexes, Ethylenediamine, Oxalate, Magnetic property, 313
Structures
Poly(3-Rpyrazolyl)borate cobalt(II) complexes, NMR, 2965
Structures
Ruthenium, Dioxime ligands, Syntheses, Reactivities, 327
Structure–stability relationship
Tetrazole peptide chelator, 1915
Substituted urea complexes
Iron(II) nitrato complexes, *N,N'*-bis(2-pyridyl)urea complexes, Spectroscopic characterisation, X-ray crystal structures, 2203
Substitution
Diselenadiazolyl, Dithiadiazolyl, Thiaselenadiazolyl, 523
Substitution reactions
Platinum(II) complexes, Tridentate chelating nitrogen ligands, Crystal structures, 869
Substitution reaction
Trinuclear molybdenum cluster, X-ray crystal structures, ^{31}P NMR spectra, 2911
Sugar complexes
Cobalt(III) complexes, Carbohydrate cobalt complexes, Circular dichroism, Galactose and arabinose complexes, Stereoselective reactions, ^{1}H NMR, 2223
Sulfide ligand
Niobium, Dithiolene ligand, Trithiocarbonate ligand, 2279
Sulfides
Molybdenum clusters, Tungsten clusters, Trinuclear complexes, Tungsten hydrides, Crystal structures, 527
Sulfinyl amines
Molybdenum complexes, Imido complexes, Metathesis, 379
Sulfonamide complexes
Electrochemical synthesis, Cobalt(II) complexes, Oxazolines, X-ray structures, 2329
Sulfur-donor ligands
Zinc, Cadmium, Tris(mercaptoimidazolyl)borate, Crystal structures, Tripodal ligands, 3343
Superconducting phase transitions
Organic superconductors, Magnetic phase transitions, π–d interaction, Antiferromagnetic molecular superconductor, Antiferromagnetic molecular metal, 1587
Superexchange interaction
Hybrid-DFT, Metal oxides, Effective exchange integrals, 1177
Superoxide
Catechin, Antioxidants, Zinc(II), Voltammetry, Aprotic solvent, 1005
Superoxide scavenger
Polyimidazole, Tripodal ligands, Manganese, Iron, 223
Superparamagnet
Nanomagnet, Single-molecule magnet, Magnetization tunneling, 1479
Supramolecular arrays
Mixed-ligand coordination polymers, α-Hydroxycarboxylato ligands, 4,4′-Bipyridine ligand, Copper(II) complexes, Crystal structures, 899
Supramolecular chemistry
Chirality, Nitrones, Crystal structures, 747
Supramolecular chemistry
Grids, Clusters, Self assembly, Structures, Magnetic properties, 1359
Supramolecular
cis, *trans*, Hydrogen-bond, Diradical, EPR spectroscopy, 1643
Supramolecular interactions
Molecular-based magnetism, Clusters and aggregates, Iron(III) chemistry, Copper(II) chemistry, 1687
Supramolecule
1,2,4,5-Benzenetetracarboxylate, Copper(II) complexes, Cadmium(II) complexes, Double-chain, 3287
Supramolecule.
Coordination polymer, Zig-zag, Infinite chain, Monolayered, 4,4′-Bipyridine bridged, 2105
Supramolecule
Ferromagnetic interaction, Channel, Nitroxide, Ligand, Free radical, 1557
Syntheses
Crystal structures, Mononuclear versus dinuclear, Zinc and cadmium complexes, 285
Syntheses
Group 12 amides, Crystal structure determinations, 815
Syntheses
Ruthenium, Dioxime ligands, Structures, Reactivities, 327
Syntheses
Silver(I) complexes, Chain structures, Macrocyclic, Helical chains, 2619
Syntheses
Tripodal ionophores, Cation transport, Liquid–liquid extraction, 3281
Synthesis
Aryldichalcogenide complexes, Molecular structures, Electrochemistry, 3189
Synthesis
Cobalt(II) complexes, Schiff base ligands, Thermogravimetry, Infrared spectra, Tetradentate ligands, 261
Synthesis
Cobalt(III) complexes, DNA-binding, Cleavage, 3049
Synthesis
Copper(I)chloride–pyrazine compounds, Coordination polymers, Reactivity, Thermal properties, Thermal decomposition, 1017
Synthesis
Copper(I) complexes, Pseudohalides, Crystal structures, Dimethylpyrimidinethione, NMR spectroscopy, 849
Synthesis
Crystal structures, Reactivity, Lanthanide, Aryloxide, Chloride, 3201
Synthesis design
Hybrid Group 12, 14, 15 metals–Mo (W) cluster compound, Spectral characterization, Structural elucidation, Third-order nonlinear optical property, 2339
Synthesis
Ferrimagnetic complexes, Manganese(II), Nitroxide triradical, 1495
Synthesis
Iron(III) oxide, Magnetic characterization, Nano-particles, 1489
Synthesis
Lanthanide–trifluoroacetate, 2-Azacyclononanone, Structures, 2651
Synthesis
Macrocycles, X-ray diffraction, Phase transition, Mössbauer spectroscopy, 2721
Synthesis
Manganese-containing complexes, Characterization, Crystal structures, SOD-like activity, 2813
Synthesis
Zinc complexes, S ligands, Silanethiolates, O ligands, Crystal structures, 949

Tanning
Extended X-ray absorption fine structure, Leather, Chromium(III), 461
Tantalum
Niobium, Amides, Imides, X-ray structures, Catalysts, 2405

Tantalum
Niobium, Tantalum nitride, CVD, Pyrazolato, Imido, 805
Tantalum nitride
Tantalum, Niobium, CVD, Pyrazolato, Imido, 805
Tautomeric conversion
Thermo-chromism, Photo-chromism, Prussian blue analogue, 1339
TCNQ
Nickel(II) ion, Magnetic susceptibility, One-dimensional structure, Quinoline, 1551
Tellurium
Dihydrobenzotellurole, 1,1-Dithiolato, Crystal structures, 203
Temperature variable IR and MS spectra
Pentafluoropropionate Ag(I), Heptafluorobutyrate Ag(I), Thermal decomposition processes, 2853
Template synthesis
Macrocyclic complexes, Condensation reactions, 455
Template synthesis
Tetraazamacrocyclic ligands, Bis(macrocyclic) complexes, $Nickel^{III/II}$ couple, Electrochemistry, 1837
TEMPO
Organic radical ferromagnet, μSR, Critical phenomena, 1223
TEMPO radical
Anthracene, Stable radical, Magnetic property, Photo-functionality, $Mn(hfac)_2$ complex, 1335
Terbium(III) aryloxide complexes
Luminescence, X-ray crystal structures, Aryloxide, 277
Terephthalate
Azide, Copper(II) compound, Crystal structure, Magnetic properties, 681
Ternary complexes
Tryptophanhydroxamic acid, Amino acids, Stereoselectivity, Competing ligand, Solution equilibria, 103
Terphenyl
Organotin(II) compounds, Bulky ligands, Stannanediyls, 551
2,2′:6′,2″-Terpyridine
Manganese(II), Chloranilic acid, 2,2′-Bipyrimidine, Honeycomb layer, Magnetism, 1417
2,2′:6′,2″-Terpyridine
Ruthenium, Cobalt carbonyl, Cluster, Crystal structures, 483
tert-Butylnitroxides
Hydrogen bonding, Exchange interaction, Antiferromagnetism, 1465
Tertiary phosphine sulfide
Bis(diphenylphosphino)methane disulfide, Bis(diphenylphosphino)ethane disulfide, Diiodine, Charge-transfer complexes, 1907
1,4,8,11-Tetraazacyclotetradecane
Iron–cyclam, Quinone-related species, 2-Aminophenol, Macrocycle, X-ray structures, 493
1,4,8,11-Tetraazacyclotetradecane
Macrocycles, Cyclohexylcyclam, Isomers, Nickel(II) complexes, 409
1,4,8,11-Tetraazacyclotetradecane
β/α-Ni(*C-meso*/*rac*-1,7-CTH)$(ClO_4)_2$, Aquo complexes, Isothiocyanato complexes, Spectra, X-ray structures, 3149
Tetraazamacrocycle
Crystal structure, Cyclam, Nickel(II) complex, Electrochemistry, UV–Visible spectroscopy, 981
Tetraazamacrocyclic ligands
Template synthesis, Bis(macrocyclic) complexes, $Nickel^{III/II}$ couple, Electrochemistry, 1837
Tetracoordinate copper complexes
Crystal structures, Tetrahedral distortion, 703
Tetracyanoethylene
Molecule-based magnets, Photoinduced magnetization, Prussian blue, Cluster glass, 1435
Tetracyanoquinodimethanide
Verdazyl radical, Magnetism, Conductivity, Semiconductor, Crystal structures, 1537
Tetradentate chelate
Pyrazolyl–phenol, Ligands, Spectroelectrochemical, 3231
Tetradentate ligands
Cobalt(II) complexes, Schiff base ligands, Thermogravimetry, Infrared spectra, Synthesis, 261
Tetraglycol aldehyde
Ni(II) complexes, Amino acid Schiff base, Binuclear complexes, Catalytic activity, Polymerization reaction, 281
Tetrahedral coordination
Crystal structures, Mercury complexes, Tetraphosphine complexes, Diphosphine complexes, Bimetallic complexes, 727
Tetrahedral distortion
Tetracoordinate copper complexes, Crystal structures, 703
Tetranuclear complexes
Manganese, 1,2-Bis(bipyridine-6′-yl)ethane, Single molecule magnets, Photosystem II, 1269
Tetranuclear Mn cluster
Crystal structures, Chelate substitution, Dipivaloylmethane, Picolinic acid, Magnetic susceptibility, 1785
Tetraorganodichalcogenoimidodiphosphinates
Dimeric associations, Li_2O_2 cycle, 1101
Tetraphosphine complexes
Crystal structures, Mercury complexes, Diphosphine complexes, Bimetallic complexes, Tetrahedral coordination, 727
Tetrapyrido[3,2 - a:2′,3′ - c:3″,2″ - h:2‴,3‴ - j]-phenazine
Co(III), Calf thymus DNA, Plasmid DNA, Intercalative mode, Spectra, 501
Tetrathiafulvalene
Nickel bisdithiolenes, Crystal structures, Molecular conductors, 537
Tetrathiafulvalene–nitronyl nitroxide
Ferromagnetic conducting crystal, Theoretical calculation, Spin-polarized donor, Charge-transfer complexes, 1169
Tetrazole
Iron(II), Spin-crossover, Spin state trapping, Mössbauer, Relaxation, 1709
Tetrazole peptide chelator
Structure–stability relationship, 1915
Theoretical ab initio calculations
Schiff base complexes, Cu(II) complexes, *N*-Salicylidene derivatives, 2609
Theoretical calculation
Ferromagnetic conducting crystal, Tetrathiafulvalene–nitronyl nitroxide, Spin-polarized donor, Charge-transfer complexes, 1169
Thermal analysis
Diethanolamine, Triethanolamine, Thiocyanate, Dialkoxo-bridged binuclear Cu(II) complexes, Single crystal structures, 635
Thermal analysis
Ethanolamine, Diethanolamine, Saccharin complexes, Single crystal structures, 3209
Thermal analysis
Triammonium trisulfimide, Crystallization, IR spectrum, Crystal structures, NMR spectrum, 2439
Thermal decomposition
Copper(I)chloride–pyrazine compounds, Coordination polymers, Synthesis, Reactivity, Thermal properties, 1017
Thermal decomposition
Copper(I) compounds, Quinaldic acid, Crystal structures, Electronic, IR and Raman spectra, 2583
Thermal decomposition processes
Pentafluoropropionate Ag(I), Heptafluorobutyrate Ag(I), Temperature variable IR and MS spectra, 2853
Thermal hysteresis
Magnetic pole reversal, Molecule-based magnets, Interlocked structure, 1761
Thermal properties
Copper(I)chloride–pyrazine compounds, Coordination polymers, Synthesis, Reactivity, Thermal decomposition, 1017
Thermal trapping
Iron(II), Spin crossover, Reverse LIESST, Reverse LITH, Crystal structures, Mössbauer, 1699
Thermochromism
Diamines, Nickel(II) complexes, Crystal structures, Isomerisation, 2073
Thermo-chromism
Photo-chromism, Prussian blue analogue, Tautomeric conversion, 1339
Thermodynamic cycle
Gaseous metal complexes, Solvation, Ligand basicity, Cobalt(II)chloride, 4-Methyl-pyridine, 387
Thermodynamic data
Immobilization, Ethylenesulfide, Sol–gel process, Calorimetric titration, 929

Thermodynamics
Crystal structures, Macrocyclic ligands, Nickel(II) complexes, Bidentate ligands, 1,2-Diaminoethane folding, 307
Thermogravimetry
Cobalt(II) complexes, Schiff base ligands, Infrared spectra, Synthesis, Tetradentate ligands, 261
Thermolysis
Schiff base, β-Ketoimine, Copper, X-ray determination, Volatility, 2589
Thiaselenadiazolyl
Diselenadiazolyl, Dithiadiazolyl, Substitution, 523
Thiazolidine
Cobalt(II) complexes, Zinc(II) complexes, Pyridine, Thiazoline, 3315
Thiazoline
Cobalt(II) complexes, Zinc(II) complexes, Pyridine, Thiazolidine, 3315
Thiazolylmanganese complexes
Carbene compounds, Manganese(0) pentacarbonyl compounds, 2,3-Dihydro-thiazol-2-ylidenemanganese complexes, 1089
Thin film
Tin, Dithiocarbamates, APCVD, X-ray structures, 2989
Thioaminyl
ESR, SQUID, Ferromagnetic interaction, 1355
Thiocyanate complexes
Aluminum complexes, Raman spectra, Factor analysis, Complex equilibria, Aqueous solution, 839
Thiocyanate
Diethanolamine, Triethanolamine, Dialkoxo-bridged binuclear Cu(II) complexes, Single crystal structures, Thermal analysis, 635
Thiocyanate
Nickel, Schiff base ligands, Azide, Crystal structures, 135
Thiocyanate
Silver complexes, Selenocyanate, Coordination modes, Crystal structures, 2683
Thiocyanato bridge complexes
Crystal structures, Magnetic properties, Nickel(II) complexes, 1D polymer, 651
Thiocyanato-bridged complexes
Crystal structures, Dinuclear complexes, Reinecke's anion, Magnetism, 2033
Thioether complexes
Platinum complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Crystal structures, Crown thioethers, 3333
Thiolate
Gallium, Hydride, 2425
Thiomolybdate
Metal thiolate, Bis(pyrazolyl)borate, Copper(I) complexes, Molybdenum complexes, Crystal structure, 179
Thiophene
Orgaontin, Organosilicon, Pyrazole, X-ray, Mössbauer, 1995
Thiophosphoryl guanidines
Palladium, Rhodium, X-ray crystal structure, 1831
Thiosemicarbazide based ligands
Crystal structures, DFT calculations, Co(III) complexes, Preferential pyridine orientation, 2231
Thiosemicarbzone complexes
Crystal structures, Copper complexes, 1045
Third-order nonlinear optical property
Hybrid Group 12, 14, 15 metals–Mo (W) cluster compound, Spectral characterization, Structural elucidation, Synthesis design, 2339
Time-resolved ESR
Photo-induced spin alignment, Excited quartet state, Excited quintet state, 1163
Tin
Bis(pyrazol-1-yl)alkane, Molybdenum, Tungsten, X-ray crystal structures, 3249
Tin complexes
Phosphinothiolate derivatives, Phosphine oxide, 2863
Tin
Cyclopentadienyl, Molybdenum, Tungsten, X-ray crystal structure, 403
Tin
Dithiocarbamates, Thin film, APCVD, X-ray structures, 2989
Tin(III)
Bond valence sums, Tin sulfur bonds, Tin nitrogen bonds, 2137
Tin nitrogen bonds
Bond valence sums, Tin sulfur bonds, Tin(III), 2137
Tin sulfur bonds
Bond valence sums, Tin nitrogen bonds, Tin(III), 2137
Titanium
Fluorides, X-ray structures, NMR spectroscopy, Lanthanum, Lutidine, 1967
trans
cis, Supramolecular, Hydrogen-bond, Diradical, EPR spectroscopy, 1643
trans-(±)-1,2-Diaminocyclohexane
Acetylacetone, Cobalt(II) salts, Schiff base complexes, 2799
Transfer hydrogenation
Arene ruthenium, Crystal structure, Catalysis, Reduced Schiff base, 2735
Transition metal complexes
Azo ligand, Zn and Cd extraction, Phenoldiazenyl, 2689
Transition metal complexes
Imidazole derivatives, Crystal structures, Spectra, Stability constants, 3307
Transition metal
Crown ether, Hydrogen bond, 12-Crown-4, 2979
Transition metal
p-tert-Butylcalix[4]arene, Phosphine pendant arms, Complex, 1881
Transition metals
Cluster complexes, Chiral, Crystal structures, Enantiomeric separation, Diastereoisomers, 1859
Transition metals
Ferromagnetic ordering, Magnetic characterisation, Oxine complexes, 1499
Transition metals
Main group, Oxoanions, Bonding, Density-functional theory, 2269
Transition temperature
Organic ferromagnetism, Pressure, DAC, 1505
Transition temperature
Organic weak-ferromagnetism, Pressure, Dzyaloshinsky–Moriya interaction, 1509
Triammonium trisulfimide
Crystallization, Thermal analysis, IR spectrum, Crystal structures, NMR spectrum, 2439
Triazenide
Ruthenium, Amidinate, X-ray crystal structure, 1875
Triazine ligands
Crystal structures, Silver complexes, 2321
Triazine ligands
Crystal structures, Silver complexes, Polydentate ligands, π–π Interactions, 2037
Tridentate chelating nitrogen ligands
Platinum(II) complexes, Substitution reactions, Crystal structures, 869
Triethanolamine
Crystal structures, Copper(II) complexes, 4,4′-Bipyridine, Magnetic properties, 3033
Triethanolamine
Diethanolamine, Thiocyanate, Dialkoxo-bridged binuclear Cu(II) complexes, Single crystal structures, Thermal analysis, 635
Trifluoroacetate
Rhodium(II) complexes, Dinuclear complexes, One-dimensional polymers, Crystal structures, 3073
Trinuclear complexes
Cyano-bridge, Crystal structures, Spectroscopic studies, 2473
Trinuclear complexes
Cyano-bridged complexes, Octacyanomolybdate(IV, V), Platinum(II, IV), Metal–metal interactions, Crystal structures, 685
Trinuclear complexes
Molybdenum clusters, Tungsten clusters, Tungsten hydrides, Sulfides, Crystal structures, 527
Trinuclear copper(II) complexes
Crystal structures, Magnetic properties, 675
Trinuclear molybdenum cluster
Substitution reaction, X-ray crystal structures, ^{31}P NMR spectra, 2911
Triphenylamine
Cationic biradical, Stilbene, Non-Kekulé molecule, Spin-exchange interaction, 1147
Triphenylarsine oxide
Actinides, Isomers, Dioxouranium(VI) bromides, Uranyl bromides, 3295
Triphenylphosphine
1,2-Bis(diphenylphosphino)ethane, Nickel(II) complexes, (1,1-Dithiolato)-

nickel(II) complexes, Crystal structure, 395
Triphenylphosphine
Dithiolate, Iron carbonyl, X-ray structures, 97
Triphenylphosphine
Mercury(II) complexes, Pyrimidine-2-thione, Crystal structures, 2179
Triphenylphosphine
Ruthenium(II) complexes, N-donor ligands, Electrochemical and spectroscopic studies, 2123
Triphosphine complexes
Palladium, Platinum, Diphenyltin(IV) anions, X-ray structures, NMR spectroscopy, 855
Triplet
π-Conjugated radical, Organic radical, Magnetic properties, Metal complexes, Crystal structures, 1329
Triplet states elucidation in the CrO_4^{2-} ion
Chromate complexes, Zinc(II) complexes, 2,2′-Bipyridine, Crystal structures, Low temperature electronic spectra, Gaussian analysis, 2063
Tripodal ionophores
Syntheses, Cation transport, Liquid–liquid extraction, 3281
Tripodal ligand
Crystal structures, Dioxo, Molybdenum(VI) compounds, 337
Tripodal ligands
Polyimidazole, Superoxide scavenger, Manganese, Iron, 223
Tripodal ligands
Zinc, Cadmium, Tris(mercaptoimidazolyl)borate, Crystal structures, Sulfur-donor ligands, 3343
Tripod ligand
PPN bridging ligand, Face-to-face type molecules, Copper, Silver, Palladium, 1071
Triradical
Single-component organic ferrimagnet, Nitronyl nitroxide, Nitroxide, Solution ESR, Hyperfine coupling, 1397
Tris(mercaptoimidazolyl)borate
Zinc, Cadmium, Crystal structures, Sulfur-donor ligands, Tripodal ligands, 3343
Tris(pyrazolyl)borate
Lanthanide(III) complexes, Bis(pyrazolyl)borate, 2045
Trispyrazolylborate
Molybdenum, Arylamide ligands, Bowl-shaped molecules, 2997
Tris(pyrazolyl)methane ligands
Sodium tetrahydridoborate complexes, 2491
Trisubstituted tungstosilicate or tungstogermanate
Group 3A elements, ^{183}W NMR, 881
Trithiacyclononane
Thioether complexes, Platinum complexes, Platinum nuclear magnetic resonance, Crystal structures, Crown thioethers, 3333
Trithiocarbonate ligand
Niobium, Sulfide ligand, Dithiolene ligand, 2279
Trivalent ruthenium
Mixed ligand complexes, Deprotonated 2-carbamoylpyridine derivatives, 2027
Tryptophanhydroxamic acid
Amino acids, Ternary complexes, Stereoselectivity, Competing ligand, Solution equilibria, 103
Tungsten
Bis(pyrazol-1-yl)alkane, Molybdenum, Tin, X-ray crystal structures, 3249
Tungsten clusters
Molybdenum clusters, Trinuclear complexes, Tungsten hydrides, Sulfides, Crystal structures, 527
Tungsten
Cyclopentadienyl, Molybdenum, Tin, X-ray crystal structure, 403
Tungsten hydrides
Molybdenum clusters, Tungsten clusters, Trinuclear complexes, Sulfides, Crystal structures, 527
Tungsten(II)
Seven-coordinate complexes, I_2Cl_6, Molybdenum(II), Acetonitrile, 2559
Tunnel splitting
Iron, Manganese, Molecular magnetic clusters, Specific heat, 1451

Unsaturated macrocyclic ligand
Iron(III) complexes, High-spin, ESR, Mössbauer, Powder XRD, Cyclic voltammetry, 2019
Uracil
Vanadium(III), Adenine, Dimer, Complexes, Stability constants, Aqueous solutions, 2353
Uranium
Lanthanide ion, Aminoxyl radical, Analytical model, Ligand field effect, f Element, 1593
Uranyl bis(β-diketonates)
Crown ethers, X-ray structures, Hydrogen bonding, Second sphere coordination compounds, 2145
Uranyl bromides
Actinides, Isomers, Dioxouranium(VI) bromides, Triphenylarsine oxide, 3295
Uranyl ion
Calixarenes, Homoazacalixarenes, Zwitterion, Crystal structures, 3183
UV–Vis
Cu(II) complexes, EPR spectra, 2889
UV–Visible spectroscopy
Crystal structure, Tetraazamacrocycle, Cyclam, Nickel(II) complex, Electrochemistry, 981

Valency
Polyoxometalates, Structure, Bonding, dft, 3101
Vanadium
Heteropolyoxometalate, Voltammetry, Raman spectroscopy, 83
Vanadium(III)
Adenine, Dimer, Complexes, Stability constants, Aqueous solutions, Uracil, 2353
Vanadium–magnesium heterometallic alkoxide
Oxovanadium(V)alkoxide, 1-Methoxy-2-propanol, ^{51}V NMR, Sol–gel, Vanadium–magnesium oxide catalyst, 2261
Vanadium–magnesium oxide catalyst
Oxovanadium(V)alkoxide, 1-Methoxy-2-propanol, ^{51}V NMR, Vanadium–magnesium heterometallic alkoxide, Sol–gel, 2261
Vasodilator
Cu(II) complexes, Prazosin, X-ray data, 231
Verdazyl radical
Tetracyanoquinodimethanide, Magnetism, Conductivity, Semiconductor, Crystal structures, 1537
VIS spectra
Copper(II) complexes, Mixed-ligand complexes, Five-co-ordinate complexes, Aminohydroxamic acids, EPR spectra, 2627
^{51}V NMR
Oxovanadium(V)alkoxide, 1-Methoxy-2-propanol, Vanadium–magnesium heterometallic alkoxide, Sol–gel, Vanadium–magnesium oxide catalyst, 2261
Volatility
Schiff base, β-Ketoimine, Copper, X-ray determination, Thermolysis, 2589
Voltammetry
Catechin, Antioxidants, Zinc(II), Superoxide, Aprotic solvent, 1005
Voltammetry
Heteropolyoxometalate, Vanadium, Raman spectroscopy, 83
Volume
Ionic radius, *p-tert*-Butylcalix[4]arene tetra-acetamide, X-ray, Pseudo-cavity, Host/guest, 1897
VT ^1H NMR spectroscopy
Aryloxyborane derivatives, Molecular structures, 1053

Weak ferromagnetism
Iron(II) thioimidazolate, ac-Susceptometry, Mössbauer spectroscopy, *g*-Factor alternation, 1243
^{183}W NMR
Group 3A elements, Trisubstituted tungstosilicate or tungstogermanate, 881

X-ray
Ambidentate, Chlorosulfonylisocyanate, Cyano, Diketonate, Copper, 3113
X-ray crystal and molecular structures
N-Salicylidenearoylhydrazine copper(II) complexes, Pyrazole and pyrazolate ternary complexes, Magnetic properties, Infrared spectra, 2787
X-ray crystallography
Diphosphino ligands, Chalcogens, Ferrocene, 741

X-ray crystallography
Hydrophosphonylation, Phospho-transfer, Zinc complexes, Catalysis, 2151
X-ray crystallography
Manganese(III) complex, Jahn–Teller distortion, Magnetic susceptibility, Spectroscopy, 2195
X-ray crystal structure
Cyclopentadienyl, Molybdenum, Tungsten, Tin, 403
X-ray crystal structure
Palladium, Rhodium, Thiophosphoryl guanidines, 1831
X-ray crystal structure
Ruthenium, Amidinate, Triazenide, 1875
X-ray crystal structures
Bis(pyrazol-1-yl)alkane, Molybdenum, Tungsten, Tin, 3249
X-ray crystal structures
Dithiadiphosphetane, Heterocycles, NMR, 2577
X-ray crystal structures
Iron(II) nitrato complexes, *N,N'*-bis(2-pyridyl)urea complexes, Spectroscopic characterisation, Substituted urea complexes, 2203
X-ray crystal structures
Luminescence, Terbium(III) aryloxide complexes, Aryloxide, 277
X-ray crystal structures
Osmium dithiophosphates, Spectroscopic properties, 245
X-ray crystal structures
Pt(II), Dithiolate, Dppf, Cyclic voltammetry, ^{31}P NMR, 1939
X-ray crystal structures
Pyrazole, Mono- and dinuclear complexes, Platinum(II), N-ligands, P-ligands, 2869
X-ray crystal structures
Salicylaldoxime ligands, Cobalt(II) complexes, DMSO adducts, 3239
X-ray crystal structures
Trinuclear molybdenum cluster, Substitution reaction, ^{31}P NMR spectra, 2911
X-ray data
Cu(II) complexes, Prazosin, Vasodilator, 231
X-ray data
Isoxazolidines, Complexes, NMR data, 957
X-ray determination
Schiff base, β-Ketoimine, Copper, Thermolysis, Volatility, 2589
X-ray diffraction
Synthesis, Macrocycles, Phase transition, Mössbauer spectroscopy, 2721
X-ray
Orgaontin, Organosilicon, Thiophene, Pyrazole, Mössbauer, 1995
X-ray
Phosphinoamide, Heterobidentate, Solvatochromism, Complexes, 1803
X-ray photoelectron spectroscopy
Silver(I) nicotinic acid complexes, Crystal structures, FTIR spectroscopy, 2747
X-ray single crystal study
Alkoxide-β-diketonate complexes, Application, Solid catalysts, 915
X-ray structure analysis
Cobalt(III), Cyano complexes, Facial and meridional isomerism, Infrared, Raman, 2597
X-ray structure
Coordination chemistry, Heterocycle, H-bonding, 125
X-ray structure
Lanthanide, Phosphine oxide, 2055
X-ray structure
MOCVD, Calcium, β-Diketonates, Adduct, 1065
X-ray structure
Naphthylazoimidazoles, Isomers, Ruthenium(II) complexes, Electrochemistry, 905
X-ray structures
2,6-Bis(pyrazol-1-ylmethyl)pyridine and its 3,5-dimethyl-substituted derivatives, Anion-bound copper(II) complexes, Absorption and EPR spectra, Cyclic voltammetry, 2545
X-ray structures
Copper(II) azide complexes, Pyridine and 4-ethylpyridine, Electronic spectra, IR spectra, Magnetic measurements, 2971
X-ray structures
Crown ethers, Uranyl bis(β-diketonates), Hydrogen bonding, Second sphere coordination compounds, 2145
X-ray structures
2,11-Diaza[3.3](2,6)pyridinophane, Protonation, Complexation, Iron, Cobalt, Nickel, 2705
X-ray structures
Dicarbonyliron complexes, Chalcone, Sorbic acid, Cyclic voltammetry, 1011
X-ray structures
Dithiolate, Iron carbonyl, Triphenylphosphine, 97
X-ray structures
Electrochemical synthesis, Cobalt(II) complexes, Oxazolines, Sulfonamide complexes, 2329
X-ray structures
Fluorides, NMR spectroscopy, Lanthanum, Titanium, Lutidine, 1967
X-ray structures
2-Formylpyrrole thiosemicarbazone, 2-Acetylpyrrole thiosemicarbazone, Group 12 metal(II) complexes, 441
X-ray structures
Halides, Copper, Cobalt, Spectroscopy, 2659
X-ray structures
Iron–cyclam, Quinone-related species, 2-Aminophenol, 1,4,8,11-Tetraazacyclotetradecane, Macrocycle, 493
X-ray structures
Nickel, Copper, Functional alkoxides, Carboxylates, Sol–gel, Heteronuclear, 2163
X-ray structures
Niobium, Tantalum, Amides, Imides, Catalysts, 2405
X-ray structures
Organomercury, NMR, 2885
X-ray structures
Palladium, Platinum, Triphosphine complexes, Diphenyltin(IV) anions, NMR spectroscopy, 855
X-ray structures
Pamoic acid, Amide, Diphosphine, NMR, 3355
X-ray structures
Ruthenium complexes, Pyridine dicarboxylic acids, Antibacterial activity, 975
X-ray structures
Ruthenium(II) complexes, α-*N* heterocyclic carboxylic acid, Electrochemistry, 3349
X-ray structures
Scandium, Yttrium, Lanthanum, NMR spectroscopy, 2711
X-ray structures
Schiff base complexes, Cu(II) complexes, *N*-Salicylidene derivatives, 2877
X-ray structures
1,4,8,11-Tetraazacyclotetradecane, β/α-Ni(*C-meso*/*rac*-1,7-CTH)$(ClO_4)_2$, Aquo complexes, Isothiocyanato complexes, Spectra, 3149
X-ray structures
Tin, Dithiocarbamates, Thin film, APCVD, 2989
X-ray
Volume, Ionic radius, *p-tert*-Butylcalix[4]arene tetra-acetamide, Pseudo-cavity, Host/guest, 1897

Yttrium
Scandium, Lanthanum, NMR spectroscopy, X-ray structures, 2711

Zero-field splitting
High spin molecules, Nitrenes, Quartet state, Heterospin exchange, 1647
Zigzag chain
Coordination polymer, Crystal structures, Hydrothermal synthesis, 2477
Zigzag chains
Lamellar structures, Heterocyclic ligands, Silver(I) complexes, 3165
Zig-zag
Coordination polymer, Infinite chain, Monolayered, 4,4'-Bipyridine bridged, Supramolecule., 2105
Zinc and cadmium complexes
Crystal structures, Syntheses, Mononuclear versus dinuclear, 285
Zinc
Cadmium, Mercury, Lithium, Diazabutadiene, 823
Zinc
Cadmium, Tris(mercaptoimidazolyl)-borate, Crystal structures, Sulfur-donor ligands, Tripodal ligands, 3343
Zinc complexes
Crystal structures, Chiral *N*-substituted pyrazole, 1961

Zinc complexes
Hydrophosphonylation, Phospho-transfer, Catalysis, X-ray crystallography, 2151
Zinc complexes
S ligands, Silanethiolates, O ligands, Synthesis, Crystal structures, 949
Zinc
2,2′-Dipyridyl(*N*-propenyl)amine, Copper, Nitrates, Crystal structures, 2935
Zinc(II) carboxylates
Zinc(II) complexes, Phthalate complexes, Crystal structures, 831
Zinc(II)
Catechin, Antioxidants, Superoxide, Voltammetry, Aprotic solvent, 1005
Zinc(II) complexes
Azopyridine, Azopyrimidine, Crystal structures, 2253
Zinc(II) complexes
Chromate complexes, 2,2′-Bipyridine, Crystal structures, Low temperature electronic spectra, Gaussian analysis, Triplet states elucidation in the CrO_4^{2-} ion, 2063
Zinc(II) complexes
Cobalt(II) complexes, Pyridine, Thiazoline, Thiazolidine, 3315
Zinc(II) complexes
Kinetics, Catalytic hydrolysis, Carboxyester, Phenanthroline, Metalloenzyme, 91
Zinc(II) complexes
Zinc(II) carboxylates, Phthalate complexes, Crystal structures, 831
Zinc(II)–Lanthanide(III)
Crotonate-bridged, Heterometal, 1795
Zinc
Nickel, Cadmium, Saccarinate, Bipyridine, 721
Zinc
2-Pyridineformamide, 3-Piperidylthiosemicarbazone, Iron, Cobalt, Copper, Crystal structures, 3265
Zirconium complexes
Phosphinoalkoxide, Heterodinuclear molybdenum phosphine complexes, 2171
Zn and Cd extraction
Azo ligand, Transition metal complexes, Phenoldiazenyl, 2689
Zn(II) complexes
Cu(II) complexes, Cd(II) complexes, *S*-Benzyl-β-*N*-(2-pyridyl)methylenedithiocarbazate, Bioactivity of metal complexes, Bioactivity of NNS Schiff base, Crystal structure of Zn(II) complex, 2363
Zwitterions
Copper(I), Bicyclic guanidine, Bridging cyanide, Polymeric chains, 3027
Zwitterion
Uranyl ion, Calixarenes, Homoazacalixarenes, Crystal structures, 3183